

BYD ATTO 3

JULY 2022 - ONWARDS
ALL NEW ZEALAND VARIANTS



ANCAP
SAFETY

TESTED
2022





RATING YEAR	2022
VEHICLE TYPE	Small SUV
ENGINE TYPE	Battery Electric Vehicle (BEV)
BUILT FROM	May 2022
ON SALE FROM	July 2022
SERIES	N/A
AIRBAGS	Dual frontal, side chest, side head, centre

The BYD ATTO 3 was introduced in New Zealand in July 2022. This ANCAP safety rating applies to models sold in New Zealand (Standard Range and Extended Range variants). A separate rating is available for Australian-supplied vehicles.

Dual frontal, side chest-protecting and side head-protecting (curtain) airbags are standard. A centre airbag which provides added protection to front seat occupants in side impact crashes is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction Assist and Backover) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and a speed sign recognition system are standard on all variants.

NOTE: Installation of child restraints in the centre seating position of the second row is not recommended as there is no top tether anchorage.



RATING APPLICABILITY

VARIANT	BODY TYPE	ENGINE	DRIVETRAIN	AUS	NZ
BYD ATTO 3 Standard Range	5 door SUV	Battery Electric Vehicle (BEV)	2WD	-	✓
BYD ATTO 3 Extended Range	5 door SUV	Battery Electric Vehicle (BEV)	2WD	-	✓

ADULT OCCUPANT PROTECTION



91%

34.68 POINTS
OUT OF 38

The passenger compartment of the BYD ATTO 3 remained stable in the frontal offset (MPDB) test. Protection of the driver's chest and lower legs was ADEQUATE, with GOOD protection offered to other body regions. Protection of the front passenger chest was also ADEQUATE. Protection of all other critical body regions for the front passenger was GOOD.

The front structure of the BYD ATTO 3 presented a moderate risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 1.15 point penalty was applied.

In the full width frontal test, protection was ADEQUATE for the chest of both the driver and the rear passenger, while GOOD protection was offered for all other critical body regions.

In the side impact test, protection offered to all critical body regions was GOOD. In the oblique pole test, chest protection was WEAK, with GOOD protection of all other critical body areas.

The BYD ATTO 3 is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impact crashes and it provided GOOD protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the far side impact tests was assessed as GOOD for the vehicle-to-vehicle impact scenario and ADEQUATE for the vehicle-to-pole scenario.

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted.

FRONTAL OFFSET (MPDB)#	6.34	(out of 8)
FULL WIDTH FRONTAL#	7.59	(out of 8)
SIDE IMPACT#	6.00	(out of 6)
OBLIQUE POLE#	4.94	(out of 6)
WHIPLASH PROTECTION	3.91	(out of 4)
FAR SIDE IMPACT	3.89	(out of 4)
RESCUE & EXTRICATION	2.00	(out of 2)

Scaled scores. Total test scored out of 16.00 points.

FRONTAL OFFSET (MPDB) (50km/h)



DRIVER

Head / neck:	4.00 pts
Chest:	2.73 pts
Upper legs:	4.00 pts
Lower legs:	3.11 pts
Deductions:	Nil

FRONT PASSENGER

Head / neck:	4.00 pts
Chest:	3.87 pts
Upper legs:	4.00 pts
Lower legs:	4.00 pts
Deductions:	Nil

COMPATIBILITY

Deductions:	-1.15 pts
-------------	-----------

FULL WIDTH FRONTAL (50km/h)



DRIVER

Head:	4.00 pts
Neck:	4.00 pts
Chest:	3.09 pts
Upper legs:	4.00 pts
Deductions:	Nil


REAR PASSENGER

Head:	4.00 pts
Neck:	4.00 pts
Chest:	3.26 pts
Upper legs:	4.00 pts
Deductions:	Nil

RESCUE & EXTRICATION

Rescue Sheet	●	No penalty
Door Opening / Extrication	●	No penalty
Multi-Collision Braking	●	1.00 pt
Advanced eCall	✗	1.00 pt default

SIDE IMPACT OBLIQUE POLE



SIDE IMPACT (MDB) (60km/h)

Head:	4.00 pts
Chest:	4.00 pts
Abdomen:	4.00 pts
Pelvis:	4.00 pts
Deductions:	Nil

OBLIQUE POLE (32km/h)

Head:	4.00 pts
Chest:	1.19 pts
Abdomen:	4.00 pts
Pelvis:	4.00 pts
Deductions:	Nil

FAR SIDE IMPACT



SIDE IMPACT (MDB)

Head:	4.00 pts
Neck:	4.00 pts
Chest & Abdomen:	4.00 pts
Pelvis:	No penalty

OBLIQUE POLE

Head:	4.00 pts
Neck:	3.36 pts
Chest & Abdomen:	4.00 pts
Pelvis:	No penalty

OCCUPANT-TO-OCCUPANT

Head contact:	No penalty
---------------	------------



WHIPLASH (REAR IMPACT) PROTECTION



Driver / front passenger:	2.91 pts
Rear passenger:	1.00 pts

CHILD OCCUPANT PROTECTION



84%

41.62 POINTS
OUT OF 49

In both the frontal offset and side impact tests, protection was GOOD for all critical body areas for both the 6 year and 10 year child dummies.

The BYD ATTO 3 is fitted with lower ISOFix anchorages and top tether anchorages on the rear outboard seats and the front passenger seat. A top tether anchorage is not fitted to the centre rear seating position.

Installation of typical child restraints available in New Zealand showed all child restraints could be accommodated in the rear outboard seating positions, though care is required when installing a booster seat in the front passenger seating position.

NOTE: Installation of child restraints in the second row centre seating position is not recommended as there is no top tether anchorage.

DYNAMIC TEST (FRONT)	16.00 (out of 16)
DYNAMIC TEST (SIDE)	8.00 (out of 8)
RESTRAINT INSTALLATION	11.62 (out of 12)
ON-BOARD SAFETY FEATURES	6.00 (out of 13)

FRONTAL OFFSET (MPDB) (50km/h)



6 YEAR OLD

10 YEAR OLD

SIDE IMPACT (60km/h)



10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES

FEATURE	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFix	●	●	×	-	-
Integrated child restraints	×	×	×	-	-
Top tether anchorage	●	●	×	-	-
Airbag disabling	●	-	-	-	-

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION × NOT AVAILABLE - NOT APPLICABLE

GOOD ADEQUATE MARGINAL WEAK POOR

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcarseats.com.au.



84%

41.62 POINTS
OUT OF 49

CHILD RESTRAINT INSTALLATION*

CHILD RESTRAINT (CRS) TYPE [^]		FRONT ROW	2nd ROW			3rd ROW		
		PASSENGER	LEFT	CENTRE	RIGHT	LEFT	CENTRE	RIGHT
BELTED	TYPE A	Rearward facing capsule	×	●	-	●	-	-
	TYPE A	Rearward facing with harness - convertible (Model A)	×	●	-	●	-	-
		Rearward facing with harness - convertible (Model B)	×	●	-	●	-	-
	TYPE B	Forward facing with harness - convertible (Model A)	●	●	-	●	-	-
		Forward facing with harness - convertible (Model B)	●	●	-	●	-	-
	TYPE E	Booster - 4 to 8 years	●	●	-	●	-	-
TYPE F	Booster - 4 to 10 years	●	●	-	●	-	-	
ISOFIX	TYPE A	Rearward facing capsule	×	●	-	●	-	-
	TYPE A	Rearward facing with harness - convertible (Model A)	×	●	-	●	-	-
		Rearward facing with harness - convertible (Model B)	×	●	-	●	-	-
	TYPE B	Forward facing with harness - convertible (Model A)	●	●	-	●	-	-
		Forward facing with harness - convertible (Model B)	●	●	-	●	-	-

* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.

[^] The above list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



69%

37.54 POINTS
OUT OF 54

The bonnet of the BYD ATTO 3 provided predominantly GOOD or ADEQUATE protection to the head of a struck pedestrian, while WEAK and POOR results were recorded at the rear of the bonnet, at the base of the windscreen, along the front of the bonnet and on the stiff windscreen pillars.

The bumper provided GOOD protection to pedestrians' legs however protection of the pelvis was predominantly POOR.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to pedestrians and cyclists. The AEB system offered GOOD performance in tests of its effectiveness in pedestrian test scenarios under both daylight and night-time conditions including in turning scenarios and some reverse (AEB Backover) scenarios. GOOD performance was also seen in cyclist test scenarios with collisions avoided or mitigated at all test speeds.

HEAD IMPACTS	15.02 (out of 24)
UPPER LEG IMPACTS	0.80 (out of 6)
LOWER LEG IMPACTS	6.00 (out of 6)
AEB - Pedestrian (forward)	6.52 (out of 7)
AEB - Pedestrian (backover)	1.00 (out of 2)
AEB - Cyclist	8.20 (out of 9)

AUTONOMOUS EMERGENCY BRAKING (PEDESTRIAN, CYCLIST & BACKOVER)

SYSTEM NAME: Autonomous Emergency Brake
TYPE: Autonomous emergency braking with forward collision warning
OPERATIONAL FROM: 4-85 km/h
DESCRIPTION: System functions in the daytime and night

AUTONOMOUS EMERGENCY BRAKING - PEDESTRIAN														
TEST SCENARIO	AEB + FCW		FORWARD								BACKOVER			
	Adult walking along road		Adult crossing towards kerb (50%)		Adult crossing from kerb (25%)		Adult crossing from kerb (75%)		Child running (obstructed)		Adult crossing side road, vehicle turning		Adult walking behind reversing vehicle	Adult standing behind reversing vehicle
	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	DAY
PERFORMANCE	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	POOR
GOOD														

AUTONOMOUS EMERGENCY BRAKING - CYCLIST					
TEST SCENARIO	FCW	FORWARD			
	Cyclist travelling along road (25%)	Cyclist crossing from kerb (obstructed)	Cyclist travelling along road (50%)	Cyclist crossing (nearside)	Cyclist crossing (farside)
	DAY	DAY	DAY	DAY	DAY
PERFORMANCE	GOOD	GOOD	GOOD	GOOD	GOOD
GOOD					

PEDESTRIAN IMPACT TEST (40 KM/H)





The BYD ATTO 3 is fitted with an autonomous emergency braking (AEB) system capable of functioning at highway speeds, a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).

Tests of the AEB (Car-to-Car) system showed GOOD performance with collisions avoided or mitigated in most scenarios, including in AEB Junction Assist scenarios where the test vehicle can autonomously brake to avoid crashes when turning across the path of an oncoming vehicle.

Tests of LSS functionality showed an overall ADEQUATE level of performance, including in the more critical emergency lane keeping test scenarios.

A speed assistance system (SAS) is standard. This system identifies the local speed limit and allows the driver to set the speed accordingly.

A seatbelt reminder system with occupancy detection is fitted to all seating positions.

A driver drowsiness monitor system is not available.

OCCUPANT STATUS

- Seat belt reminders 2.00 (out of 2)

- Driver monitoring 0.00 (out of 1)

SPEED ASSISTANCE SYSTEMS 2.40 (out of 3)

LANE SUPPORT SYSTEMS 3.00 (out of 4)

AEB - Car-to-Car 3.49 (out of 4)

AEB - Junction Assist 2.00 (out of 2)

LANE SUPPORT SYSTEMS (LSS)

SYSTEM NAME: Lane Support System
OPERATIONAL FROM: 30-150 km/h

EMERGENCY LANE KEEPING (ELK)											
TEST SCENARIO	Oncoming vehicle	Overtaking vehicle (GVT at 72 km/h)		Overtaking vehicle (GVT at 80 km/h)		Road edge				Solid line	
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL						
PERFORMANCE	Marginal	Good	Good	Good	Good	Good	Good	Good	Good	Good	Good
ADEQUATE											

LANE KEEP ASSIST (LKA)				
TEST SCENARIO	Dashed Line		Solid Line	
PERFORMANCE	Good	Good	Good	Good
GOOD				

HUMAN MACHINE INTERFACE (HMI)		
FUNCTION	Lane Departure Warning (LDW)	PASS
	Blind Spot Monitoring (BSM)	PASS



80%

12.89 POINTS
OUT OF 16

AUTONOMOUS EMERGENCY BRAKING (CAR-TO-CAR)

SYSTEM NAME: Autonomous Emergency Brake
 TYPE: Autonomous emergency braking with forward collision warning
 OPERATIONAL FROM: 4-150 km/h
 DESCRIPTION: Defaults ON for every journey

HUMAN MACHINE INTERFACE (HMI)		
FUNCTION	Supplementary warning	PASS
	Restraint activation / dynamic retractors	[NOT FITTED]

AUTONOMOUS EMERGENCY BRAKING - CAR-TO-CAR								
TEST SCENARIO	Driving towards a stationary car					Turning across the path of oncoming vehicle		
	-50% OFFSET	-75% OFFSET	100% OFFSET	75% OFFSET	50% OFFSET	TARGET VEHICLE SPEED		
						30 KM/H	45 KM/H	55 KM/H
AEB (10-50 km/h)								
FCW (30-80 km/h)								
PERFORMANCE	GOOD					GOOD		

AUTONOMOUS EMERGENCY BRAKING - CAR-TO-CAR										
TEST SCENARIO	Toward car braking lightly		Toward car braking heavily		Driving towards a slower moving car*					
	12m HEADWAY	40m HEADWAY	12m HEADWAY	40m HEADWAY						
AEB (10-50 km/h)										
FCW (50*-80 km/h)										
PERFORMANCE	GOOD					GOOD				

OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	●
Seat Belt Reminder (Visual)	●	●	●
Seat Belt Reminder (Audible)	●	●	●
Driver Monitoring	✘	-	-

SPEED ASSISTANCE SYSTEMS (SAS)

SAS FEATURE	DESCRIPTION
Speed Limit Information Function	Camera based
Speed Limitation Function	System advised

● PASS ● FAIL ✘ NOT AVAILABLE - NOT APPLICABLE

■ GOOD ■ ADEQUATE ■ MARGINAL ■ WEAK ■ POOR ■ NOT TESTED

SAFETY FEATURES & TECHNOLOGIES

FEATURE / TECHNOLOGY~	AVAILABILITY	
	AUS	NZ
Seat belts (three-point) for all forward-facing seats	-	●
Seat belt pre-tensioners (front)	-	●
Seat belt pre-tensioners (rear outboard) - 2nd row	-	●
Seat belt pre-tensioners (rear centre) - 2nd row	-	✗
Seat belt pre-tensioners (rear outboard) - 3rd row	-	-
Intelligent seat belt reminder (driver)	-	●
Intelligent seat belt reminder (front passenger)	-	●
Intelligent seat belt reminder (2nd row seats)	-	●
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - frontal (driver)	-	●
Airbag - frontal (passenger)	-	●
Airbags - side, chest protection (front seats)	-	●
Airbags - side, chest protection (2nd row seats)	-	✗
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	-	●
Airbags - side, head protection (2nd row seats)	-	●
Airbags - side, head protection (3rd row seats)	-	-
Airbag - centre	-	●
Airbag - knee (driver)	-	✗
Airbag - knee (front passenger)	-	✗
Airbag disabling switch - automatic (front passenger)	-	✗
Airbag disabling switch - manual (front passenger)	-	●
Head restraints for all seats	-	●
Active bonnet	-	✗
Adaptive cruise control (ACC)	-	●
Anti-lock braking system (ABS)	-	●
Autonomous emergency braking (AEB) - Car-to-Car	-	●
Autonomous emergency braking (AEB) - VRU	-	●
Autonomous emergency braking (AEB) - Backover	-	●
Autonomous emergency braking (AEB) - Junction Assist	-	●
Automatic emergency call (eCall)	-	✗
Blind spot monitor (BSM)	-	●
Child presence alert	-	✗
Electronic brakeforce distribution (EBD)	-	●
Event data recorder (EDR)	-	●
Electronic stability control (ESC)	-	●
Emergency brake assist (EBA)	-	●
Emergency stop signal (ESS)	-	●
Fatigue reminder	-	✗
Fatigue monitor / detection	-	✗
Forward collision warning (FCW)	-	●
ISOFix	-	●
Lane departure warning (LDW)	-	●
Lane keep assist (LKA)	-	●
Pre-crash systems	-	✗
Rear cross-traffic alert (RCTA)	-	●
Reversing collision avoidance (camera)	-	●
Roll stability system	-	●
Secondary / multi-collision brake	-	●
Speed assistance - auto / intelligent speed limiter	-	●
Speed assistance - manual speed limiter	-	●
Speed assistance - speed sign recognition & warning	-	●
Smart (intelligent) key	-	✗
Vehicle-to-infrastructure communication (V2I)	-	✗
Vehicle-to-vehicle communication (V2V)	-	✗

TESTED MAKE / MODEL	BYD ATTO 3 Standard Range LHD
TESTED VEHICLE(S) BUILT	2022
TESTED BODY TYPE	5 door SUV
TESTED VEHICLE ENGINE	Battery Electric
RATING PUBLISHED	October 2022
RATING UPDATED	November 2022

MODEL VARIANTS:

ANCAP safety ratings do not automatically extend to variants that have different body styles, engine configurations, driven wheels or occupant restraint systems (e.g. fewer airbags). In these cases, ANCAP considers technical evidence submitted by manufacturers before deciding on the extension of a rating to additional variants of a model.

RATING YEAR (DATESTAMP):

The Rating Year denotes the year requirements against which a vehicle has been assessed. The Rating Year is determined by ANCAP and, for vehicles rated from 2018, the Rating Year is the year in which the vehicle was tested.

~ Specifications & availability subject to change. Please check with the vehicle manufacturer for confirmation of vehicle specification.

● STANDARD ○ OPTIONAL ✗ NOT AVAILABLE
● NOT AVAILABLE ON BASE VARIANT BUT STANDARD OR OPTIONAL ON HIGHER VARIANTS