OMODA 9



APPLIES TO All variants BUILT FROM

RATING CRITERIA

Il variants May 2025

2023-2025

VEHICLE TYPE Large SUV ON SALE FROM July 2025 RATING EXPIRES
December 2031

ENGINE / MOTOR TYPES

MODEL SERIES

AIRBAGS

Plug-in hybrid n/a

Dual frontal, side chest, side head, centre, driver knee







The Omoda 9 was introduced in Australia and New Zealand in July 2025. This ANCAP safety rating applies to all variants.

Dual frontal, side chest-protecting and side head-protecting airbags, as well as a driver knee airbag, are standard. A centre airbag, which provides added protection to front seat occupants in side impact crashes, is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction & Crossing, Backover and Head-On) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and an advanced speed assistance system (SAS) with a speed sign recognition system are standard.

ASSESSMENT SCORES



Adult Occupant Protection

90% 36.25 out of 40



Child Occupant Protection

87%42.81 out of 49



Vulnerable Road User Protection

81% 51.44 out of 63



Safety Assist

82%14.78 out of 18

RATING APPLICABILITY*

VARIANT	BODY TYPE	ENGINE / POWERTRAIN	DRIVETRAIN	AUS	NZ
Omoda 9 Virtue	5 door SUV	1.5 litre PHEV	AWD	\checkmark	\checkmark



^{*} Correct at time of publication. Subject to change. Check with manufacturer.



Adult Occupant Protection

90% 36.25 out of 40 FRONTAL OFFSET (MPDB)#

6.76 points out of 8

OBLIQUE POLE#
5.39 points out of 6

RESCUE & EXTRICATION
3.00 points out of 4

FULL WIDTH FRONTAL#

7.42 points out of 8

SIDE IMPACT#

WHIPLASH PROTECTION
3.68 points out of 4

FAR SIDE IMPACT

6.00 points out of 6 4.00 points out of 4

*Scaled scores. Total test scored out of 16.00 points.

The passenger compartment of the Omoda 9 remained stable in the **frontal offset (MPDB)** test. Protection of the driver chest and lower legs was ADEQUATE, with GOOD protection offered to all other body regions. Dummy readings for the front passenger showed GOOD protection for all critical body regions.

The front structure of the Omoda 9 presented a lower risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 1.32 point penalty (out of 8.00 points) was applied.

In the **full width frontal** test, protection was ADEQUATE for the chest of both the driver and the rear passenger, with GOOD protection for all other critical body regions.

In the **side impact** test, protection offered to all critical body regions of the driver was GOOD and maximum points were scored in this test.

In the oblique pole test, chest protection offered to the driver was MARGINAL, and GOOD for all other critical body regions.

The Omoda 9 is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impacts and it provided GOOD protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the **far side impact** tests was assessed as ADEQUATE for both the vehicle-to-vehicle impact scenario and the vehicle-to-pole scenario.

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted. It was demonstrated that, if the car entered water, the doors and windows of the Omoda 9 would remain functional for the minimum required time period.

FRONTAL OFFSET (MPDB) TEST - 50km/h



	DRIVER	FRONT PASSENGER
Head / Neck	4.00 pts	4.00 pts
Chest	3.06 pts	4.00 pts
Upper Legs	4.00 pts	4.00 pts
Lower Legs	3.79 pts	4.00 pts
Deductions	Nil	Nil



COMPATIBILITY

Deductions -1.32 pts

FULL WIDTH FRONTAL TEST - 50km/h



	DRIVER	REAR PASSENGER
Head	4.00 pts	4.00 pts
Neck	4.00 pts	4.00 pts
Chest	2.91 pts	2.76 pts
Upper Legs	4.00 pts	4.00 pts
Deductions	Nil	Nil

SIDE IMPACT TEST - 60km/h

OBLIQUE POLE TEST - 32km/h



	DRIVER
Head	4.00 pts
Chest	4.00 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil



	DRIVER
Head	4.00 pts
Chest	2.37 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil



90% 36.25 out of 40

FAR SIDE IMPACT TESTS - 60km/h and 32km/h



DRIVER
4.00 pts
4.00 pts
4.00 pts
No penalty



OBLIQUE POLE (32km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OCCUPANT-TO-OCCU	JPANT
Head Contact	No penalty

WHIPLASH PROTECTION TESTS





	DRIVER / FRONT PASSENGER	REAR PASSENGER	
Rear Impact	2.93 pts	0.75 pts	

RESCUE & EXTRICATION



Rescue Sheet		No penalty
Door Opening / Extrication		No penalty
Multi-Collision Braking		1.00 pt
Advanced eCall	×	1.00 pt default
Vehicle Submergence		
- Door opening		0.50 pt
- Window opening		0.50 pt

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION 🗶 NOT AVAILABLE - N/A



Child Occupant Protection

87% **42.81** out of **49** DYNAMIC TEST (FRONT) 16.00 points out of 16

RESTRAINT INSTALLATION

11.81 points out of 12

DYNAMIC TEST (SIDE) 8.00 points out of 8

ON-BOARD SAFETY FEATURES 7.00 points out of 13

In the frontal offset and side impact tests, protection of the 10 year and 6 year dummies was GOOD and maximum points were scored in these tests.

The Omoda 9 is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions.

Installation of typical child restraints available in Australia and New Zealand showed most of the selected child restraints could be accommodated in most rear seating positions, however one of the booster seats could not be correctly installed in the centre rear seating position.

A child presence detection (CPD) system is not available on Australian and New Zealand vehicles.

FRONTAL OFFSET (MPDB) TEST - 50km/h

SIDE IMPACT TEST - 60km/h





6 YEAR OLD

10 YEAR OLD

10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFIX Anchorages	×		×	-	-
Top Tether Anchorage	×			-	-
Airbag Disabling	×	-	-	-	-
Child Presence Detection 0.00 pts (out of 4.00 pts)	×	×	×	-	-

● FITTED AS STANDARD X NOT AVAILABLE - N/A

	CLUI D DECTRAINT TVDEAT	FRONT ROW	2	nd RO	W	3	rd ROV	N
	CHILD RESTRAINT TYPE^*	PASSENGER	L	С	R	L	С	R
	Rearward-facing capsule	×				-	-	-
	Rearward-facing with harness - convertible (Model A)	×				-	-	-
Ω	Rearward-facing with harness - convertible (Model B)	×				-	-	-
BELTED	Forward-facing with harness - convertible (Model A)	×				-	-	-
H	Forward-facing with harness - convertible (Model B)	×				-	-	-
	Booster - 4 to 8 years	×				-	-	-
	Booster - 4 to 10 years	×				-	-	-
	Rearward-facing capsule	×		-		-	-	-
×	Rearward-facing with harness - convertible (Model A)	×		-		-	-	-
SOFIX	Rearward-facing with harness - convertible (Model B)	×		-		-	-	-
2	Forward-facing with harness - convertible (Model A)	×		-		-	-	-
	Forward-facing with harness - convertible (Model B)	×		-		-	-	-

INSTALL WITHOUT PROBLEM INSTALL WITH CARE CANNOT BE FITTED SAFELY X INSTALLATION NOT ALLOWED - N/A

The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcasseats.com.au. Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.

ne list of child r



81% 51.44 out of 63

HEAD PROTECTION (Adult, Child, Cyclist) **KNEE & TIBIA PROTECTION AEB CYCLIST 13.21 points** out of 18 **8.77 points** out of 9 8.82 points out of 9 PELVIS PROTECTION **AEB PEDESTRIAN (Forward) AEB MOTORCYCLE** 0.30 points out of 4.5 6.84 points out of 7 6.00 points out of 6 FEMUR PROTECTION AEB PEDESTRIAN (Backover) LSS MOTORCYCLE 4.50 points out of 4.5 1.00 points out of 2 2.00 points out of 3

In **pedestrian impact** tests, the bonnet and windscreen of the Omoda 9 provided GOOD or ADEQUATE protection to the head of a struck pedestrian over most of its surface, with MARGINAL and POOR results recorded on the stiff windscreen pillars and the rear and front edges of the bonnet.

Protection of the pelvis was mostly POOR, while protection of the femurs and lower legs was ADEQUATE to GOOD.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians, cyclists and motorcyclists.

Testing of this system showed GOOD performance in forward **AEB Pedestrian** test scenarios, with collisions avoided or mitigated in all tests, including turning scenarios. Performance in reverse scenarios (**AEB Backover**) was ADEQUATE.

GOOD performance was seen in **AEB Cyclist** test scenarios with collisions avoided or mitigated at all test speeds, including in turning scenarios. The Omoda 9 provides a warning and can prevent door opening for all doors when a cyclist is approaching from behind the vehicle (**cyclist anti-dooring**).


GOOD performance was seen in the **AEB Motorcyclist** tests, including turning scenarios. Performance in overtaking scenarios with a motorcyclist was inconsistent, and was assessed as ADEQUATE.

PEDESTRIAN & CYCLIST IMPACT TESTS



AUTONOMOUS EMERGENCY BRAKING (Cyclist, Pedestrian & Motorcycle)

System Name	AEB
Туре	Autonomous emergency braking with forward collision warning
Operational From	8-85 km/h





CYCLIST DOORING


Information (driver door)	
Warning (driver door)	
Retention (driver door)	•
Warning or retention (all other doors)	












LANE SUPPORT SYSTEMS (Car-to-Motorcycle)





Safety Assist

82% 14.78 out of 18 SEAT BELT REMINDERS

AEB / AES (Car-to-Car)

LANE SUPPORT SYSTEMS 2.50 points out of 3

1.00 points out of 1 **3.63 points** out of 4

DRIVER MONITORING 0.70 points out of 2

AEB / AES (Junction & Crossing) 3.56 points out of 4

SPEED ASSISTANCE SYSTEMS

2.40 points out of 3

AEB / AES (Head-On)

1.00 points out of 1

The Omoda 9 is fitted with an autonomous emergency braking system capable of functioning at highway speeds, and a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality.

Tests of the AEB (Car-to-Car) system showed GOOD performance with collisions avoided or mitigated in all car-to-car and AEB Junction test scenarios, and in many AEB Crossing scenarios where the test vehicle can autonomously brake to avoid crashes crossing the path of an oncoming vehicle. The AEB Head-On system showed GOOD performance.

Tests of LSS functionality showed GOOD performance in lane keep assist scenarios, and ADEQUATE performance in the more critical emergency lane keeping scenarios.

A speed assistance system (SAS) with speed limit information function (SLIF) and intelligent adaptive cruise control (iACC) is standard, informing the driver of the local speed limit and allowing the driver to accept the change in speed accordingly.

A seatbelt reminder system with occupancy detection is fitted to all seating positions.

A direct driver monitoring system (DMS) that can detect driver drowsiness and distraction is fitted as standard. The system provides a warning to the driver and can adjust driver assistance parameters.

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car)

System Name	AEB
Туре	Autonomous emergency braking with forward collision warning
Operational From	8-150 km/h







14.78 out of 18


AUTONOMOUS EMERGENCY BRAKING (Car-to-Car Junction, Crossing and Head-On)





LANE SUPPORT SYSTEMS (Car-to-Car)







Safety Assist

82%14.78 out of 18

OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	_	•	•
Seat Belt Reminder (Visual)			
Seat Belt Reminder (Audible)			

DRIVER MONITORING

	WARNING	INTERVENTION
Distraction	•	•
Fatigue		×
Unresponsive Driver	_	×

SPEED ASSISTANCE SYSTEMS (SAS)

FEATURE

Speed Limit Information Function (SLIF)	Camera & Map
Manual Speed Limiter	×
Intelligent Adaptive Cruise Control (iACC)	•
Intelligent Speed Limitation (ISL)	X

HUMAN MACHINE INTERFACE (HMI)

FEATURE

AEB: Supplementary Warning	
AEB: Restraint activation / dynamic retractors / emergency steering support	×
Lane Departure Warning (LDW)	
Blind Spot Monitoring (BSM): Car-to-Car & Car-to-Motorcycle	[NOT TESTED]

SAFETY FEATURES & TECHNOLOGIES

Seat belt pre-tensioners (front seats)	•	•
Seat belt pre-tensioners (rear outboard seats) - 2nd row		
Seat belt pre-tensioners (rear centre seat) - 2nd row	×	×
Seat belt pre-tensioners (rear outboard seats) - 3rd row	-	-
Seat belt pre-tensioners (rear centre seat) - 3rd row	_	-
Intelligent seat belt reminder (driver)	•	•
Intelligent seat belt reminder (front passenger)	•	
Intelligent seat belt reminder (2nd row seats)	•	•
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - dual frontal (driver & front passenger)	•	•
Airbags - side, chest protection (front seats)	•	•
Airbags - side, chest protection (2nd row seats)	•	•
Airbags - side, chest protection (3rd row seats)	_	_
Airbags - side, head protection (front seats)	•	•
Airbags - side, head protection (2nd row seats)	•	
Airbags - side, head protection (3rd row seats)	_	_
Airbag - centre	•	
Airbag - knee (driver)	•	
Airbag - knee (front passenger)	×	×
Airbag - pedestrian (external)	×	×
Airbag disabling switch - automatic (front passenger)	×	×
Airbag disabling switch - manual (front passenger)	×	×
Autonomous emergency braking (AEB) - Car-to-Car	•	•
Autonomous emergency braking (AEB) - Vulnerable Road User		
- AEB Pedestrian	•	
- AEB Backover	•	•
- AEB Cyclist	•	•
- AEB Motorcycle	•	
Autonomous emergency braking (AEB) - Junction		
- AEB Junction (Car)	•	
- AEB Junction (Pedestrian)	•	•
- AEB Junction (Cyclist)	•	
- AEB Junction (Motorcycle)	•	•
Autonomous emergency braking (AEB) - Crossing	•	•
Automatic emergency call (eCall)	×	×
Blind spot monitor (BSM)	•	
Child presence detection / alert	×	×
Cyclist dooring detection / alert	•	•
Driver monitoring system - Indirect	×	×
Driver monitoring system - Direct	•	
Forward collision warning (FCW)	•	
Lane departure warning (LDW)	•	•
Lane keep assist (LKA)		
- LKA (Car-to-Car)	•	
- LKA (Car-to-Motorcycle)	•	
Secondary / multi-collision brake	•	
Speed assistance - intelligent adaptive cruise control (iACC)	•	
Speed assistance - auto / intelligent speed limiter	•	
Speed assistance - manual speed limiter	•	
Speed assistance - speed sign recognition & warning	•	
Vehicle-to-infrastructure communication (V2I)	×	×
Vehicle-to-vehicle communication (V2V)	×	×
	•	
STANDARD AVAILABLE ON HIGHER VARIANTS OPTION.	AL X NOT AVAILABLE - It ne of publication. Subject to change. Che	NOT APPLICABL
Correct at time	io oi publication. Gubject to change. Che	on with manufactu

TESTED BODY TYPE 5 door SUV

RATING PUBLISHED September 2025