KIA EV6

AUS: FEBRUARY 2022 - ONWARDS

NZ: APRIL 2022 - ONWARDS

ALL VARIANTS EXC. GT





RATING YEAR 2022 VEHICLE TYPE Large SUV

ENGINE TYPE Battery Electric Vehicle (BEV)

BUILT FROM ON SALE FROM

AUS: February 2022

NZ: April 2022

December 2021

SERIES N/A

AIRBAGS Dual frontal, side chest,

side head, centre

The Kia EV6 was introduced in Australia in February 2022 and New Zealand in April 2022. This ANCAP safety rating applies to all variants except the GT which is unrated.

Dual frontal, side chest-protecting and side head-protecting (curtain) airbags are standard. A centre airbag which provides added protection to front seat occupants in side impact crashes is also standard on all variants.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User and Junction Assist) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and an advanced speed assistance system (SAS) are standard on all variants.









RATING APPLICABILITY

| VARIANT | BODY TYPE | ENGINE | DRIVETRAIN | AUS | NZ |
|----------------------------|------------|--------------------|------------|--------------|--------------|
| Kia EV6 Air | 5 door SUV | 168kW Single Motor | 2WD | \checkmark | _ |
| Kia EV6 GT-Line | 5 door SUV | 168kW Single Motor | 2WD | \checkmark | - |
| Kia EV6 GT-Line | 5 door SUV | 239kW Dual Motor | AWD | \checkmark | - |
| Kia EV6 GT | 5 door SUV | 430kW Dual Motor | AWD | × | × |
| Kia EV6 Air SR 58kWh | 5 door SUV | 125kW Single Motor | 2WD | - | \checkmark |
| Kia EV6 Air LR 77.4kWh | 5 door SUV | 168kW Single Motor | 2WD | - | \checkmark |
| Kia EV6 Air LR 77.4kWh | 5 door SUV | 239kW Dual Motor | AWD | - | \checkmark |
| Kia EV6 Earth LR 77.4kWh | 5 door SUV | 239kW Dual Motor | AWD | - | \checkmark |
| Kia EV6 GT-Line LR 77.4kWh | 5 door SUV | 239kW Dual Motor | AWD | - | \checkmark |



The passenger compartment of the Kia EV6 remained stable in the frontal offset (MPDB) test. Dummy readings for the driver indicated MARGINAL protection for the driver's chest and lower legs. Dummy readings for the front passenger indicated ADEQUATE protection of the lower legs. Protection was GOOD for all other critical body regions for both the driver and front passenger.

The front structure of the Kia EV6 presented a lower risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 0.93 point penalty was applied.

In the full width frontal test, protection of the driver dummy was GOOD for all critical body areas. Protection was ADEQUATE for the chest of the rear passenger. GOOD protection was offered to all other critical body regions for both the driver and rear passenger

In the side impact test and the oblique pole test, protection offered to all critical body regions was GOOD and the Kia EV6 scored maximum points in these tests.

The Kia EV6 is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impact crashes and it provided GOOD protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the far side impact tests was assessed as ADEQUATE for the vehicle-to-vehicle impact scenario, and MARGINAL in the vehicle-to-pole scenario.

FRONTAL OFFSET (MPDB) (50km/h)





| Head / neck: | 4.00 pts |
|--------------|----------|
| Chest: | 2.27 pts |
| Upper legs: | 4.00 pts |
| Lower legs: | 1.91 pts |
| Deductions: | Nil |
| | |

FRONT PASSENGER

| Head / neck: | 4.00 pts |
|--------------|----------|
| Chest: | 4.00 pts |
| Upper legs: | 4.00 pts |
| Lower legs: | 3.69 pts |
| Deductions: | Nil |
| | |



Deductions: -0.93 pts

FULL WIDTH FRONTAL (50km/h)



DRIVER

| Head: Neck: Chest: Upper legs: Deductions: | 4.00 pts 4.00 pts 4.00 pts 4.00 pts Nil |
|--|---|
| Deductions: | Nil |
| | |

REAR PASSENGER

| Head: Neck: Chest: Upper legs: | 4.00 pts 4.00 pts 3.91 pts 4.00 pts |
|---|--|
| Deductions: | Nil |
| | |

RESCUE & EXTRICATION

| Rescue Sheet | | No penalty |
|----------------------------|---|-----------------|
| Door Opening / Extrication | | No penalty |
| Multi-Collision Braking | | 1.00 pt |
| Advanced eCall | × | 1.00 pt default |

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted

| FRONTAL OFFSET (MPDB)# | 5.62 | (out of 8) |
|------------------------|------|------------|
| FULL WIDTH FRONTAL# | 7.98 | (out of 8) |
| SIDE IMPACT# | 6.00 | (out of 6) |
| OBLIQUE POLE# | 6.00 | (out of 6) |
| WHIPLASH PROTECTION | 3.38 | (out of 4) |
| FAR SIDE IMPACT | 3.50 | (out of 4) |
| RESCUE & EXTRICATION | 2.00 | (out of 2) |
| | | |

[#]Scaled scores. Total test scored out of 16.00 points.

SIDE IMPACT OBLIQUE POLE





SIDE IMPACT (MDB) (60km/h)

| Head: | 4.00 pts |
|-------------|----------|
| Chest: | 4.00 pts |
| Abdomen: | 4.00 pts |
| Pelvis: | 4.00 pts |
| Deductions: | Nil |
| Deductions. | INII |

OBLIQUE POLE (32km/h)

| Head: | 4.00 pts |
|-------------|----------|
| Chest: | 4.00 pts |
| Abdomen: | 4.00 pts |
| Pelvis: | 4.00 pts |
| Deductions: | Nil |

FAR SIDE IMPACT







SIDE IMPACT (MDB)

| Head: | 4.00 pts |
|------------------|------------|
| Neck: | 4.00 pts |
| Chest & Abdomen: | 4.00 pts |
| Pelvis: | No nenalty |

OBLIQUE POLE


| Head: | 3.00 pts |
|------------------|------------|
| Neck: | 3.00 pts |
| Chest & Abdomen: | 3.00 pts |
| Pelvis: | No penalty |
| | |

OCCUPANT-TO-OCCUPANT

Head contact: No penalty

WHIPLASH (REAR IMPACT) PROTECTION







In the frontal offset test, protection of the 6 year and 10 year dummies was GOOD for all critical body areas.

In the side impact test, protection of the head of the 10 year dummy was MARGINAL, while that of other body areas of both the 6 year and 10 year dummies was GOOD.

The Kia EV6 is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions.

Installation of typical child restraints available in Australia and New Zealand showed most child restraints could be accommodated in most rear seating positions, though one of the selected booster seats could not be correctly installed in the centre rear seating position.

| DYNAMIC TEST (FRONT) | 16.00 | (out of 16) |
|--------------------------|-------|-------------|
| DYNAMIC TEST (SIDE) | 7.15 | (out of 8) |
| RESTRAINT INSTALLATION | 11.81 | (out of 12) |
| ON-BOARD SAFETY FEATURES | 8.00 | (out of 13) |
| | | |

FRONTAL OFFSET (MPDB) (50km/h)



SIDE IMPACT (60km/h)



ON-BOARD SAFETY FEATURES

| FEATURE | FRONT PASSENGER | 2nd ROW OUTBOARD | 2nd ROW CENTRE | 3rd ROW OUTBOARD | 3rd ROW CENTRE |
|-----------------------------|--------------------|---------------------|-------------------|---------------------|-------------------|
| ISOFix | × | • | × | - | - |
| Integrated child restraints | × | × | × | - | - |
| Top tether anchorage | × | • | • | - | - |
| Airbag disabling | × | - | - | - | - |

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION × NOT AVAILABLE - NOT APPLICABLE



NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints see www.childcarseats.com.au.



CHILD RESTRAINT INSTALLATION*

| | | CHILD RESTRAINT (CRS) TYPE^ | FRONT ROW | | 2nd ROW | | | 3rd ROW | |
|----------|---|--|-----------|--------|---------|------|--------|---------|---|
| | | PASSENGER | LEFT | CENTRE | RIGHT | LEFT | CENTRE | RIGHT | |
| | | Rearward facing capsule | × | | • | | - | - | - |
| | TYPE A | Rearward facing with harness - convertible (Model A) | × | | • | • | - | - | - |
| ۵ | | Rearward facing with harness - convertible (Model B) | × | • | • | • | - | - | - |
| LTED | T\/D= D | Forward facing with harness - convertible (Model A) | × | • | • | • | - | _ | - |
| BE | TYPE B | Forward facing with harness - convertible (Model B) | × | • | • | • | - | - | - |
| | TYPE E | Booster - 4 to 8 years | × | • | • | • | - | - | - |
| | TYPE F | Booster - 4 to 10 years | × | • | • | • | - | - | - |
| | | Rearward facing capsule | × | • | - | • | - | - | - |
| × | TYPE A | Rearward facing with harness - convertible (Model A) | × | • | - | • | - | _ | - |
| SOFIX | | Rearward facing with harness - convertible (Model B) | × | • | _ | • | _ | - | - |
| <u>S</u> | TYPE P | Forward facing with harness - convertible (Model A) | × | • | _ | • | - | - | - |
| TYPE B | Forward facing with harness - convertible (Model B) | × | | _ | • | - | _ | - | |

^{*} Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.

[^] The above list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



The bonnet of the Kia EV6 provided ADEQUATE to MARGINAL protection to the head of a struck pedestrian over most of its surface, with WEAK and POOR results recorded at the base of the windscreen and on the stiff windscreen pillars. Protection of the pelvis area was ADEQUATE to POOR, while the bumper showed GOOD results for leg impacts.

Testing of the autonomous emergency braking (AEB) system showed ADEQUATE performance in pedestrian test scenarios, with GOOD performance in forward pedestrian tests, however the standard AEB system does not react to vulnerable road users in reverse (AEB Backover) or turning scenarios, and hence these tests were not conducted. In cyclist test scenarios, the AEB system offered GOOD performance. Overall, the system's effectiveness for vulnerable road user protection was rated as GOOD.

| HEAD IMPACTS | 12.37 | (out of 24) | |
|-----------------------------|-------|-------------|--|
| UPPER LEG IMPACTS | 2.37 | (out of 6) | |
| LOWER LEG IMPACTS | 6.00 | (out of 6) | |
| AEB - Pedestrian (forward) | 5.79 | (out of 7) | |
| AEB - Pedestrian (backover) | 0.00 | (out of 2) | |
| AEB - Cyclist | 8.55 | (out of 9) | |
| | | | |


AUTONOMOUS EMERGENCY BRAKING (PEDESTRIAN, CYCLIST & BACKOVER)


SYSTEM NAME: Forward Collision-Avoidance Assist

TYPE: Autonomous emergency braking with forward collision warning

OPERATIONAL FROM: 5-85 km/h

DESCRIPTION: System functions in the daytime and night





PEDESTRIAN IMPACT TEST (40 KM/H)





The Kia EV6 is fitted with an autonomous emergency braking (AEB) system capable of functioning at highway speeds, a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).

Tests of its AEB (Car-to-Car) system showed GOOD performance, including AEB Junction Assist where the test vehicle can autonomously brake to avoid crashes when turning across the path of an oncoming vehicle or pedestrian.

Tests of LSS functionality showed GOOD performance in lane keep assist scenarios, and ADEQUATE performance in the more critical ELK scenarios, with overall performance classified as GOOD.

A speed assistance system (SAS) is standard on the Kia EV6. This system identifies the local speed limit and allows the driver to set the speed accordingly.


A seatbelt reminder system is fitted to all seating positions with occupancy detection available for the front passenger and rear outboard seating positions.


A driver drowsiness monitor system is fitted as standard.

| OCCUPANT STATUS | | | |
|--------------------------|------|------------|--|
| - Seat belt reminders | 1.67 | (out of 2) | |
| - Driver monitoring | 1.00 | (out of 1) | |
| SPEED ASSISTANCE SYSTEMS | 2.90 | (out of 3) | |
| LANE SUPPORT SYSTEMS | 3.25 | (out of 4) | |
| AEB - Car-to-Car | 3.35 | (out of 4) | |
| AEB - Junction Assist | 2.00 | (out of 2) | |

LANE SUPPORT SYSTEMS (LSS)

SYSTEM NAME: Lane Keeping Assist (LKA) and Forward Collision-Avoidance Assist (FCA)
OPERATIONAL FROM: 60-210 km/h










AUTONOMOUS EMERGENCY BRAKING (CAR-TO-CAR)


SYSTEM NAME: Forward Collision-Avoidance Assist


TYPE: Autonomous emergency braking with forward collision warning

OPERATIONAL FROM: 5-85 km/h

DESCRIPTION: Defaults ON for every journey







OCCUPANT STATUS

| WARNING TYPE | DRIVER | FRONT PASSENGER | REAR PASSENGERS | | | |
|--|--------|--------------------|--------------------|--|--|--|
| Occupant Detection | - | • | •* | | | |
| Seat Belt Reminder (Visual) | • | • | • | | | |
| Seat Belt Reminder (Audible) | • | • | • | | | |
| Driver Monitoring | • | - | - | | | |
| * Outboard seats only | | | | | | |
| PASS FAIL X NOT AVAILABLE - NOT APPLICABLE | | | | | | |

SPEED ASSISTANCE SYSTEMS (SAS)

| SAS FEATURE | DESCRIPTION | | |
|----------------------------------|----------------|--|--|
| Speed Limit Information Function | Camera & map | | |
| Speed Limitation Function | System advised | | |

GOOD ADEQUATE MARGINAL WEAK POOR NOT TESTED

SAFETY FEATURES & TECHNOLOGIES

| FEATURE (TECUNIOLOGY) | AVAILA | BILITY |
|--|--------|--------|
| FEATURE / TECHNOLOGY~ | AUS | NZ |
| Seat belts (three-point) for all forward-facing seats | • | • |
| Seat belt pre-tensioners (front) | | |
| Seat belt pre-tensioners (rear outboard) - 2nd row | • | |
| Seat belt pre-tensioners (rear centre) - 2nd row | × | X |
| Seat belt pre-tensioners (rear outboard) - 3rd row | - | - |
| Intelligent seat belt reminder (driver) | | |
| Intelligent seat belt reminder (front passenger) | • | • |
| Intelligent seat belt reminder (2nd row seats) | | |
| Intelligent seat belt reminder (3rd row seats) | - | - |
| Airbag - frontal (driver) | | |
| Airbarg - side cheet protection (front costs) | | |
| Airbags - side, chest protection (front seats) Airbags - side, chest protection (2nd row seats) | × | × |
| Airbags - side, chest protection (2nd row seats) Airbags - side, chest protection (3rd row seats) | | ^ |
| Airbags - side, chest protection (std row seats) Airbags - side, head protection (front seats) | • | • |
| Airbags - side, head protection (Indit Seats) | | |
| Airbags - side, head protection (3rd row seats) | _ | |
| Airbag - centre | | |
| Airbag - knee (driver) | × | × |
| Airbag - knee (front passenger) | × | X |
| Airbag disabling switch - automatic (front passenger) | × | × |
| Airbag disabling switch - manual (front passenger) | × | × |
| Head restraints for all seats | • | |
| Active bonnet | × | × |
| Adaptive cruise control (ACC) | | |
| Anti-lock braking system (ABS) | | |
| Autonomous emergency braking (AEB) - Car-to-Car | | |
| Autonomous emergency braking (AEB) - VRU | | |
| Autonomous emergency braking (AEB) - Backover | | • |
| Autonomous emergency braking (AEB) - Junction Assist | | |
| Automatic emergency call (eCall) | × | X |
| Blind spot monitor (BSM) | | |
| Child presence alert | | • |
| Electronic brakeforce distribution (EBD) | ~ | |
| Event data recorder (EDR) Electronic stability control (ESC) | × | × |
| Emergency brake assist (EBA) | | |
| Emergency stop signal (ESS) | | |
| Fatigue reminder | | |
| Fatigue monitor / detection | | |
| Forward collision warning (FCW) | | |
| ISOFix | | • |
| Lane departure warning (LDW) | | |
| Lane keep assist (LKA) | • | |
| Pre-crash systems | × | X |
| Rear cross-traffic alert (RCTA) | | |
| Reversing collision avoidance (camera) | • | |
| Roll stability system | × | × |
| Secondary / multi-collision brake | • | |
| Speed assistance - auto / intelligent speed limiter | | |
| Speed assistance - manual speed limiter | • | |
| Speed assistance - speed sign recognition & warning | | |
| Smart (intelligent) key | X | × |
| Vehicle-to-infrastructure communication (V2I) | X | X |
| Vehicle-to-vehicle communication (V2V) | × | X |

TESTED MAKE / MODEL TESTED VEHICLE(S) BUILT 2022 **TESTED BODY TYPE** TESTED VEHICLE ENGINE Battery Electric **RATING PUBLISHED RATING UPDATED**

Kia EV6 GT Line LHD 5 door SUV May 2022 September 2022

MODEL VARIANTS:

ANCAP safety ratings do not automatically extend to variants that have different body styles, engine configurations, driven wheels or occupant restraint systems (e.g. fewer airbags). In these cases, ANCAP considers technical evidence submitted by manufacturers before deciding on the extension of a rating to additional variants of a model.

RATING YEAR (DATESTAMP):

The Rating Year denotes the year requirements against which a vehicle has been assessed. The Rating Year is determined by ANCAP and, for vehicles rated from 2018, the Rating Year is the year in which the vehicle was tested.

- Specifications & availability subject to change. Please check with the vehicle manufacturer for confirmation of vehicle specification.
- STANDARD OPTIONAL X NOT AVAILABLE
- NOT AVAILABLE ON BASE VARIANT BUT STANDARD OR OPTIONAL ON HIGHER VARIANTS