

SUBARU TRAILSEEKER



APPLIES TO All variants	BUILT FROM March 2026	RATING CRITERIA 2023-2025
VEHICLE TYPE Small SUV	ON SALE FROM May 2026	RATING EXPIRES December 2031
ENGINE / MOTOR TYPES Battery Electric	MODEL SERIES H-1	AIRBAGS Dual frontal, side chest, side head, centre, driver knee



ANCAP
SAFETY

TESTED
2025



The Subaru Trailseeker was introduced in Australia in May 2026.

The ANCAP safety rating for the Subaru Trailseeker is based on testing of the closely-related Subaru e-Outback, sold in Europe, and the Toyota bZ4X. ANCAP was provided with technical information and additional test data to show that the test results of the Subaru e-Outback and Toyota bZ4X are also applicable to the Subaru Trailseeker.

Dual frontal, side chest-protecting and side head-protecting airbags and a driver knee airbag are standard. A centre airbag which provides added protection to front seat occupants in side impact crashes is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction & Crossing, Backover and Head-On) and a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and a speed assist system (SAS) are standard.

ASSESSMENT SCORES



Adult Occupant Protection

89%

35.60 out of 40



Child Occupant Protection

86%

42.43 out of 49



Vulnerable Road User Protection

80%

50.47 out of 63



Safety Assist

82%

14.86 out of 18

RATING APPLICABILITY*

VARIANT	BODY TYPE	ENGINE / POWERTRAIN	DRIVETRAIN	AUS	NZ
Subaru Trailseeker AWD	5 door SUV	Battery Electric Vehicle (BEV)	AWD	✓	-
Subaru Trailseeker AWD Touring	5 door SUV	Battery Electric Vehicle (BEV)	AWD	✓	-

* Correct at time of publication. Subject to change. Check with manufacturer.



Adult Occupant Protection

89%

35.60 out of 40

FRONTAL OFFSET (MPDB)*
6.25 points out of 8

OBLIQUE POLE*
5.39 points out of 6

RESCUE & EXTRICATION
2.67 points out of 4

FULL WIDTH FRONTAL*
7.35 points out of 8

WHIPLASH PROTECTION
3.95 points out of 4

SIDE IMPACT*
6.00 points out of 6

FAR SIDE IMPACT
4.00 points out of 4

* Scaled scores. Total test scored out of 16.00 points.

The passenger compartment remained stable in the **frontal offset (MPDB)** test. Protection of the driver chest and lower legs was ADEQUATE, with GOOD protection offered to all other critical body regions of the driver and front passenger.

The front structure of the vehicle presented a moderate risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 2.35 point penalty (out of 8.00 points) was applied.

In the **full width frontal** test, protection of the driver dummy was MARGINAL for the chest and GOOD for all other critical body regions. Protection was ADEQUATE for the chest of the rear passenger with GOOD protection of all other critical body areas.

In the **side impact** test, protection offered to all critical body regions of the driver was GOOD. In the more severe **oblique pole** test, protection was MARGINAL for the chest and GOOD for all other critical body regions of the driver.

The Subaru Trailseeker is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impacts and it provided GOOD protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the **far side impact** tests was assessed as GOOD for the vehicle-to-vehicle impact scenario, and ADEQUATE in the vehicle-to-pole scenario.

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted. It was demonstrated that, if the car entered water, the doors and windows of the Subaru Trailseeker would remain functional for the minimum required time period.

FRONTAL OFFSET (MPDB) TEST - 50km/h



	DRIVER	FRONT PASSENGER
Head / Neck	4.00 pts	4.00 pts
Chest	3.37 pts	4.00 pts
Upper Legs	4.00 pts	4.00 pts
Lower Legs	3.47 pts	4.00 pts
Deductions	Nil	Nil



COMPATIBILITY

Deductions	-2.35 pts
------------	-----------

FULL WIDTH FRONTAL TEST - 50km/h



	DRIVER	REAR PASSENGER
Head	4.00 pts	4.00 pts
Neck	4.00 pts	4.00 pts
Chest	2.54 pts	2.87 pts
Upper Legs	4.00 pts	4.00 pts
Deductions	Nil	Nil

SIDE IMPACT TEST - 60km/h



	DRIVER
Head	4.00 pts
Chest	4.00 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil

OBLIQUE POLE TEST - 32km/h



	DRIVER
Head	4.00 pts
Chest	2.36 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil



Adult Occupant Protection

89%

35.60 out of 40

FAR SIDE IMPACT TESTS - 60km/h and 32km/h



SIDE IMPACT (60km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OBLIQUE POLE (32km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OCCUPANT-TO-OCCUPANT	
Head Contact	No penalty

WHIPLASH PROTECTION TESTS



	DRIVER / FRONT PASSENGER	REAR PASSENGER
Rear Impact	2.95 pts	1.00 pts

RESCUE & EXTRICATION



Rescue Sheet	●	No penalty
Door Opening / Extrication	●	No penalty
Multi-Collision Braking	●	1.00 pt
Advanced eCall	✗	0.67 pt default
Vehicle Submergence		
- Door opening	●	0.50 pt
- Window opening	●	0.50 pt

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION ✗ NOT AVAILABLE - N/A



Child Occupant Protection

86%

42.43 out of 49

DYNAMIC TEST (FRONT)
16.00 points out of 16

RESTRAINT INSTALLATION
11.43 points out of 12

DYNAMIC TEST (SIDE)
8.00 points out of 8

ON-BOARD SAFETY FEATURES
7.00 points out of 13

In the **frontal offset** and **side impact** tests, protection of all critical body areas was GOOD for both child dummies, and maximum points were scored.

The Subaru Trailseeker is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions. An indirect child presence detection (CPD) system, which provides an alert when a child may have been left in the rear passenger seats of the vehicle, is fitted as standard. However, the system did not meet ANCAP's requirements and was not rewarded.

Installation of typical child restraints available in Australia and New Zealand showed most child restraints could be accommodated in most rear seating positions, however the Type A capsule could not be correctly installed in the rear outboard seating positions, and one of the booster seats could not be correctly installed in the centre rear position.

FRONTAL OFFSET (MPDB) TEST - 50km/h

SIDE IMPACT TEST - 60km/h



6 YEAR OLD

10 YEAR OLD

10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFIX Anchorages	✗	●	✗	-	-
Top Tether Anchorage	✗	●	●	-	-
Airbag Disabling	✗	-	-	-	-
Child Presence Detection 0.00 pts (out of 4.00pts)	✗	✗	✗	-	-

● FITTED AS STANDARD ✗ NOT AVAILABLE - N/A

	CHILD RESTRAINT TYPE**	FRONT ROW PASSENGER	2nd ROW			3rd ROW		
			L	C	R	L	C	R
BELTED	Rearward-facing capsule	✗	●	●	●	-	-	-
	Rearward-facing with harness - convertible (Model A)	✗	●	●	●	-	-	-
	Rearward-facing with harness - convertible (Model B)	✗	●	●	●	-	-	-
	Forward-facing with harness - convertible (Model A)	✗	●	●	●	-	-	-
	Forward-facing with harness - convertible (Model B)	✗	●	●	●	-	-	-
	Booster - 4 to 8 years	✗	●	●	●	-	-	-
	Booster - 4 to 10 years	✗	●	●	●	-	-	-
ISOFIX	Rearward-facing capsule	✗	●	-	●	-	-	-
	Rearward-facing with harness - convertible (Model A)	✗	●	-	●	-	-	-
	Rearward-facing with harness - convertible (Model B)	✗	●	-	●	-	-	-
	Forward-facing with harness - convertible (Model A)	✗	●	-	●	-	-	-
	Forward-facing with harness - convertible (Model B)	✗	●	-	●	-	-	-

● INSTALL WITHOUT PROBLEM ● INSTALL WITH CARE ● CANNOT BE FITTED SAFELY ✗ INSTALLATION NOT ALLOWED - N/A

GOOD ADEQUATE MARGINAL WEAK POOR NOT TESTED

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcarseats.com.au. * Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible. ^ The list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



Vulnerable Road User Protection

80%

50.47 out of 63

HEAD PROTECTION (Adult, Child, Cyclist) 11.69 points out of 18	KNEE & TIBIA PROTECTION 9.00 points out of 9	AEB CYCLIST 8.57 points out of 9
PELVIS PROTECTION 4.32 points out of 4.5	AEB PEDESTRIAN (Forward) 6.50 points out of 7	AEB MOTORCYCLE 6.00 points out of 6
FEMUR PROTECTION 1.39 points out of 4.5	AEB PEDESTRIAN (Backover) 0.00 points out of 2	LSS MOTORCYCLE 3.00 points out of 3

In **pedestrian impact** tests, the bonnet and windscreen provided GOOD or ADEQUATE protection to the head of a struck pedestrian over most of its surface. MARGINAL to POOR results were recorded on the stiff windscreen pillars and base of the windscreen, with ADEQUATE to MARGINAL results were recorded at front edge of the bonnet surface.

Protection of the pelvis was mostly GOOD and protection of the lower legs was GOOD. Protection of the femurs was mixed, with areas of GOOD and POOR performance.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians, cyclists and motorcyclists.

Testing of this system showed GOOD performance in **AEB Pedestrian** tests, including some turning scenarios, with collisions avoided or mitigated in all forward tests. The AEB system reacts to vulnerable road users in reverse (**AEB Backover**) but the system was not standard on the tested vehicle and hence these tests were not conducted.

GOOD performance was seen in **AEB Cyclist** test scenarios with collisions avoided or mitigated at all test speeds, including turning scenarios. The vehicle provides information and warning to occupants when a bicycle is approaching from behind (**cyclist anti-dooring**).

GOOD performance was seen in **AEB Motorcyclist** tests, including in turning and in emergency lane keeping scenarios, earning full points.

PEDESTRIAN & CYCLIST IMPACT TESTS



AUTONOMOUS EMERGENCY BRAKING (Cyclist, Pedestrian & Motorcycle)

System Name	Pre-Collision System as part of Subaru Safety Sense (EyeSight)
Type	Autonomous emergency braking with forward collision warning
Operational From	5-80 km/h

	Cyclist traveling along road (25%)	Cyclist crossing from kerb (obstructed)	Cyclist traveling along road (50%)	Cyclist crossing (nearside)	Cyclist crossing (farside)	Cyclist crossing side road, car turning (nearside)	Cyclist crossing side road, car turning (farside)
	DAY	DAY	DAY	DAY	DAY	DAY	DAY
AEB CYCLIST TEST SCENARIOS (forward)							
PERFORMANCE	GOOD						

CYCLIST DOORING

Information (driver door)	●
Warning (driver door)	●
Retention (driver door)	✗
Warning or retention (all other doors)	●

● PASS ✗ FAIL - N/A





Vulnerable Road User Protection

80%

50.47 out of 63

AEB PEDESTRIAN TEST SCENARIOS (reverse)	Child / Adult standing behind reversing vehicle (25% offset)	Adult / Child standing behind reversing vehicle (50% offset)	Child / Adult standing behind reversing vehicle (75% offset)	Adult / Child walking behind reversing vehicle (50% offset)
	DAY	DAY	DAY	DAY
4km/h				
8km/h				
PERFORMANCE	[NOT ASSESSED]			

AEB PEDESTRIAN TEST SCENARIOS (forward)	Adult walking along road		Adult crossing towards kerb (50%)		Adult crossing from kerb (25%)		Adult crossing from kerb (75%)		Child running (obstructed)		Adult crossing side road (farside), car turning		Adult crossing side road (nearside), car turning	
	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT
PERFORMANCE	GOOD													

AEB MOTORCYCLE TEST SCENARIOS (forward)	Driving towards a stationary motorcycle			Driving towards a braking motorcycle (25% offset)			Turning across the path of an oncoming motorcycle		
	100% OFFSET	12m HEADWAY	40m HEADWAY	100% OFFSET	12m HEADWAY	40m HEADWAY	TARGET MOTORCYCLE SPEED		
AEB (10-50km/h)							30km/h	45km/h	60km/h
FCW (30-80km/h)									
PERFORMANCE	GOOD						GOOD		

LANE SUPPORT SYSTEMS (Car-to-Motorcycle)

System Name	Lane Departure Alert as part of Subaru Safety Sense (EyeSight)
Operational From	5-200 km/h

EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Motorcycle	Oncoming motorcycle	Overtaking motorcycle (EMT at 60km/h)		Overtaking motorcycle (EMT at 80km/h)	
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL
PERFORMANCE	GOOD				

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED
 ■ NOT TESTED



Safety Assist

82%

14.86 out of 18

SEAT BELT REMINDERS
1.00 points out of 1

AEB / AES (Car-to-Car)
4.00 points out of 4

LANE SUPPORT SYSTEMS
3.00 points out of 3

DRIVER MONITORING
0.30 points out of 2

AEB / AES (Junction & Crossing)
2.96 points out of 4

SPEED ASSISTANCE SYSTEMS
2.60 points out of 3

AEB / AES (Head-On)
1.00 points out of 1

The Subaru Trailseeker is fitted with an autonomous emergency braking (AEB) system capable of functioning at highway speeds, a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).

Tests of the **AEB (Car-to-Car)** system showed GOOD or ADEQUATE performance, with collisions avoided or mitigated in all car-to-car rear and **AEB Junction** test scenarios, and some **AEB Crossing** scenarios where the test vehicle can autonomously brake to avoid crashes when crossing into the path of an oncoming vehicle. **AEB Head-on** system functionality showed GOOD performance.

Tests of **lane support system** functionality showed GOOD performance, including in the more critical emergency lane keeping test scenarios, with full points awarded.


A speed assistance system (SAS) with speed limit information function (SLIF) and intelligent adaptive cruise control (iACC) is standard, informing the driver of the local speed limit and allowing the driver to accept the change in speed accordingly.

A seatbelt reminder system with occupancy detection is fitted to all passenger seating positions

A direct driver drowsiness monitor system is fitted as standard.

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car)

System Name	Pre-Collision System as part of Subaru Safety Sense (EyeSight)
Type	Autonomous emergency braking with forward collision warning
Operational From	5-180 km/h



■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED
 ■ NOT TESTED



Safety Assist

82%

14.86 out of 18

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car Junction, Crossing and Head-On)

		JUNCTION ASSIST Turning across the path of an oncoming vehicle			CROSSING (T-BONE) Crossing the path of another vehicle				
TARGET VEHICLE SPEED		30km/h	45km/h	60km/h	20km/h	30km/h	40km/h	50km/h	60km/h
TEST VEHICLE SPEED	Start from stop	-	-	-	-	-	-	-	-
	10km/h	-	-	-	-	-	-	-	-
	15km/h	-	-	-	-	-	-	-	-
	20km/h	-	-	-	-	-	-	-	-
	30km/h	-	-	-	-	-	-	-	-
	40km/h	-	-	-	-	-	-	-	-
	50km/h	-	-	-	-	-	-	-	-
	60km/h	-	-	-	-	-	-	-	-
PERFORMANCE		GOOD			ADEQUATE				

		TARGET VEHICLE SPEED		HEAD-ON In the path of oncoming vehicle	
		50km/h	70km/h	50km/h	70km/h
TEST VEHICLE SPEED	Travelling straight	50km/h	-	-	-
		70km/h	-	-	-
	Lane change	50km/h	-	-	-
		70km/h	-	-	-
PERFORMANCE		GOOD			

LANE SUPPORT SYSTEMS (Car-to-Car)

System Name	Lane Departure Alert as part of Subaru Safety Sense (EyeSight)
Operational From	5-200 km/h

		Dashed line		Solid line	
LANE KEEP ASSIST (LKA) TEST SCENARIOS Car-to-Car					
PERFORMANCE		GOOD			

		Overtaking vehicle (GVT at 72km/h)		Overtaking vehicle (GVT at 80km/h)		Road edge		Solid line	
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL				
EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Car									
PERFORMANCE		GOOD							

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED
 ■ NOT TESTED



Safety Assist

82%

14.86 out of 18

OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	●
Seat Belt Reminder (Visual)	●	●	●
Seat Belt Reminder (Audible)	●	●	●

DRIVER MONITORING

	WARNING	INTERVENTION
Distraction	×	×
Fatigue	●	×
Unresponsive Driver	-	×

SPEED ASSISTANCE SYSTEMS (SAS)

FEATURE

Speed Limit Information Function (SLIF)	Camera based
Manual Speed Limiter	×
Intelligent Adaptive Cruise Control (iACC)	●
Intelligent Speed Limitation (ISL)	×

HUMAN MACHINE INTERFACE (HMI)

FEATURE

AEB: Supplementary Warning	●
AEB: Restraint activation / dynamic retractors / emergency steering support	●
Lane Departure Warning (LDW)	●
Blind Spot Monitoring (BSM): Car-to-Car & Car-to-Motorcycle	[NOT ASSESSED]

SAFETY FEATURES & TECHNOLOGIES

SAFETY FEATURE / TECHNOLOGY*	AUS	NZ
Seat belt pre-tensioners (front seats)	●	-
Seat belt pre-tensioners (rear outboard seats) - 2nd row	●	-
Seat belt pre-tensioners (rear centre seat) - 2nd row	✗	-
Seat belt pre-tensioners (rear outboard seats) - 3rd row	-	-
Seat belt pre-tensioners (rear centre seat) - 3rd row	-	-
Intelligent seat belt reminder (driver)	●	-
Intelligent seat belt reminder (front passenger)	●	-
Intelligent seat belt reminder (2nd row seats)	●	-
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - dual frontal (driver & front passenger)	●	-
Airbags - side, chest protection (front seats)	●	-
Airbags - side, chest protection (2nd row seats)	✗	-
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	●	-
Airbags - side, head protection (2nd row seats)	●	-
Airbags - side, head protection (3rd row seats)	-	-
Airbag - centre	●	-
Airbag - knee (driver)	●	-
Airbag - knee (front passenger)	✗	-
Airbag - pedestrian (external)	✗	-
Airbag disabling switch - automatic (front passenger)	✗	-
Airbag disabling switch - manual (front passenger)	✗	-
Autonomous emergency braking (AEB) - Car-to-Car	●	-
Autonomous emergency braking (AEB) - Vulnerable Road User		
- AEB Pedestrian	●	-
- AEB Backover	●	-
- AEB Cyclist	●	-
- AEB Motorcycle	●	-
Autonomous emergency braking (AEB) - Junction		
- AEB Junction (Car)	●	-
- AEB Junction (Pedestrian)	●	-
- AEB Junction (Cyclist)	●	-
- AEB Junction (Motorcycle)	●	-
Autonomous emergency braking (AEB) - Crossing	●	-
Automatic emergency call (eCall)	✗	-
Blind spot monitor (BSM)	●	-
Child presence detection / alert	●	-
Cyclist dooring detection / alert	●	-
Driver monitoring system - Indirect	●	-
Driver monitoring system - Direct	●	-
Forward collision warning (FCW)	●	-
Lane departure warning (LDW)	●	-
Lane keep assist (LKA)		
- LKA (Car-to-Car)	●	-
- LKA (Car-to-Motorcycle)	●	-
Secondary / multi-collision brake	●	-
Speed assistance - intelligent adaptive cruise control (iACC)	●	-
Speed assistance - auto / intelligent speed limiter	✗	-
Speed assistance - manual speed limiter	✗	-
Speed assistance - speed sign recognition & warning	●	-
Vehicle-to-infrastructure communication (V2I)	✗	-
Vehicle-to-vehicle communication (V2V)	✗	-

● STANDARD ● AVAILABLE ON HIGHER VARIANTS ○ OPTIONAL ✗ NOT AVAILABLE - NOT APPLICABLE

* Correct at time of publication. Subject to change. Check with manufacturer.

TESTED MAKE / MODEL

Toyota bZ4X FWD LHD
Subaru e-Outback AWD LHD

TESTED VEHICLE ENGINE

165 kW
280 kW

RATING UPDATED

n/a

TESTED BODY TYPE

5 door SUV

RATING PUBLISHED

June 2026