CUPRA BORN

MARCH 2023 - ONWARDS ALL VARIANTS





RATING YEAR VEHICLE TYPE ENGINE TYPE BUILT FROM ON SALE FROM SERIES AIRBAGS 2022 Small Car Battery Electric Vehicle (BEV) October 2022 March 2023 K1 Dual frontal, side chest, side head, centre

The Cupra Born was introduced in Australia and New Zealand in March 2023. This ANCAP safety rating applies to all variants.

Dual frontal, side chest-protecting and side head-protecting (curtain) airbags are standard. A centre airbag which provides added protection to front seat occupants in side impact crashes is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User and Junction Assist) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK) are standard on all variants.







RATING APPLICABILITY

VARIANT	BODY TYPE ENGINE		DRIVETRAIN	AUS	NZ
Cupra Born 77kWh	5 door hatch	Battery Electric Vehicle	2WD	\checkmark	-
Cupra Born V+	5 door hatch	Battery Electric Vehicle	2WD	-	\checkmark



The passenger compartment of the Cupra Born remained stable in the frontal offset (MPDB) test. Dummy readings indicated ADEQUATE protection of the driver's lower legs and front passenger dummy's chest. Protection was GOOD for all other critical body regions for both the driver and front passenger.

The front structure of the Cupra Born presented a moderate risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 1.18 point penalty was applied.

In the full width frontal test, protection of the driver dummy was GOOD for all critical body areas while protection was ADEQUATE for the chest of the rear passenger. GOOD protection was offerred for all other critical body regions for both the driver and rear passenger.

In the side impact test, protection offered to all critical body regions of the driver was GOOD.

In the oblique pole test, chest protection was ADEQUATE, with GOOD protection of all other critical body areas.

The Cupra Born is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impacts and it provided GOOD protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the far side impact tests was assessed as MARGINAL for both the vehicle-to-vehicle impact scenario and the vehicle-topole scenario.

Г

C

ι

Ε

F

FRONTAL OFFSET (MPDB) (50km/h)



DRIVER	
lead / neck: Chest: Jpper legs: .ower legs: Deductions:	4.00 pts 4.00 pts 4.00 pts 3.92 pts Nil
RONT PASSE	NGER

Head / neck:	4.00 pts
Chest:	3.82 pts
Upper legs:	4.00 pts
Lower legs:	4.00 pts
Deductions:	Nil

COMPATIBILITY

DRIVER Head:

Neck:

Chest:

Head:

Neck: Chest:

Upper legs:

Deductions:

Upper legs:

Deductions:

REAR PASSENGER

-1.18 pts Deductions:

> 4.00 pts 4.00 pts

> 4.00 pts

4.00 pts

4.00 pts 4.00 pts

3.00 pts

4.00 pts

Nil

Nil

FULL WIDTH FRONTAL (50km/h)



RESCUE & EXTRICATION

Rescue Sheet Door Opening / Extrication Multi-Collision Braking Advanced eCall

	No penalty	
	No penalty	
	1.00 pt	
ĸ	1.00 pt default	

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted.

FRONTAL OFFSET (MPDB)#	7.28	(out of 8)	
FULL WIDTH FRONTAL#	7.75	(out of 8)	
SIDE IMPACT#	6.00	(out of 6)	
OBLIQUE POLE#	5.82	(out of 6)	
WHIPLASH PROTECTION	3.63	(out of 4)	
FAR SIDE IMPACT	3.00	(out of 4)	
RESCUE & EXTRICATION	2.00	(out of 2)	

#Scaled scores. Total test scored out of 16.00 points.

Head:

SIDE IMPACT OBLIQUE POLE



FAR SIDE IMPACT







Chest: 4.00 pts

SIDE IMPACT (MDB) (60km/h)

4.00 pts

Abdomen: Pelvis:	4.00 4.00	
Deductions:	Nil	pto
	= /	

OBLIQUE POLE (32km/h)

Head: Chest: Abdomen: Pelvis: Deductions:	4.00 pts 3.52 pts 4.00 pts 4.00 pts Nil
Deductions:	Nil

SIDE IMPACT (MDB)

Head:	3.00 pts
Neck:	3.00 pts
Chest & Abdomen:	3.00 pts
Pelvis:	No penalty

OBLIQUE POLE

Head:	3.00 pts
Neck:	3.00 pts
Chest & Abdomen:	3.00 pts
Pelvis:	No penalty

OCCUPANT-TO-OCCUPANT

Head contact: No penalty





Driver / front passenger:	2.88 pts
Rear passenger:	0.75 pts



In the frontal offset and side impact tests, protection of the 10 year and 6 year dummies was GOOD and maximum points were scored in these tests.

The Cupra Born is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions.

Installation of typical child restraints available in Australia and New Zealand showed most child restraints could be accommodated in most rear seating positions, though one of the selected booster seats could not be correctly installed in the centre rear position.

ANCAP's assessment was conducted on a five seat vehicle. These results are also applicable for vehicles with four seats. All of the selected child restraints are able to be accommodated in all rear seating positions of the four seat variant.


DYNAMIC TEST (FRONT)	16.00	(out of 16)
DYNAMIC TEST (SIDE)	8.00	(out of 8)
RESTRAINT INSTALLATION	11.81	(out of 12)
ON-BOARD SAFETY FEATURES	8.00	(out of 13)

FRONTAL OFFSET (MPDB) (50km/h)



6 YEAR OLD

10 YEAR OLD



ON-BOARD SAFETY FEATURES

FEATURE	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFix	×	٠	×	_	-
Integrated child restraints	×	×	×	-	-
Top tether anchorage	×	٠	٠	_	-
Airbag disabling	×/•*	_	-	-	-
 FITTED TO TEST CAR AS STANDARD NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION NOT AVAILABLE NOT APPLICABLE 					

* Not available in Australia, standard in New Zealand.

GOOD ADEQUATE MARGINAL WEAK PO	OR

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcarseats.com.au.*



CHILD RESTRAINT INSTALLATION*

			FRONT ROW		2nd ROW			3rd ROW	
		CHILD RESTRAINT (CRS) TYPE^	PASSENGER	LEFT	CENTRE	RIGHT	LEFT	CENTRE	RIGHT
		Rearward facing capsule	×	٠	•	•	-	_	-
	TYPE A	Rearward facing with harness - convertible (Model A)	×	•	٠	•	-	_	-
۵		Rearward facing with harness - convertible (Model B)	×	•	٠	•	-	_	-
ELTED		Forward facing with harness - convertible (Model A)	×	٠	•	•	_	_	_
BE	TYPE B	Forward facing with harness - convertible (Model B)	×	•	٠	•	-	_	-
	TYPE E	Booster - 4 to 8 years	×	٠	•	•	-	-	-
	TYPE F	Booster - 4 to 10 years	×	٠	٠	•	-	-	-
		Rearward facing capsule	×	٠	_	•	-	_	-
×	TYPE A	Rearward facing with harness - convertible (Model A)	×	٠	_	•	-	_	-
SOFIX		Rearward facing with harness - convertible (Model B)	×	٠	_	•	-	-	-
S		Forward facing with harness - convertible (Model A)	×	•	-	•	_	_	_
	TYPE B	Forward facing with harness - convertible (Model B)	×	•	_	•	-	_	-

* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.

^ The above list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



The bonnet provided predominantly GOOD or ADEQUATE protection to the head of a struck pedestrian, while MARGINAL and POOR results were recorded at the rear of the bonnet, at the base of the windscreen and on the stiff windscreen pillars.

Protection of the pelvis area was GOOD or ADEQUATE, while the bumper showed GOOD results for lower leg impacts.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to pedestrians and cyclists.


The AEB system offered ADEQUATE performance in pedestrian and cyclist test scenarios, with collisions avoided or mitigated in most scenarios.


The AEB system does not react to vulnerable road users in reverse (AEB Backover) or turning scenarios, and hence these tests were not conducted.

HEAD IMPACTS	15.67	(out of 24)
UPPER LEG IMPACTS	5.98	(out of 6)
LOWER LEG IMPACTS	6.00	(out of 6)
AEB - Pedestrian (forward)	6.00	(out of 7)
AEB - Pedestrian (backover)	N	OT TESTED (out of 2)
AEB - Cyclist	6.26	(out of 9)

AUTONOMOUS EMERGENCY BRAKING (PEDESTRIAN, CYCLIST & BACKOVER)

SYSTEM NAME:	Front Assist
TYPE:	Autonomous emergency braking with forward collision warning
OPERATIONAL FROM:	5-250 km/h
DESCRIPTION:	System functions in the daytime and night





PEDESTRIAN IMPACT TEST (40 KM/H)





The Cupra Born is fitted with an autonomous emergency braking (AEB) system capable of functioning at highway speeds, a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).

Tests of the AEB (Car-to-Car) system showed GOOD performance with collisions avoided or mitigated in most scenarios, and ADEQUATE performance was recorded for AEB Junction Assist scenarios, where the test vehicle can autonomously brake to avoid crashes when turning across the path of an oncoming vehicle.

Tests of lane support system functionality showed GOOD performance, including in several of the more critical emergency lane keeping test scenarios.

A manually-set speed assistance system is standard equipment. A speed limit information function is not available.


A seatbelt reminder system with occupancy detection is fitted to all seating positions. A driver drowsiness monitor system is fitted as standard.


OCCUPANT STATUS

- Seat belt reminders	2.00	(out of 2)
- Driver monitoring	1.00	(out of 1)
SPEED ASSISTANCE SYSTEMS	1.25	(out of 3)
LANE SUPPORT SYSTEMS	3.50	(out of 4)
AEB - Car-to-Car	3.75	(out of 4)
AEB - Junction Assist	1.33	(out of 2)

LANE SUPPORT SYSTEMS (LSS)

SYSTEM NAME: OPERATIONAL FROM: Lane Assist 65-250 km/h






HUMAN MACHINE INTERFACE (HMI)				
FUNCTION	Lane Departure Warning (LDW)	PASS		
FUNCTION	Blind Spot Monitoring (BSM)	PASS		



AUTONOMOUS EMERGENCY BRAKING (CAR-TO-CAR)

SYSTEM NAME: TYPE: OPERATIONAL FROM: DESCRIPTION: Front Assist Autonomous emergency braking with forward collision warning 5-250 km/h Defaults ON for every journey

HUMAN MACHINE INTERFACE (HMI)				
FUNCTION	Supplementary warning	PASS		
FUNCTION	Restraint activation / dynamic retractors	[NOT FITTED]		



	AUTONOMOUS EMERGENCY BRAKING - CAR-TO-CAR								
	Toward car b	raking lightly	Toward car br	aking heavily					
	12m HEADWAY	40m HEADWAY	12m HEADWAY	40m Headway	Driving towards a slower moving car*				
TEST SCENARIO									
AEB (10-50 km/h)									
FCW (50*-80 km/h)									
PERFORMANCE					GOOD				

OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	٠	•
Seat Belt Reminder (Visual)	٠	٠	•
Seat Belt Reminder (Audible)	٠	٠	٠
Driver Monitoring	٠	-	-
● PASS ● FAIL × NOT AVAILA	NRIF – NOT		

SPEED ASSISTANCE SYSTEMS (SAS)

SAS FEATURE	DESCRIPTION
Speed Limit Information Function	[NOT AVAILABLE]
Speed Limitation Function	Manually set

FEATURE / TECHNOLOGY~

	AUS
Seat belts (three-point) for all forward-facing seats	
Seat belt pre-tensioners (front)	
Seat belt pre-tensioners (rear outboard) - 2nd row	
Seat belt pre-tensioners (rear centre) - 2nd row	
Seat belt pre-tensioners (rear outboard) - 3rd row	-
Intelligent seat belt reminder (driver)	
Intelligent seat belt reminder (front passenger)	
Intelligent seat belt reminder (2nd row seats)	
Intelligent seat belt reminder (3rd row seats)	-
Airbag - frontal (driver)	
Airbag - frontal (passenger)	
Airbags - side, chest protection (front seats)	
Airbags - side, chest protection (2nd row seats)	×
Airbags - side, chest protection (3rd row seats)	-
Airbags - side, head protection (front seats)	
Airbags - side, head protection (2nd row seats)	•
Airbags - side, head protection (3rd row seats)	-
Airbag - centre	•
Airbag - knee (driver)	×
Airbag - knee (front passenger)	×
Airbag disabling switch - automatic (front passenger)	×
Airbag disabling switch - manual (front passenger)	×
Head restraints for all seats	
Active bonnet	×
Adaptive cruise control (ACC)	•
Anti-lock braking system (ABS)	•
Autonomous emergency braking (AEB) - Car-to-Car	•
Autonomous emergency braking (AEB) - VRU	
Autonomous emergency braking (AEB) - Backover	×
Autonomous emergency braking (AEB) - Junction Assist	
Automatic emergency call (eCall)	×
Blind spot monitor (BSM) Child presence alert	
Electronic brakeforce distribution (EBD)	×
Event data recorder (EDR)	
Electronic stability control (ESC)	
Emergency brake assist (EBA)	
Emergency stop signal (ESS)	•
Fatigue reminder	•
Fatigue monitor / detection	
Forward collision warning (FCW)	
ISOFix	
Lane departure warning (LDW)	•
Lane keep assist (LKA)	•
Pre-crash systems	
Rear cross-traffic alert (RCTA)	
Reversing collision avoidance (camera)	
Roll stability system	•
Secondary / multi-collision brake	
Speed assistance - auto / intelligent speed limiter	×
Speed assistance - manual speed limiter	
Speed assistance - speed sign recognition & warning	×
Smart (intelligent) key	×
Vehicle-to-infrastructure communication (V2I)	×
Vehicle-to-vehicle communication (V2V)	×

/AIL/	BILITY	TES
	NZ	TES
	•	TES
		TES
		RAT
		RAT
_		
_	_	
-	_	
^	×	
-	-	
	-	
-	-	
	•	
×	×	
×	×	
X	×	
×	•	
	•	
×	×	
	•	
	•	
×	×	
×	× • × • ×	
×	×	
	•	
	•	
-		

TED MAKE / MODEL TED VEHICLE(S) BUILT 2022 **TED BODY TYPE** TED VEHICLE ENGINE 58kWh e-boost ING PUBLISHED **ING UPDATED** n/a

Cupra Born LHD 5 door hatch March 2023

MODEL VARIANTS:

× ×

× × ×

ANCAP safety ratings do not automatically extend to variants that have different body styles, engine configurations, driven wheels or occupant restraint systems (e.g. fewer airbags). In these cases, ANCAP considers technical evidence submitted by manufacturers before deciding on the extension of a rating to additional variants of a model.

RATING YEAR (DATESTAMP):

The Rating Year denotes the year requirements against which a vehicle has been assessed. The Rating Year is determined by ANCAP and, for vehicles rated from 2018, the Rating Year is the year in which the vehicle was tested.

- Specifications & availability subject to change. Please check with the vehicle manufacturer for confirmation of vehicle specification.
- STANDARD O OPTIONAL × NOT AVAILABLE
- NOT AVAILABLE ON BASE VARIANT BUT STANDARD OR OPTIONAL ON HIGHER VARIANTS