

1. Identification

Product identifier Brandt Ligno Tree & Vine Mix
Other means of identification
Product code 24017
Recommended use Agriculture / Horticulture - Liquid Micronutrient - Refer to Product Label
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information**Manufacturer**

Company name Brandt Consolidated, Inc.
Address 2935 South Koke Mill Road
Springfield, IL 62711
United States
Telephone Corporate Office 1-217-547-5800
Website www.brandt.co
E-mail msds@brandt.co
Contact person EH&S / Regulatory Department
Emergency phone number Not available.
CHEMTREC (24 hours):
USA, Canada, Puerto Rico 1-800-424-3900
Virgin Islands 1-800-424-3900
International Maritime +1 (703) 527-3887

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Acute toxicity, oral Category 4
Serious eye damage/eye irritation Category 2
Specific target organ toxicity, repeated exposure Category 2
Environmental hazards Hazardous to the aquatic environment, acute hazard Category 3
Hazardous to the aquatic environment, long-term hazard Category 3
OSHA defined hazards Not classified.

Label elements

Signal word Warning

Hazard statement Harmful if swallowed. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear eye/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. Rinse mouth. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	88.42% of the mixture consists of component(s) of unknown acute oral toxicity. 95.17% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 93.55% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
FERROUS SULFATE		7782-63-0	5 - < 10
Zinc Sulfate		7733-02-0	5 - < 10*
Citric Acid, Anhydrous		77-92-9	1 - < 3*
Disodium Octaborate Tetrahydrate		12008-41-2	1 - < 3*
Manganese Sulfate, monohydrate		10034-96-5	1 - < 3*
Cupric Sulfate, pentahydrate		7758-99-8	< 1*
Other components below reportable levels			80 - < 90

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye irritation. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	---

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage**Precautions for safe handling**

Do not breathe mist or vapor. Do not taste or swallow. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection**Occupational exposure limits****US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
Manganese Sulfate, monohydrate (CAS 10034-96-5)	Ceiling	5 mg/m ³

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	6 mg/m ³	Inhalable fraction.
	TWA	2 mg/m ³	Inhalable fraction.
Manganese Sulfate, monohydrate (CAS 10034-96-5)	TWA	0.1 mg/m ³	Inhalable fraction.
		0.02 mg/m ³	Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Cupric Sulfate, pentahydrate (CAS 7758-99-8)	TWA	1 mg/m ³	Dust and mist.
Manganese Sulfate, monohydrate (CAS 10034-96-5)	STEL	3 mg/m ³	Fume.
	TWA	1 mg/m ³	Fume.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection**Hand protection**

Wear appropriate chemical resistant gloves.

Other

Wear suitable protective clothing. Use of an impervious apron is recommended.

Respiratory protection

Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Viscous. Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Dark brown.
Odor	slight lignin
Odor threshold	Not available.
pH	5.3
Salt-Out / Crystallization Temp	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Noncombustible
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated
Vapor density	< 1
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Percent volatile	78.22 % estimated
pH in aqueous solution	5 - 7
Pounds per gallon	9.8 lb/gal (typical)

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Harmful if swallowed.
Inhalation	Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure by inhalation.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye irritation.

Information on toxicological effects

Acute toxicity Harmful if swallowed. Not known.

Product	Species	Test Results
Brandt Ligno Tree & Vine Mix (CAS Mixture)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	44327.7305 mg/kg estimated
	Rat	28409.0918 mg/kg estimated
<i>Inhalation</i>		
LC50	Rat	0.0841 mg/l, 4 Hours estimated
<i>Oral</i>		
LD100	Mouse	4692.3076 mg/kg estimated
LD50	Mouse	3480.1135 mg/kg estimated
	Rat	24289.7734 mg/kg estimated
		800 g/kg estimated
<i>Other</i>		
LD100	Mouse	9012.3457 mg/kg estimated
LD50	Mouse	1018.4659 mg/kg estimated
	Rabbit	27500 mg/kg estimated
		1000.0001 g/kg estimated
	Rat	568.1818 mg/kg estimated
Components		
Citric Acid, Anhydrous (CAS 77-92-9)		
Acute		
<i>Oral</i>		
LD50	Mouse	5040 mg/kg
	Rat	6730 mg/kg
<i>Other</i>		
LD50	Mouse	42 mg/kg
	Rabbit	330 mg/kg
	Rat	883 mg/kg
Cupric Sulfate, pentahydrate (CAS 7758-99-8)		
Acute		
<i>Oral</i>		
LD100	Mouse	50 mg/kg
LD50	Rat	960 mg/kg
<i>Other</i>		
LD50	Rabbit	> 8 g/kg

Components	Species	Test Results
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Oral</i>		
LD50	Guinea pig	5300 mg/kg
	Rat	> 2000 mg/kg
		2 g/kg
Manganese Sulfate, monohydrate (CAS 10034-96-5)		
Acute		
<i>Oral</i>		
LD100	Mouse	305 mg/kg
<i>Other</i>		
LD100	Mouse	146 mg/kg
LD50	Mouse	64 mg/kg
Zinc Sulfate (CAS 7733-02-0)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg
<i>Oral</i>		
LD50	Rat	623 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
	Not listed.
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Components	Species	Test Results
Cupric Sulfate, pentahydrate (CAS 7758-99-8)		
Aquatic		
Crustacea	EC50	Water flea (Bosmina longirostris)
		0.0037 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)
		0.66 - 1.15 mg/l, 96 hours

Components	Species	Test Results
Manganese Sulfate, monohydrate (CAS 10034-96-5)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia magna) 7.09 - 9.36 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) 29.7 - 52.7 mg/l, 192 hours 24.3 - 38.9 mg/l, 96 hours
Zinc Sulfate (CAS 7733-02-0)		
Aquatic		
Algae	LC50	Green algae (Chlorella vulgaris) 5 mg/l, 24 hours
Crustacea	EC50	Amphipod (Crangonyx pseudogracilis) 15.1 - 24.5 mg/l, 96 hours
Fish	LC50	Fathead minnow (Pimephales promelas) 10.62 - 11.3 mg/l, 5 days Fish (Lepidocephalichthyes guntea) 76 - 118.8 mg/l, 24 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	Not available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

General	Not DOT regulated in domestic (USA ground) transportation in package sizes less than 14,815 lbs (1,512 gallons); 6,719 kg (5,724 liters). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value. IMDG Regulated Marine Pollutant.
----------------	---

DOT	
Basic shipping requirements:	
UN number	UN3082
Proper shipping name	Environmentally hazardous substances, liquid, n.o.s. (FERROUS SULFATE RQ = 14815 lbs, Zinc Sulfate RQ = 14952 lbs)
Hazard class	9
Packing group	III
Special precautions	Read safety instructions, SDS and emergency procedures before handling.
Additional information:	
Special provisions	8, 146, 335, IB3, T4, TP1, TP29
Packaging exceptions	155
Packaging non bulk	203
Packaging bulk	241

Notes	DOT Shipping Notes: 40 CFR 172.504(f)(9) For Class 9, a CLASS 9 placard is not required for domestic (USA ground) transportation, however shipments with packaging sizes exceeding the Reportable Quantity (RQ) or bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required. Since the Class 9 placard is not required (although it may be used) the hazardous material endorsement is also not required on a Commercial Drivers License.
--------------	---

IATA

UN number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Zinc Sulfate)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
ERG Code	9L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.

IMDG

UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc Sulfate)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.


General information

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 14,815 lbs (1,512 gallons); 6,719 kg (5,724 liters). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value. IMDG Regulated Marine Pollutant.

DOT; IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

FERROUS SULFATE (CAS 7782-63-0) Listed.
 Manganese Sulfate, monohydrate (CAS 10034-96-5) Listed.
 Zinc Sulfate (CAS 7733-02-0) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
 Delayed Hazard - Yes
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Zinc Sulfate	7733-02-0	5 - < 10
Manganese Sulfate, monohydrate	10034-96-5	1 - < 3

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations**US. Massachusetts RTK - Substance List**

Cupric Sulfate, pentahydrate (CAS 7758-99-8)
 FERROUS SULFATE (CAS 7782-63-0)
 Zinc Sulfate (CAS 7733-02-0)

US. New Jersey Worker and Community Right-to-Know Act

Cupric Sulfate, pentahydrate (CAS 7758-99-8)
 Disodium Octaborate Tetrahydrate (CAS 12008-41-2)
 Manganese Sulfate, monohydrate (CAS 10034-96-5)
 Zinc Sulfate (CAS 7733-02-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Cupric Sulfate, pentahydrate (CAS 7758-99-8)
 FERROUS SULFATE (CAS 7782-63-0)
 Zinc Sulfate (CAS 7733-02-0)

US. Rhode Island RTK

FERROUS SULFATE (CAS 7782-63-0)
 Manganese Sulfate, monohydrate (CAS 10034-96-5)
 Zinc Sulfate (CAS 7733-02-0)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 05-18-2015

Revision date 05-19-2015

Version # 02

Disclaimer

Brandt Consolidated, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. While the information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application, we recommend that you make tests to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding products described or information set forth, or that the products, or information may be used without infringing the intellectual property rights of others. In no case shall the information provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the information furnished by our company hereunder are given gratis and we assume no obligation or liability for the information given or results obtained, all such being given and accepted at your risk.