Revision nr. 1

Dated 6/1/2023

First compilation

Printed on 6/8/2023 Page n. 1/14

EASY GLOSS BLACK

Safety Data Sheet According to U.S.A. Federal Hazcom 2012

1. Identification

1.1. Product identifier

600283 Code:

Product name **EASY GLOSS BLACK**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Light abrasive protective polish Intended use

Identified Uses Professional Industrial Consumer product for surface finishing

1.3. Details of the supplier of the safety data sheet

PAI CRISTAL ITALIA S.R.L. Full address **VIA RISORGIMENTO 35**

32040 DOMEGGE DI CADORE (BL) District and Country

ITALIA

Tel. +39. 0435 501668 Fax +39. 0435 72273

e-mail address of the competent person

responsible for the Safety Data Sheet info@paicristal.it

1.4. Emergency telephone number

For urgent inquiries refer to (800)535-5053

2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement

Hazard pictograms:

Eye irritation, category 2

Causes serious eye irritation.



Revision nr. 1

Dated 6/1/2023

First compilation

Page n. 2/14

Printed on 6/8/2023

EASY GLOSS BLACK

Signal words:

Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

Prevention:

P280 Wear eye protection / face protection.
P264 Wash hands thoroughly after handling.
Response:

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337+P313

If eye irritation persists: Get medical advice / attention.

Storage:

--D:----

Disposal:

2.2. Other hazards

Additional hazards

Contains:

tetraidro-1,3,4,6-tetrachis(idrossimetil) imidazo(4,5-d)imidazol-2,5(1H,3H)-dione

May produce an allergic reaction.

3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification Conc. % Classification:

18.555

Hydrocarbons, C11-C14, n-

alkanes, isoalkanes, cyclics, <2%

aromatics

EC 926-141-6 CAS 64742-47-8

REACH Reg. 01-2119456620-43

Alcohols, C12-14, ethoxylated 1.641 Acute toxicity, category 4 H302, Serious eye damage, category 1 H318,

Hazardous to the aquatic environment, chronic toxicity, category 3 H412

Aspiration hazard, category 1 H304

EC 500-213-3

CAS 68439-50-9

Mixture of: 5-cloro-2-metil-2H-isotiazol-3-one; 2-metil-2H-

isotiazol-3-one (3:1)

INDEX 613-167-00-5 0.002

Acute toxicity, category 2 H310, Acute toxicity, category 2 H330, Acute toxicity, category 3 H301, Skin corrosion, category 1C H314, Serious eye damage, category 1 H318, Skin sensitization, category 1A H317, Hazardous

to the aquatic environment, acute toxicity, category 1 H400 M=100,

PAI CRISTAL ITALIA S.R.L. Revision nr. 1 Dated 6/1/2023 First compilation Printed on 6/8/2023 Page n. 3/14

Hazardous to the aquatic environment, chronic toxicity, category 1 H410 M=100

CAS 55965-84-9

The full wording of hazard (H) phrases is given in section 16 of the sheet.

4. First-aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

5. Fire-fighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

PAI CRISTAL ITALIA S.R.L. Revision nr. 1 Dated 6/1/2023 First compilation Printed on 6/8/2023 Page n. 4/14

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

8. Exposure controls/personal protection

8.1. Control parameters

Information not available

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations.

HAND PROTECTION

Protect hands with category III work gloves (OSHA 29 CFR 1910.138).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing.

EYE PROTECTION

PAI CRISTAL ITALIA S.R.L. Revision nr. 1 Dated 6/1/2023 First compilation Printed on 6/8/2023 Page n. 5/14

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84, OSHA 29 CFR 1910.134.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	viscous liquid	
Colour	black	
Odour	characteristic	
Odour threshold	not available	
рН	7	
Melting point / freezing point	not available	
Initial boiling point	not available	
Boiling range	not available	
Flash point	> 93 °C	
Evaporation rate	not available	
Flammability	not available	
Lower inflammability limit	not available	
Upper inflammability limit	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Vapour pressure	not available	
Vapour density	not available	
Relative density	0.98	
Solubility	partially miscible	
Partition coefficient: n-octanol/water	not available	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
Viscosity	not available	
Explosive properties	not available	
Oxidising properties	not available	

9.2. Other information

Revision nr. 1 PAI CRISTAL ITALIA S.R.L. Dated 6/1/2023 First compilation Printed on 6/8/2023 **EASY GLOSS BLACK** Page n. 6/14 Information not available

10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Revision nr. 1

Dated 6/1/2023

First compilation
Printed on 6/8/2023

Page n. 7/14

EASY GLOSS BLACK

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

Alcohols, C12-14, ethoxylated

LD50 (Oral): > 300 mg/kg ratto

ALUMINA

LD50 (Oral): > 5000 mg/kg Rat

Mixture of: 5-cloro-2-metil-2H-isotiazol-3-one; 2-metil-2H-isotiazol-3-one (3:1)

LC50 (Inhalation vapours): 0.31 mg/l Ratto. 4 ore

Isopropyl myristate

LD50 (Oral): > 49.7 ml/kg Ratto

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

LD50 (Oral): > 5000 mg/kg Ratto
LD50 (Dermal): > 5000 mg/kg Coniglio

SKIN CORROSION / IRRITATION

Repeated exposure may cause skin dryness or cracking.

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Contains:

tetraidro-1,3,4,6-tetrachis(idrossimetil) imidazo(4,5-d)imidazol-2,5(1H,3H)-dione May produce an allergic reaction.

PAI CRISTAL ITALIA S.R.L. Revision nr. 1 Dated 6/1/2023 First compilation Printed on 6/8/2023 Page n. 8/14

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Alcohols, C12-14, ethoxylated

Mixture of: 5-cloro-2-metil-2H-isotiazol-3-

Revision nr. 1

Dated 6/1/2023

First compilation

Printed on 6/8/2023
Page n. 9/14

EASY GLOSS BLACK

one; 2-metil-2H-isotiazol-3-one (3:1)

LC50 - for Fish 0.58 mg/l/96h Danio rerio

EC50 - for Crustacea 1.02 mg/l/48h
EC10 for Algae / Aquatic Plants 0.188 mg/l/72h

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

LC50 - for Fish 1000 mg/l/96h

12.2. Persistence and degradability

Alcohols, C12-14, ethoxylated

Rapidly degradable ALUMINA

Solubility in water < 2E-05 mg/l

Degradability: information not available

Mixture of: 5-cloro-2-metil-2H-isotiazol-3one; 2-metil-2H-isotiazol-3-one (3:1) NOT rapidly degradable

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics Rapidly degradable

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Other adverse effects

Information not available

13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14. Transport information

PAI CRISTAL ITALIA S.R.L.	Revision nr. 1	
FAI CRISTAL ITALIA S.R.L.	Dated 6/1/2023	
	First compilation	
EASY GLOSS BLACK	Printed on 6/8/2023	
	Page n. 10/14	
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.		
14.1. UN number		
not applicable		
14.2. UN proper shipping name		
not applicable		
14.3. Transport hazard class(es)		
not applicable		
14.4. Packing group		
not applicable		
14.5. Environmental hazards		
not applicable		
14.6. Special precautions for user		
not applicable		
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code		
Information not relevant		
15. Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
U.S. Federal Regulations		
Clean Air Act Section 112(b):		

Revision nr. 1 PAI CRISTAL ITALIA S.R.L. Dated 6/1/2023 First compilation Printed on 6/8/2023 **EASY GLOSS BLACK** Page n. 11/14 No component(s) listed. Clean Air Act Section 602 Class I Substances: No component(s) listed. Clean Air Act Section 602 Class II Substances: No component(s) listed. Clean Water Act – Priority Pollutants: No component(s) listed. Clean Water Act – Toxic Pollutants: No component(s) listed. DEA List I Chemicals (Precursor Chemicals): No component(s) listed. DEA List II Chemicals (Essential Chemicals): No component(s) listed. EPA List of Lists: 313 Category Code: 1344-28-1 **ALUMINA (Aluminum compounds)** EPCRA 302 EHS TPQ: No component(s) listed. EPCRA 304 EHS RQ: No component(s) listed. CERCLA RQ: No component(s) listed. EPCRA 313 TRI: 1344-28-1 ALUMINA (Aluminum compounds)

RCRA Code:

No component(s) listed.

CAA 112 (r) RMP TQ:

Revision nr. 1

Dated 6/1/2023

First compilation
Printed on 6/8/2023

Page n. 12/14

EASY GLOSS BLACK

No component(s) listed.

State Regulations

Massachussetts:

1344-28-1 ALUMINA (Aluminum compounds)

Minnesota:

1344-28-1 ALUMINA (Aluminum compounds)

New Jersey:

1344-28-1 ALUMINA (Aluminum compounds)

New York:

No component(s) listed.

Pennsylvania:

1344-28-1 ALUMINA (Aluminum compounds)

California:

No component(s) listed.

Proposition 65:

This product does not contain any substances know to the State of California to cause cancer, reproductive harm or birth defects.

International Regulations

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

H310 Fatal in contact with skin.

H330 Fatal if inhaled.H301 Toxic if swallowed.

Revision nr. 1

Dated 6/1/2023

First compilation

Printed on 6/8/2023
Page n. 13/14

EASY GLOSS BLACK

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: Regulation (EC) 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REACH: Regulation (EC) 1907/2006
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act

PAI CRISTAL ITALIA S.R.L. Revision nr. 1 Dated 6/1/2023 First compilation Printed on 6/8/2023 Page n. 14/14

- EPA website
- Hazard Comunication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Product classification derives from criteria established by the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200), unless determined otherwise in Section 11 and 12. The data for evaluation of chemical-physical properties are reported in section 9.