



Interventional Radiology Measure Specifications

Measure Number	Title	Description	Code Changes/Notes
21	Selection of Antibiotic Claims Spec Registry Spec	Percentage of surgical patients aged 18 years and older undergoing procedures with the indications for a first OR second generation cephalosporin prophylactic antibiotic who had an order for a first OR second generation cephalosporin for antimicrobial prophylaxis	<ul style="list-style-type: none"> • Updated Copyright • Added Denominator Coding, CPT 22510, 22511, 22513, 28291, 33390, 33391, 36902, 36905, 37246, 37247, 37248, 37249, 49405, 49406, 49407 • Deleted Denominator Coding, CPT 28293, 33400, 33401, 33403, 35460
23	VTE Prophylaxis Claims Spec Registry Spec	Percentage of surgical patients aged 18 years and older undergoing procedures for which venous thromboembolism (VTE) prophylaxis is indicated in all patients, who had an order for Low Molecular Weight Heparin (LMWH), Low-Dose Unfractionated Heparin (LDUH), adjusted-dose warfarin, fondaparinux or mechanical prophylaxis to be given within 24 hours prior to incision time or within 24	<ul style="list-style-type: none"> • Updated Copyright • Added Denominator Coding, CPT 36902, 36905, 37246, 37247, 37248, 37249, 49405, 49406, 49407 • Deleted Denominator Coding, CPT 35460

		hours after surgery end time	
24	<p>Communication Following Fracture</p> <p>Claims Spec Registry Spec</p>	<p>Percentage of patients aged 50 years and older treated for a fracture with documentation of communication, between the physician treating the fracture and the physician or other clinician managing the patient’s on-going care, that a fracture occurred and that the patient was or should be considered for osteoporosis treatment or testing. This measure is reported by the physician who treats the fracture and who therefore is held accountable for the communication</p>	<ul style="list-style-type: none"> • Added Denominator 1 and 2 Coding, ICD-10-CM M84.750A, M84.751A, M84.752A, M84.753A, M84.754A, M84.755A, M84.756A, M84.757A, M84.759A, S92.151A, S92.151B, S92.811A, S92.811B, S92.812A, S92.812B, S92.819A, S92.819B, S99.001A, S99.001B, S99.002A, S99.002B, S99.009A, S99.009B, S99.011A, S99.011B, S99.012A, S99.012B, S99.019A, S99.019B, S99.021A, S99.021B, S99.022A, S99.022B, S99.029A, S99.029B, S99.031A, S99.031B, S99.032A, S99.032B, S99.039A, S99.039B, S99.041A, S99.041B, S99.042A, S99.042B, S99.049A, S99.049B, S99.091A, S99.091B, S99.092A, S99.092B, S99.099A, S99.099B, S99.101A, S99.101B, S99.102A, S99.102B, S99.109A, S99.109B, S99.111A, S99.111B, S99.112A, S99.112B, S99.119A, S99.119B, S99.121A, S99.121B, S99.122A, S99.122B, S99.129A, S99.129B, S99.131A, S99.131B, S99.132A, S99.132B, S99.139A, S99.139B, S99.141A, S99.141B, S99.142A, S99.142B, S99.149A, S99.149B, S99.191A, S99.191B, S99.192A, S99.192B, S99.199A, S99.199B, Numerator Option (G9688) • Deleted Denominator 2 Coding, CPT 22305, Numerator Option (5015F with 1P, 5015F with 2P) • Adjusted Measure Analytics Specific to the Registry Reporting Option (G9688)
76	<p>Prevention of Catheter-Related Bloodstream Infections (CRBSI): Central Venous Catheter (CVC) Insertion Protocol</p> <p>Claims Spec Registry Spec</p>	<p>Percentage of patients, regardless of age, who undergo central venous catheter (CVC) insertion for whom CVC was inserted with all elements of maximal sterile barrier technique, hand hygiene, skin preparation and, if ultrasound is used, sterile ultrasound techniques followed</p>	<p>N/A</p>

259	<p>Rate of Endovascular Aneurysm Repair (EVAR) of Small or Moderate Non-Ruptured Abdominal Aortic Aneurysms (AAA) without Major Complications (Discharged to Home by Post-Operative Day #2)</p> <p>Registry Spec</p>	Percent of patients undergoing endovascular repair of small or moderate non-ruptured infrarenal abdominal aortic aneurysms (AAA) that do not experience a major complication (discharged to home no later than post-operative day #2)	<ul style="list-style-type: none"> Updated Title, Description, Instructions
344	<p>Rate of Carotid Artery Stenting (CAS) for Asymptomatic Patients, Without Major Complications (Discharged to Home by Post-Operative Day #2)</p> <p>Registry Spec</p>	Percent of asymptomatic patients undergoing CAS who are discharged to home no later than post-operative day #2	N/A
345	<p>Rate of Postoperative Stroke or Death in Asymptomatic Patients Undergoing Carotid Artery Stenting (CAS)</p> <p>Registry Spec</p>	Percent of asymptomatic patients undergoing CAS who experience stroke or death following surgery while in the hospital	N/A
358	<p>Patient-Centered Surgical Risk Assessment and Communication</p> <p>Registry Spec</p>	Percentage of patients who underwent a non-emergency surgery who had their personalized risks of postoperative complications assessed by their surgical team prior to surgery using a clinical data-based, patient-specific risk calculator and who received personal discussion of those risks with the surgeon	<ul style="list-style-type: none"> Added Denominator Coding, CPT 28291, 36902, 36905, 36907, 37246, 37247, 37248, 37249, Denominator Exclusion (G9752) Deleted Denominator Coding, CPT 28293, 35471, 35472

404	Anesthesiology Smoking Abstinence Registry Spec	The percentage of current smokers who abstain from cigarettes prior to anesthesia on the day of elective surgery or procedure	<ul style="list-style-type: none"> • Updated Denominator Criteria (G9642, G9497), Numerator Statement • Added Denominator Coding, CPT 62320, 62321, 62322, 62323, 62324, 62325, 62326, 62327 • Deleted Denominator Coding, CPT 62310, 62311, 62318, 62319
409	Clinical Outcome Post Endovascular Stroke Treatment Registry Spec	Percentage of patients with a mRs score of 0 to 2 at 90 days following endovascular stroke intervention	<ul style="list-style-type: none"> • Added Denominator Coding, ICD-10-CM I63.013, I63.033, I63.113, I63.133, I63.213, I63.233, I63.313, I63.323, I63.333, I63.413, I63.423, I63.433, I63.513, I63.523, I63.533, I63.543, CPT 61645 • Deleted Denominator Coding, CPT 37184
413	Door to Puncture Time for Endovascular Stroke Treatment Registry Spec	Percentage of patients undergoing endovascular stroke treatment who have a door to puncture time of less than two hours	<ul style="list-style-type: none"> • Added Denominator Coding, ICD-10-CM I63.013, I63.033, I63.113, I63.133, I63.213, I63.233, I63.313, I63.323, I63.333, I63.413, I63.423, I63.433, I63.513, I63.523, I63.533, I63.543, CPT 61645, Denominator Exclusion (G9766, G9767) • Deleted Denominator Coding, CPT 37184, 37186, Numerator Option (G9581)
418	Osteoporosis Management in Women Who Had a Fracture Claims Spec Registry Spec	The percentage of women age 50-85 who suffered a fracture and who either had a bone mineral density test or received a prescription for a drug to treat osteoporosis in the six months after the fracture	<ul style="list-style-type: none"> • Updated Description, Numerator Statement, Numerator Definition (Pharmacologic Therapy) • Added Denominator 1 and 2 Coding, ICD-10-CM M84.750A, M84.751A, M84.752A, M84.753A, M84.754A, M84.755A, M84.756A, M84.757A, M84.759A, S92.151A, S92.151B, S92.811A, S92.811B, S92.812A, S92.812B, S92.819A, S92.819B, S99.001A, S99.001B, S99.002A, S99.002B, S99.009A, S99.009B, S99.011A, S99.011B, S99.012A, S99.012B, S99.019A, S99.019B, S99.021A, S99.021B, S99.022A, S99.022B, S99.029A, S99.029B, S99.031A, S99.031B, S99.032A, S99.032B, S99.039A, S99.039B, S99.041A, S99.041B, S99.042A, S99.042B, S99.049A, S99.049B, S99.091A, S99.091B, S99.092A, S99.092B, S99.099A, S99.099B, S99.101A, S99.101B, S99.102A, S99.102B, S99.109A,

			<p>S99.109B, S99.111A, S99.111B, S99.112A, S99.112B, S99.119A, S99.119B, S99.121A, S99.121B, S99.122A, S99.122B, S99.129A, S99.129B, S99.131A, S99.131B, S99.132A, S99.132B, S99.139A, S99.139B, S99.141A, S99.141B, S99.142A, S99.142B, S99.149A, S99.149B, S99.191A, S99.191B, S99.192A, S99.192B, S99.199A, S99.199B, Numerator Option (G9768, G9769)</p> <ul style="list-style-type: none"> Deleted Denominator 2 Coding, CPT 22305, Numerator Option (3095F with 1P, 3095F with 2P, 3095F with 3P, G8634) Adjusted Measure Analytics Specific to the Registry Reporting Option (G9768, G9769)
420	<p>Varicose Vein Treatment with Saphenous Ablation: Outcome Survey</p> <p>Registry Spec</p>	Percentage of patients treated for varicose veins (CEAP C2-S) who are treated with saphenous ablation (with or without adjunctive tributary treatment) that report an improvement on a disease specific patient reported outcome survey instrument after treatment	N/A
421	<p>Appropriate Assessment of Retrievable Inferior Vena Cava (IVC) Filters for Removal</p> <p>Registry Spec</p>	Percentage of patients in whom a retrievable IVC filter is placed who, within 3 months post-placement, have a documented assessment for the appropriateness of continued filtration, device removal or the inability to contact the patient with at least two attempts	<ul style="list-style-type: none"> Updated Title
437	<p>Rate of Surgical Conversion from Lower Extremity Endovascular Revascularization Procedure</p> <p>Claims Spec Registry Spec</p>	Inpatients assigned to endovascular treatment for obstructive arterial disease, the percent of patients who undergo unplanned major amputation or surgical bypass within 48 hours of the index procedure	<ul style="list-style-type: none"> Added Numerator Definition (Major Amputation) Adjusted Measure Analytics Specific to the Registry Reporting Option (G9640)