

National Radiology Data Registry

QCDR Preview Report, Mar 2019

Sample Facility
(Facility ID: 100853)



nrdr.acr.org



General Radiology Improvement Database QCDR Preview Report

Turn-around time measures for MIPS participation

This report contains summary information on turn-around time measures using your facility's exam-level data for submission to CMS by NRDR.

For MIPS Quality Category scoring, CMS uses decile benchmarks (1-10) to compare physicians or groups to peers in order to assign a score for each reported measure. For GRID QCDR measure preview report, we created aggregate registry level decile benchmarks. Your facility performance scores are ranked against the registry level decile benchmarks, and when available, the CMS benchmarks (expected mid-2019). Please note that for the 2019 MIPS performance year, CMS has set a measure minimum baseline performance at 3 points, thus the 2019 decile range is 3 - 10.

To learn more about QCDR please go to
<http://www.acr.org/Practice-Management-Quality-Informatics/Registries/Qualified-Clinical-Data-Registry>.

GRID QCDR Measures, 2019Q1 : Facility 100853

100853 Performance						
Measure	Number of NPIs Submitted	Submitted to GRID ¹	Exclusions	Denominator ²	Mean RTAT (hours)	Decile
ACRad 15: Radiography RTAT	5	86609		86031	4.63	4
ACRad 16: US RTAT †	5	34020		33830	6.25	4
ACRad 17: MRI RTAT	5	24240		24140	13.32	4
ACRad 18: CT RTAT	5	43770		43583	5.39	4
ACRad 19: PET RTAT	5	1149		1149	13.05	5
ACRad 25: Mammography RTAT	5	31915		31817	21.07	4

Facility Decile Ranges

Measure	Mean	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRad 15	5.68	(112.04 - 4.81)	(4.8 - 3.75)	(3.74 - 2.36)	(2.35 - 1.69)	(1.68 - 1.35)	(1.34 - 1)	(0.99 - 0.58)	(0.57 - 0.14)
ACRad 16	11.13	(235.23 - 8)	(7.99 - 5.98)	(5.97 - 4.59)	(4.58 - 3.44)	(3.43 - 2.34)	(2.33 - 1.74)	(1.73 - 0.82)	(0.81 - 0)
ACRad 17	12.96	(77.07 - 14.89)	(14.88 - 12.51)	(12.5 - 10.11)	(10.1 - 8.1)	(8.09 - 6.17)	(6.16 - 4.33)	(4.32 - 2.73)	(2.72 - 0.24)
ACRad 18	7.46	(59.62 - 7.45)	(7.44 - 5.12)	(5.11 - 4.14)	(4.13 - 3.27)	(3.26 - 2.43)	(2.42 - 1.76)	(1.75 - 0.89)	(0.88 - 0.17)
ACRad 19	18.77	(76.51 - 19.28)	(19.27 - 15.36)	(15.35 - 12.96)	(12.95 - 7.14)	(7.13 - 5.59)	(5.58 - 3.51)	(3.5 - 2.5)	(2.49 - 0)
ACRad 25	18.16	(94.88 - 23.43)	(23.42 - 16.56)	(16.55 - 12.05)	(12.04 - 8.52)	(8.51 - 6.92)	(6.91 - 4.91)	(4.9 - 1.48)	(1.47 - 0.06)

¹Includes all exams submitted to the GRID for 2019Q1

²Number of exams after exclusion

†Excludes Breast Ultrasonography.

QCDR Measures for 2019Q1 : Physician 1013962497

Measure	1013962497 Performance			100853 Performance			
	Submitted ¹	Exclusions	Denominator ²	NPI Mean RTAT (hours)	NPI Decile	Facility Mean RTAT (hours)	Facility Decile
ACRad 15: Radiography RTAT	17535		17417	4.39	3	4.63	4
ACRad 16: US RTAT †	6994		6959	6.82	3	6.25	4
ACRad 17: MRI RTAT	4975		4959	12.85	5	13.32	4
ACRad 18: CT RTAT	8995		8962	5.34	4	5.39	4
ACRad 19: PET RTAT	227		227	11.59	5	13.05	5
ACRad 25: Mammography RTAT	6560		6541	20.96	3	21.07	4

Registry Decile Ranges

Measure	Mean	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRad 15	6.36	(1594.28 - 4.36)	(4.35 - 2.6)	(2.59 - 1.62)	(1.61 - 1.08)	(1.07 - 0.75)	(0.74 - 0.53)	(0.52 - 0.32)	(0.31 - 0)
ACRad 16	8.49	(1013.33 - 5.21)	(5.2 - 3.27)	(3.26 - 2.19)	(2.18 - 1.49)	(1.48 - 1)	(0.99 - 0.62)	(0.61 - 0.33)	(0.32 - 0)
ACRad 17	16.51	(942.55 - 17.45)	(17.44 - 12.99)	(12.98 - 9.53)	(9.52 - 6.52)	(6.51 - 3.99)	(3.98 - 2.19)	(2.18 - 1.04)	(1.03 - 0)
ACRad 18	9.24	(394.61 - 7.67)	(7.66 - 4.84)	(4.83 - 2.88)	(2.87 - 1.74)	(1.73 - 1.16)	(1.15 - 0.8)	(0.79 - 0.49)	(0.48 - 0)
ACRad 19	18.73	(241.31 - 20.97)	(20.96 - 14.37)	(14.36 - 7.75)	(7.74 - 5.26)	(5.25 - 3.46)	(3.45 - 2.1)	(2.09 - 1.22)	(1.21 - 0)
ACRad 25	15.54	(688.25 - 15.8)	(15.79 - 8.93)	(8.92 - 5.09)	(5.08 - 2.57)	(2.56 - 1.21)	(1.2 - 0.65)	(0.64 - 0.29)	(0.28 - 0.02)

¹Includes all exams submitted to the GRID for 2019Q1

²Number of exams after exclusion

†Excludes Breast Ultrasonography.

QCDR Measures for 2019Q1 : Physician 1255433280

Measure	1255433280 Performance			100853 Performance			
	Submitted ¹	Exclusions	Denominator ²	NPI Mean RTAT (hours)	NPI Decile	Facility Mean RTAT (hours)	Facility Decile
ACRad 15: Radiography RTAT	21574		21416	4.74	3	4.63	4
ACRad 16: US RTAT †	8395		8344	6.05	3	6.25	4
ACRad 17: MRI RTAT	6024		6000	13.32	4	13.32	4
ACRad 18: CT RTAT	10829		10785	5.18	4	5.39	4
ACRad 19: PET RTAT	284		284	12.64	5	13.05	5
ACRad 25: Mammography RTAT	7883		7852	20.18	3	21.07	4

Registry Decile Ranges

Measure	Mean	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRad 15	6.36	(1594.28 - 4.36)	(4.35 - 2.6)	(2.59 - 1.62)	(1.61 - 1.08)	(1.07 - 0.75)	(0.74 - 0.53)	(0.52 - 0.32)	(0.31 - 0)
ACRad 16	8.49	(1013.33 - 5.21)	(5.2 - 3.27)	(3.26 - 2.19)	(2.18 - 1.49)	(1.48 - 1)	(0.99 - 0.62)	(0.61 - 0.33)	(0.32 - 0)
ACRad 17	16.51	(942.55 - 17.45)	(17.44 - 12.99)	(12.98 - 9.53)	(9.52 - 6.52)	(6.51 - 3.99)	(3.98 - 2.19)	(2.18 - 1.04)	(1.03 - 0)
ACRad 18	9.24	(394.61 - 7.67)	(7.66 - 4.84)	(4.83 - 2.88)	(2.87 - 1.74)	(1.73 - 1.16)	(1.15 - 0.8)	(0.79 - 0.49)	(0.48 - 0)
ACRad 19	18.73	(241.31 - 20.97)	(20.96 - 14.37)	(14.36 - 7.75)	(7.74 - 5.26)	(5.25 - 3.46)	(3.45 - 2.1)	(2.09 - 1.22)	(1.21 - 0)
ACRad 25	15.54	(688.25 - 15.8)	(15.79 - 8.93)	(8.92 - 5.09)	(5.08 - 2.57)	(2.56 - 1.21)	(1.2 - 0.65)	(0.64 - 0.29)	(0.28 - 0.02)

¹Includes all exams submitted to the GRID for 2019Q1

²Number of exams after exclusion

†Excludes Breast Ultrasonography.

QCDR Measures for 2019Q1 : Physician 1376568014

Measure	1376568014 Performance			100853 Performance			
	Submitted ¹	Exclusions	Denominator ²	NPI Mean RTAT (hours)	NPI Decile	Facility Mean RTAT (hours)	Facility Decile
ACRad 15: Radiography RTAT	8548		8493	4.72	3	4.63	4
ACRad 16: US RTAT †	3353		3335	5.97	3	6.25	4
ACRad 17: MRI RTAT	2393		2381	14.90	4	13.32	4
ACRad 18: CT RTAT	4339		4315	5.25	4	5.39	4
ACRad 19: PET RTAT	131		131	10.11	5	13.05	5
ACRad 25: Mammography RTAT	3140		3134	21.74	3	21.07	4

Registry Decile Ranges

Measure	Mean	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRad 15	6.36	(1594.28 - 4.36)	(4.35 - 2.6)	(2.59 - 1.62)	(1.61 - 1.08)	(1.07 - 0.75)	(0.74 - 0.53)	(0.52 - 0.32)	(0.31 - 0)
ACRad 16	8.49	(1013.33 - 5.21)	(5.2 - 3.27)	(3.26 - 2.19)	(2.18 - 1.49)	(1.48 - 1)	(0.99 - 0.62)	(0.61 - 0.33)	(0.32 - 0)
ACRad 17	16.51	(942.55 - 17.45)	(17.44 - 12.99)	(12.98 - 9.53)	(9.52 - 6.52)	(6.51 - 3.99)	(3.98 - 2.19)	(2.18 - 1.04)	(1.03 - 0)
ACRad 18	9.24	(394.61 - 7.67)	(7.66 - 4.84)	(4.83 - 2.88)	(2.87 - 1.74)	(1.73 - 1.16)	(1.15 - 0.8)	(0.79 - 0.49)	(0.48 - 0)
ACRad 19	18.73	(241.31 - 20.97)	(20.96 - 14.37)	(14.36 - 7.75)	(7.74 - 5.26)	(5.25 - 3.46)	(3.45 - 2.1)	(2.09 - 1.22)	(1.21 - 0)
ACRad 25	15.54	(688.25 - 15.8)	(15.79 - 8.93)	(8.92 - 5.09)	(5.08 - 2.57)	(2.56 - 1.21)	(1.2 - 0.65)	(0.64 - 0.29)	(0.28 - 0.02)

¹Includes all exams submitted to the GRID for 2019Q1

²Number of exams after exclusion

†Excludes Breast Ultrasonography.

QCDR Measures for 2019Q1 : Physician 1780697441

Measure	1780697441 Performance			100853 Performance			
	Submitted ¹	Exclusions	Denominator ²	NPI Mean RTAT (hours)	NPI Decile	Facility Mean RTAT (hours)	Facility Decile
ACRad 15: Radiography RTAT	21775		21644	4.73	3	4.63	4
ACRad 16: US RTAT †	8486		8440	6.44	3	6.25	4
ACRad 17: MRI RTAT	5973		5955	12.80	5	13.32	4
ACRad 18: CT RTAT	10891		10837	5.47	4	5.39	4
ACRad 19: PET RTAT	282		282	14.10	5	13.05	5
ACRad 25: Mammography RTAT	7954		7931	21.44	3	21.07	4

Registry Decile Ranges

Measure	Mean	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRad 15	6.36	(1594.28 - 4.36)	(4.35 - 2.6)	(2.59 - 1.62)	(1.61 - 1.08)	(1.07 - 0.75)	(0.74 - 0.53)	(0.52 - 0.32)	(0.31 - 0)
ACRad 16	8.49	(1013.33 - 5.21)	(5.2 - 3.27)	(3.26 - 2.19)	(2.18 - 1.49)	(1.48 - 1)	(0.99 - 0.62)	(0.61 - 0.33)	(0.32 - 0)
ACRad 17	16.51	(942.55 - 17.45)	(17.44 - 12.99)	(12.98 - 9.53)	(9.52 - 6.52)	(6.51 - 3.99)	(3.98 - 2.19)	(2.18 - 1.04)	(1.03 - 0)
ACRad 18	9.24	(394.61 - 7.67)	(7.66 - 4.84)	(4.83 - 2.88)	(2.87 - 1.74)	(1.73 - 1.16)	(1.15 - 0.8)	(0.79 - 0.49)	(0.48 - 0)
ACRad 19	18.73	(241.31 - 20.97)	(20.96 - 14.37)	(14.36 - 7.75)	(7.74 - 5.26)	(5.25 - 3.46)	(3.45 - 2.1)	(2.09 - 1.22)	(1.21 - 0)
ACRad 25	15.54	(688.25 - 15.8)	(15.79 - 8.93)	(8.92 - 5.09)	(5.08 - 2.57)	(2.56 - 1.21)	(1.2 - 0.65)	(0.64 - 0.29)	(0.28 - 0.02)

¹Includes all exams submitted to the GRID for 2019Q1

²Number of exams after exclusion

†Excludes Breast Ultrasonography.

QCDR Measures for 2019Q1 : Physician 1780766014

Measure	1780766014 Performance			100853 Performance			
	Submitted ¹	Exclusions	Denominator ²	NPI Mean RTAT (hours)	NPI Decile	Facility Mean RTAT (hours)	Facility Decile
ACRad 15: Radiography RTAT	17177		17061	4.56	3	4.63	4
ACRad 16: US RTAT †	6792		6752	5.99	3	6.25	4
ACRad 17: MRI RTAT	4875		4845	12.75	5	13.32	4
ACRad 18: CT RTAT	8716		8684	5.72	4	5.39	4
ACRad 19: PET RTAT	225		225	16.80	4	13.05	5
ACRad 25: Mammography RTAT	6378		6359	21.02	3	21.07	4

Registry Decile Ranges

Measure	Mean	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRad 15	6.36	(1594.28 - 4.36)	(4.35 - 2.6)	(2.59 - 1.62)	(1.61 - 1.08)	(1.07 - 0.75)	(0.74 - 0.53)	(0.52 - 0.32)	(0.31 - 0)
ACRad 16	8.49	(1013.33 - 5.21)	(5.2 - 3.27)	(3.26 - 2.19)	(2.18 - 1.49)	(1.48 - 1)	(0.99 - 0.62)	(0.61 - 0.33)	(0.32 - 0)
ACRad 17	16.51	(942.55 - 17.45)	(17.44 - 12.99)	(12.98 - 9.53)	(9.52 - 6.52)	(6.51 - 3.99)	(3.98 - 2.19)	(2.18 - 1.04)	(1.03 - 0)
ACRad 18	9.24	(394.61 - 7.67)	(7.66 - 4.84)	(4.83 - 2.88)	(2.87 - 1.74)	(1.73 - 1.16)	(1.15 - 0.8)	(0.79 - 0.49)	(0.48 - 0)
ACRad 19	18.73	(241.31 - 20.97)	(20.96 - 14.37)	(14.36 - 7.75)	(7.74 - 5.26)	(5.25 - 3.46)	(3.45 - 2.1)	(2.09 - 1.22)	(1.21 - 0)
ACRad 25	15.54	(688.25 - 15.8)	(15.79 - 8.93)	(8.92 - 5.09)	(5.08 - 2.57)	(2.56 - 1.21)	(1.2 - 0.65)	(0.64 - 0.29)	(0.28 - 0.02)

¹Includes all exams submitted to the GRID for 2019Q1

²Number of exams after exclusion

†Excludes Breast Ultrasonography.

Promote your participation in NRDR™!
Download your marketing toolkit today.

acr.org/GRIDtoolkit

CONTACT US

1.800.227.5463, ext. 3535
nrdn@acr.org | nrdn.acr.org

