


National Radiology Data Registry

GRID Exam Level Sample Report, Jan-Jun 2021

Sample Facility
(Facility ID: 100000)



nrdr.acr.org



General Radiology Improvement Database Exam Level Report

Turn-around time measures for MIPS participation

This report contains summary information on turn-around time measures using your facility's exam-level data for submission to CMS by NRDR.

For MIPS Quality Category scoring, CMS uses decile benchmarks to compare physicians or groups to peers in order to assign a score for each reported measure. For this GRID Exam Level report, we created aggregate registry level decile benchmarks. Your facility performance scores are ranked against the registry level decile benchmarks, and when available, the CMS benchmarks. Please note that for the 2021 MIPS performance year, CMS has set a measure minimum baseline performance at 3 points, thus the 2021 decile range is 3 - 10.

Exam-Level data must be used to report turnaround time for MIPS reporting. Providing exam-level data to GRID helps physicians meet the threshold for MIPS reporting by calculating CMS-approved Non-MIPS measures, specifically defined by the ACR. Exam-level data also allows GRID to generate reports to compare physicians' performance against the entire GRID population. Exam-level data may be submitted via web-based data transmission.

Decile ranges for GRID NON-QCDR Measures by Place of Service or Reader for your facility can be made available upon request.

To learn more about QCDR: <http://www.acr.org/Practice-Management-Quality-Informatics/Registries/Qualified-Clinical-Data-Registry>.

Decile Ranges for all Facilities in Registry

Measure	Facility Count	Facility Mean	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRAD 15	330	5	(7.82 - 5.71)	(5.69 - 3.73)	(3.61 - 2.50)	(2.50 - 1.95)	(1.94 - 1.51)	(1.49 - 1.12)	(1.12 - 0.75)	(0.75 - 0.14)
ACRAD 16	310	7	(9.04 - 6.84)	(6.70 - 5.01)	(4.98 - 4.05)	(4.01 - 3.16)	(3.14 - 2.61)	(2.61 - 1.61)	(1.61 - 1.06)	(1.03 - 0.23)
ACRAD 17	291	12.8	(17.84 - 13.48)	(13.44 - 11.41)	(11.41 - 9.44)	(9.37 - 7.85)	(7.53 - 6.13)	(6.10 - 4.82)	(4.69 - 3.03)	(2.99 - 0.30)
ACRAD 18	337	10.4	(14.23 - 9.77)	(9.60 - 6.92)	(6.55 - 4.71)	(4.68 - 3.74)	(3.74 - 2.82)	(2.81 - 2.10)	(2.10 - 1.51)	(1.50 - 0.29)
ACRAD 19	124	22.8	(29.76 - 21.09)	(20.82 - 14.37)	(13.96 - 13.11)	(12.94 - 9.95)	(9.29 - 6.92)	(6.60 - 3.62)	(3.62 - 2.27)	(2.12 - 0.61)
ACRAD 25	236	26.6	(40.14 - 29.01)	(28.78 - 22.59)	(22.44 - 16.92)	(16.00 - 13.50)	(13.41 - 9.44)	(9.21 - 6.51)	(6.45 - 2.96)	(2.46 - 0.30)

Decile Ranges for all Physicians in Registry

Measure	NPI Count	NPI Mean	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRAD 15	1670	6.2	(7.63 - 4.55)	(4.55 - 3.01)	(3.01 - 2.06)	(2.06 - 1.42)	(1.42 - 0.98)	(0.98 - 0.62)	(0.62 - 0.35)	(0.35 - 0.02)
ACRAD 16	1707	7	(9.66 - 5.95)	(5.95 - 3.89)	(3.89 - 2.56)	(2.56 - 1.72)	(1.72 - 1.12)	(1.12 - 0.68)	(0.68 - 0.38)	(0.38 - 0.02)
ACRAD 17	1474	16.6	(23.61 - 17.23)	(17.23 - 13.22)	(13.21 - 10.18)	(10.18 - 7.35)	(7.35 - 4.85)	(4.85 - 2.77)	(2.77 - 1.28)	(1.28 - 0.03)
ACRAD 18	1682	11	(15.36 - 9.55)	(9.55 - 6.30)	(6.29 - 4.14)	(4.14 - 2.66)	(2.66 - 1.72)	(1.72 - 1.04)	(1.04 - 0.60)	(0.60 - 0.06)
ACRAD 19	354	20.4	(34.65 - 20.19)	(20.15 - 14.37)	(14.32 - 9.14)	(9.12 - 5.43)	(5.41 - 3.11)	(3.08 - 2.01)	(1.99 - 1.18)	(1.17 - 0.12)
ACRAD 25	1022	34.2	(59.87 - 41.62)	(41.52 - 27.26)	(27.26 - 19.03)	(19.03 - 11.83)	(11.83 - 6.04)	(6.04 - 2.73)	(2.72 - 0.94)	(0.94 - 0.05)

CMS Decile Ranges

Measure	Mean	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRad 15	4.58	(10.28 - 6.39)	(6.38 - 4.93)	(4.92 - 3.86)	(3.85 - 2.78)	(2.77 - 2.03)	(2.02 - 1.51)	(1.5 - 1.17)	(1.16 - 0)
ACRad 16	6.43	(12.87 - 8.21)	(8.2 - 6.45)	(6.44 - 5.16)	(5.15 - 4.15)	(4.14 - 3.3)	(3.29 - 2.42)	(2.41 - 1.83)	(1.82 - 0)
ACRad 17	10.74	(22.86 - 16.21)	(16.2 - 11.6)	(11.59 - 9.49)	(9.48 - 7.92)	(7.91 - 6.05)	(6.04 - 4.81)	(4.8 - 3.62)	(3.61 - 0)
ACRad 18	6.81	(10.39 - 6.52)	(6.51 - 4.91)	(4.9 - 4.04)	(4.03 - 3.23)	(3.22 - 2.63)	(2.62 - 2.12)	(2.11 - 1.64)	(1.63 - 0)
ACRad 19	24.56	(70.54 - 42.77)	(42.76 - 26.21)	(26.2 - 14.76)	(14.75 - 10.51)	(10.5 - 8.39)	(8.38 - 6.91)	(6.9 - 5.09)	(5.08 - 0)
ACRad 25	22.87	(59.55 - 34.34)	(34.33 - 25.24)	(25.23 - 22.27)	(22.26 - 16.39)	(16.38 - 11.32)	(11.31 - 6.79)	(6.78 - 3.98)	(3.97 - 0)

GRID QCDR Measures, Jan-Jun 2021: Facility 100000

100000 Performance							
Measure	NPIs	Exams	Facility Mean RTAT (hours)	Registry Mean RTAT (hours)	Facility Decile (Registry)	CMS Decile	
ACRad 15: Radiography RTAT	30	32661	1.12	4.11	9	10	
ACRad 16: US RTAT (Excludes Breast Ultrasonography)	23	3461	5.83	5.55	4	5	
ACRad 17: MRI RTAT	34	1249	5.76	15.30	8	8	
ACRad 18: CT RTAT	109	4068	8.18	6.11	4	3	
ACRad 25: Mammography RTAT	12	1060	22.44	29.18	5	5	

Decile Ranges for all Facilities in Registry

Measure	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRAD 15	(7.82 - 5.71)	(5.69 - 3.73)	(3.61 - 2.50)	(2.50 - 1.95)	(1.94 - 1.51)	(1.49 - 1.12)	(1.12 - 0.75)	(0.75 - 0.14)
ACRAD 16	(9.04 - 6.84)	(6.70 - 5.01)	(4.98 - 4.05)	(4.01 - 3.16)	(3.14 - 2.61)	(2.61 - 1.61)	(1.61 - 1.06)	(1.03 - 0.23)
ACRAD 17	(17.84 - 13.48)	(13.44 - 11.41)	(11.41 - 9.44)	(9.37 - 7.85)	(7.53 - 6.13)	(6.10 - 4.82)	(4.69 - 3.03)	(2.99 - 0.30)
ACRAD 18	(14.23 - 9.77)	(9.60 - 6.92)	(6.55 - 4.71)	(4.68 - 3.74)	(3.74 - 2.82)	(2.81 - 2.10)	(2.10 - 1.51)	(1.50 - 0.29)
ACRAD 25	(40.14 - 29.01)	(28.78 - 22.59)	(22.44 - 16.92)	(16.00 - 13.50)	(13.41 - 9.44)	(9.21 - 6.51)	(6.45 - 2.96)	(2.46 - 0.30)

GRID NON-QCDR Measures (Place Of Service), Jan-Jun 2021: Facility 100000

100000 Performance								
Place Of Service	NPIs	Exams	XR	US	MRI	CT	PET	Mammo
Ambulatory	62	8445	1.10 (8)	1.56 (8)	12.62 (3)	6.99 (3)	0	0
Emergency Department	31	29035	0.33 (10)	0.49 (10)	0.60 (10)	0.46 (10)	0	0
Inpatient	32	18700	1.00 (8)	2.44 (6)	2.24 (8)	1.97 (7)	2.10 (9)	0.94 (10)
Other	29	1574	1.42 (6)	1.21 (8)	2.37 (8)	0.91 (9)	0.87 (10)	24.84 (4)
Unknown	48	7754	1.39 (7)	2.81 (6)	3.03 (7)	4.71 (4)	0	0

GRID NON-QCDR Measures (Readers), Jan-Jun 2021: Facility 100000

100000 Performance								
Readers	NPIs	Exams	XR	US	MRI	CT	PET	Mammo
Multiple Readers	62	1519	1.48 (7)	7.75 (3)	0	12.03 (3)	0	48.20 (2)
Single Reader	38	13396	14.47 (1)	4.28 (5)	11.41 (5)	3.99 (6)	0	8.22 (8)
Unknown	62	8445	1.10 (9)	1.56 (9)	12.62 (4)	6.99 (5)	0	0

GRID QCDR Measures, Jan-Jun 2021: Facility 100000
Physician DR. AP (NPI 9999999916): Mean RTAT Hours

DR. AP NPI 9999999916			Facility		
Measure	Exams	NPI Mean RTAT (hours)	Physician Decile	Facility Mean RTAT (hours)	Facility Decile
ACRad 16: US RTAT (Excludes Breast Ultrasonography)	1	1.90	6	4.23	5

Decile Ranges for all Physicians in Registry

Measure	NPI Count	NPI Mean	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRAD 16	1707	7	9.66 - 5.95	5.95 - 3.89	3.89 - 2.56	2.56 - 1.72	1.72 - 1.12	1.12 - 0.68	0.68 - 0.38	0.38 - 0.02

GRID NON-QCDR Measures, Jan-Jun 2021: Facility 100000

Physician DR. AP (NPI 9999999916): Place Of Service Mean RTAT Hours

DR. AP NPI 9999999916						
Place Of Service	XR	US	MRI	CT	PET	Mammo
Unknown	1.13 (7)	0	0	0	0	0

Physician DR. AP (NPI 9999999916): Readers Mean RTAT Hours

DR. AP NPI 9999999916						
Readers	XR	US	MRI	CT	PET	Mammo
Unknown	3.65 (6)	0	12.06 (3)	11.80 (3)	0	0

**GRID QCDR Measures, Jan-Jun 2021: Facility 100000
Physician DR. AA (NPI 9999999991): Mean RTAT Hours**

DR. AA NPI 9999999991			Facility		
Measure	Exams	NPI Mean RTAT (hours)	Physician Decile	Facility Mean RTAT (hours)	Facility Decile
ACRad 25: Mammography RTAT	20	3.01	8	73.39	3

Decile Ranges for all Physicians in Registry

Measure	NPI Count	NPI Mean	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRAD 25	1022	34.2	59.87 - 41.62	41.52 - 27.26	27.26 - 19.03	19.03 - 11.83	11.83 - 6.04	6.04 - 2.73	2.72 - 0.94	0.94 - 0.05

GRID NON-QCDR Measures, Jan-Jun 2021: Facility 100000**Physician DR. AA (NPI 9999999991): Place Of Service Mean RTAT Hours**

DR. AA NPI 9999999991						
Place Of Service	XR	US	MRI	CT	PET	Mammo
Ambulatory	26.70 (1)	12.60 (3)	108.50 (1)	20.24 (2)	0	0

Physician DR. AA (NPI 9999999991): Readers Mean RTAT Hours

DR. AA NPI 9999999991						
Readers	XR	US	MRI	CT	PET	Mammo
Multiple Readers	37.82 (1)	8.68 (4)	48.83 (1)	8.02 (4)	0	0

***GRID QCDR Measures, Jan-Jun 2021: Facility 100000
Physician DR. AB (NPI 9999999992): Mean RTAT Hours***

DR. AB NPI 9999999992			Facility		
Measure	Exams	NPI Mean RTAT (hours)	Physician Decile	Facility Mean RTAT (hours)	Facility Decile
ACRad 18: CT RTAT	7	54.53	3	37.15	3

Decile Ranges for all Physicians in Registry

Measure	NPI Count	NPI Mean	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRAD 18	1682	11	15.36 - 9.55	9.55 - 6.30	6.29 - 4.14	4.14 - 2.66	2.66 - 1.72	1.72 - 1.04	1.04 - 0.60	0.60 - 0.06

GRID NON-QCDR Measures, Jan-Jun 2021: Facility 100000**Physician DR. AB (NPI 999999992): Place Of Service Mean RTAT Hours**

DR. AB NPI 999999992						
Place Of Service	XR	US	MRI	CT	PET	Mammo
Emergency Department	13.52 (2)	0.68 (8)	5.37 (4)	2.48 (6)	0	0

Physician DR. AB (NPI 999999992): Readers Mean RTAT Hours

DR. AB NPI 999999992						
Readers	XR	US	MRI	CT	PET	Mammo
Single Reader	7.27 (4)	5.66 (5)	261.72 (1)	10.57 (3)	0	0

**GRID QCDR Measures, Jan-Jun 2021: Facility 100000
Physician DR. AF (NPI 9999999996): Mean RTAT Hours**

DR. AF NPI 9999999996			Facility		
Measure	Exams	NPI Mean RTAT (hours)	Physician Decile	Facility Mean RTAT (hours)	Facility Decile
ACRad 15: Radiography RTAT	33	1.97	6	3.20	5

Decile Ranges for all Physicians in Registry

Measure	NPI Count	NPI Mean	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRAD 15	1670	6.2	7.63 - 4.55	4.55 - 3.01	3.01 - 2.06	2.06 - 1.42	1.42 - 0.98	0.98 - 0.62	0.62 - 0.35	0.35 - 0.02

GRID NON-QCDR Measures, Jan-Jun 2021: Facility 100000**Physician DR. AF (NPI 9999999996): Place Of Service Mean RTAT Hours**

DR. AF NPI 9999999996						
Place Of Service	XR	US	MRI	CT	PET	Mammo
Inpatient	20.32 (2)	2.97 (5)	9.28 (3)	4.81 (4)	0	0

Physician DR. AF (NPI 9999999996): Readers Mean RTAT Hours

DR. AF NPI 9999999996						
Readers	XR	US	MRI	CT	PET	Mammo
Unknown	3.65 (6)	0	12.06 (3)	11.80 (3)	0	0

***GRID QCDR Measures, Jan-Jun 2021: Facility 100000
Physician DR. AH (NPI 9999999998): Mean RTAT Hours***

DR. AH NPI 9999999998			Facility		
Measure	Exams	NPI Mean RTAT (hours)	Physician Decile	Facility Mean RTAT (hours)	Facility Decile
ACRad 17: MRI RTAT	11	2.60	9	4.38	9

Decile Ranges for all Physicians in Registry

Measure	NPI Count	NPI Mean	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10
ACRAD 17	1474	16.6	23.61 - 17.23	17.23 - 13.22	13.21 - 10.18	10.18 - 7.35	7.35 - 4.85	4.85 - 2.77	2.77 - 1.28	1.28 - 0.03

GRID NON-QCDR Measures, Jan-Jun 2021: Facility 100000**Physician DR. AH (NPI 9999999998): Place Of Service Mean RTAT Hours**

DR. AH NPI 9999999998						
Place Of Service	XR	US	MRI	CT	PET	Mammo
Other	0.39 (9)	0	0	0	0	0

Physician DR. AH (NPI 9999999998): Readers Mean RTAT Hours

DR. AH NPI 9999999998						
Readers	XR	US	MRI	CT	PET	Mammo
Unknown	3.65 (6)	0	12.06 (3)	11.80 (3)	0	0

Promote your participation in NRDR™!
Download your marketing toolkit today.

acr.org/GRIDtoolkit

CONTACT US

1.800.227.5463, ext. 3535
nrd@acr.org | nrd.acr.org

