


1. Plesk log in

1.1. Benutzer **kleinco**


1.2. Passwort, siehe [Linux Webhosting1](#)



The image shows the Plesk login interface. At the top left, it says "plesk web host edition". Below this, there are three input fields: "Benutzername" with the value "kleinco", "Passwort" with masked characters, and "Sprache der Oberfläche" with a dropdown menu set to "Standard". There is a link "Passwort vergessen?" and a blue "Anmelden" button.

2. Kunde erstellen

2.1. Customers wählen



The image shows the Plesk dashboard. On the left is a navigation menu with options like Home, Hosting Services, Customers (highlighted), Domains, Subscriptions, Service Plans, Tools & Utilities, WordPress, My Profile, Profile, Change Password, and Interface Preferences. The main content area is titled "Home" and contains an "Overview" section with the following data:


Setup date	Sept 30, 2010
Service plan	Gold
Disk space	68998.7 MB used of 250 GB
Traffic	55113.4 MB/month used of Unlimited

Below the overview, there are two summary rows:


All subscriptions	70 total	9 overusing
Service plans	20 total [add new]	

At the bottom, there is a "Custom Buttons" section with a "Website Builder" button and a description: "If you're looking to build a professional website that's fully customisable and easy to manage, then BaseKit is answer."

2.2. Add a Customer



2.3. Kundeninformationen eingeben.



2.4. Benutzer und Passwort im Excel: Linux Webhosting1 eintragen. Zugang für das Plesk Log-in des Kunden.

Access to Plesk

Credentials that the customer will use to access their Customer Panel.

Username *

Password *

Repeat password *

2.5. Domäne eingeben, Benutzer und Passwort ist um sich mit Ihrem Abonnement via FTP oder SSH zu verbinden

Subscription

Properties of the website provisioned together with the subscription.

Create subscription for the customer

Clear this checkbox if you do not want to create a hosting service subscription or set up a website for the customer at this moment. Without a subscription, the customer will not be able to log in to Customer Panel.

Domain name *

IP address
IP address on which the website is hosted is a network address of the website's virtual host.

Username *

System user account used to manage files and folders of the websites created within the subscription.

Password *

Repeat password *

2.6. SSL/TLS Certificate **nicht** aktivieren, Kunde mach das selber.

Secure with an SSL/TLS Certificate

Secure the domain with Let's Encrypt

[Let's Encrypt](#) is a certificate authority (CA) that allows you to create a free SSL/TLS certificate. I acknowledge that you have read and agree to the [Let's Encrypt Terms of Service](#).

2.7. Service plan auswählen

Your Files to Copy to Hosting

Enable Git support

If you leave Git support disabled, the root directories (website/application root and document root) will be created empty, and the site will display the default page in the browser. You will need to upload the files of your site to the document root using FTP or File Manager. Alternatively, enable Git now or later (in Websites & Domains) and upload files from a Git repository.

Service plan

extra light

Add-ons

Available:

- +1GB Webspeicher
- +300MB Mailboxspeicher
- +5 Domainalias
- +2GB Webspeicher

>>

<<

Selected:

Proceed to customizing the subscription parameters after the customer is created. Note that doing this will lock the subscription for syncing.

Description

This information is visible only to the hosting provider (Plesk administrator or reseller).

* Required fields

OK

Cancel

Weitere Infos zu Plesk [Kundenhandbuch](#)