

TECHNICAL SUPPORT

SPINNERS

New Style Spinners

12" Brush Ring Replacement

We have a Replacement Brush Ring (Part # **A109**) available for 12" Spinner units.

Spinner Ring and Brush Installation Package Contents:

1 x Spinner Ring and Brush (**A109**)

How to Replace Brush Ring

Step 1: Insert brush in the Spinner ring.

Step 2: Match brush ends with the opening on the Spinner ring (**Figure A**).


Step 3: Thoroughly clean the plastic housing before installing the Spinner ring. Use rubbing alcohol to remove any debris.

Step 4: Gently apply a moderate amount of silicone (RTV) to bottom edge of the housing (where the arrow indicates in **Figure B**).

Step 5: Align the holes on Spinner ring with the vacuum holes on housing. You may want to enlarge the holes to allow for more CFM.

Step 6: Place Spinner ring on housing.

Step 7: Wipe and remove any excess silicone (RTV) between the housing and ring in order to prevent build up of debris. Allow the silicone (RTV) to dry for a minimum of 12 hours before using the Spinner.



Spray Gun

This spray gun is used on all of our Spinner models. It is rated for 8 GPM at 4,000 PSI.

Replacement guns can be purchased at www.mytee.com.



Carbide Swivel

Additional Information

Before rebuilding or replacing the carbide swivel, check to make sure your jets don't have debris in them. If your jets are clear and you are still experiencing spinning issues then you can replace the swivel assembly (Part # **H926**).



How to Rebuild the Swivel Using the Repair Kit

Mytee does not stock this repair kit. It can be obtained from Mosmatic (Part #36.906).

Step 1: Remove the carbide swivel from the Spinner by following steps 1-3 on the next page.

Step 2: Clamp housing (a) in a vice. Use soft gripping jaws.

Step 3: Disconnect swivel cap (b).

Step 4: Use hook (c) to remove both carbide sliding rings (d).

Step 5: Remove O-rings (e) and spring washers (f) carefully.

Step 6: Clean all parts thoroughly.

Step 7: Insert the new o-rings (e).


Step 8: Insert spring washers (f).

Step 9: Insert the new carbide sliding rings (d) into the locking screw (b) and the inner-part (g) (pay attention: the anti-rotation tabs must fit the grooves). *The carbide sliding rings (d) must move freely.*

Step 10: Clean polished surface of carbide sliding rings (d) with soft cloth.

Step 11: Apply adhesive (thread-lock) to the threads of the locking screw (b).

Step 12: Screw the two pieces (housing [a] and locking-screw [b]) tightly together.



IMPORTANT: Make sure no adhesive finds its way to the inside of the swivel.

How to Replace the Swivel


Step 1: Unscrew hose from top of spinner housing.

Step 2: Unscrew the three screws holding the swivel in place (circles indicate the three screws in **Figure C**).

Step 3: Pull out the swivel. The silicone seal will come apart.

Step 4: Hold the nut between the T-bar and the swivel with a crescent wrench and unscrew the T-bar.

Step 5: Take the new swivel and screw on the T-bar. Feed the swivel into the mounting hole on the housing and screw the three screws back on. Use silicone to waterproof the connection between the plastic and the swivel. Screw the hose back onto the swivel on the top of the housing.



Old Style Spinners

12" Brush Ring Replacement

Those who would like to use the Spinner Brush Replacement (Part # **A109**) on older model Spinners (with manifold shown in **Figure D**) will need to replace the entire Spinner Head. *The A109 brush ring will not fit on older model Spinners.*

For \$100.00, plus shipping fees, Mytee will allow you to trade-in your old Spinner head for a NEW Spinner Head Replacement Kit (Part # **A117**) that will contain the following parts:

- P689A - Manifold**
- H465A - Mounting Plate**
- H441 - Spray Bar**
- P500 - Spinner Ring**
- G098 - Spinner Brush**
- H882 - Screws**



This kit will allow you to replace your old Spinner head with the NEW Spinner head that is compatible with the **A109** replacement brush.

To order this Spinner Head Replacement Kit, please call our sales department at **(858) 679-1191 ext. 102**. This kit cannot be ordered online.

Mytee does not cover the cost of shipping your old Spinner Head to us.

IMPORTANT: The swivel and jets from your old Spinner head will still be compatible with the newer Spinner head. However, if you would like to purchase a new swivel (Part # **H926**) and/or new jet parts (Part # **H505**), you may do so on our website: www.mytee.com.