

**Unable to open Jaksta Media Recorder because of a problem.
Consult the developer to make sure that Jaksta Media Recorder works with this OS X version.
You may have to reinstall the application. Be sure to install all available updates for the app
and for OS X.**

Process: Jaksta Media Recorder [384]
Path: /Applications/Jaksta Media Recorder.app/Contents/MacOS/Jaksta Media Recorder
Identifier: com.shedworx.Jaksta
Version: ???
Code Type: X86-64 (Native)
Parent Process: ??? [1]
Responsible: Jaksta Media Recorder [384]
User ID: 501

Date/Time: 2017-09-30 17:59:46.567 +0200
OS Version: Mac OS X 10.10.5 (14F2511)
Report Version: 11
Anonymous UUID: BBA7C31E-5C3F-00E1-F99A-0C5D296A7FFB

Time Awake Since Boot: 150 seconds

Crashed Thread: 0

Exception Type: EXC_BREAKPOINT (SIGTRAP)
Exception Codes: 0x0000000000000002, 0x0000000000000000

Application Specific Information:
dyld: launch, loading dependent libraries

Dyld Error Message:
Library not loaded: @loader_path/../Frameworks/libbrotlicommon.1.0.0.dylib
Referenced from: /Applications/Jaksta Media Recorder.app/Contents/MacOS/Jaksta Media Recorder
Reason: no suitable image found. Did find:
/Applications/Jaksta Media Recorder.app/Contents/MacOS/../Frameworks/libbrotlicommon.1.0.0.dylib: code signature invalid for '/Applications/Jaksta Media Recorder.app/Contents/MacOS/../Frameworks/libbrotlicommon.1.0.0.dylib'

/Applications/Jaksta Media Recorder.app/Contents/MacOS/../Frameworks/libbrotlicommon.1.0.0.dylib: code signature invalid for '/Applications/Jaksta Media Recorder.app/Contents/MacOS/../Frameworks/libbrotlicommon.1.0.0.dylib'

Binary Images:
0x7fff69af8000 - 0x7fff69b2e92f dyld (353.2.4)
<3C068A0D-69D5-3AD6-86D9-6261D3B1564E> /usr/lib/dyld

Model: MacBookPro5,4, BootROM MBP53.00AC.B03, 2 processors, Intel Core 2 Duo, 2.53 GHz, 4 GB, SMC 1.49f2

Graphics: NVIDIA GeForce 9400M, NVIDIA GeForce 9400M, PCI, 256 MB

Memory Module: BANK 0/DIMM0, 2 GB, DDR3, 1067 MHz, 0x80AD, 0x484D54313235533642465238432D47372020

Memory Module: BANK 1/DIMM0, 2 GB, DDR3, 1067 MHz, 0x80AD, 0x484D54313235533642465238432D47372020

AirPort: spairport_wireless_card_type_airport_extreme (0x14E4, 0x8D), Broadcom BCM43xx 1.0 (5.106.98.100.24)

Bluetooth: Version 4.3.6f4 17916, 3 services, 19 devices, 1 incoming serial ports

Serial ATA Device: FUJITSU MJA2320BH FFS G1, 320,07 GB

Serial ATA Device: HL-DT-ST DVDRW GS23N

USB Device: USB2.0 Hub
USB Device: ONDA WCDMA Technologies MSM
USB Device: Built-in iSight
USB Device: Internal Memory Card Reader
USB Device: Apple Internal Keyboard / Trackpad
USB Device: IR Receiver
USB Device: BRCM2046 Hub
USB Device: Bluetooth USB Host Controller
Thunderbolt Bus:

Process: Jaksta Media Recorder [364]
Path: /Applications/Jaksta Media Recorder.app/Contents/MacOS/Jaksta Media Recorder
Identifier: com.shedworx.Jaksta
Version: ???
Code Type: X86-64 (Native)
Parent Process: ??? [1]
Responsible: Jaksta Media Recorder [364]
User ID: 501

Date/Time: 2017-10-01 11:01:57.689 +0200
OS Version: Mac OS X 10.10.5 (14F2511)
Report Version: 11
Anonymous UUID: BBA7C31E-5C3F-00E1-F99A-0C5D296A7FFB

Time Awake Since Boot: 680 seconds

Crashed Thread: 0

Exception Type: EXC_BREAKPOINT (SIGTRAP)
Exception Codes: 0x0000000000000002, 0x0000000000000000

Application Specific Information:
dyld: launch, loading dependent libraries

Dyld Error Message:

Library not loaded: @loader_path/../Frameworks/libbrotlicommon.1.0.0.dylib
Referenced from: /Applications/Jaksta Media Recorder.app/Contents/MacOS/Jaksta Media Recorder
Reason: no suitable image found. Did find:
/Applications/Jaksta Media Recorder.app/Contents/MacOS/../Frameworks/libbrotlicommon.1.0.0.dylib: code signature invalid for '/Applications/Jaksta Media Recorder.app/Contents/MacOS/../Frameworks/libbrotlicommon.1.0.0.dylib'

/Applications/Jaksta Media Recorder.app/Contents/MacOS/../Frameworks/libbrotlicommon.1.0.0.dylib: code signature invalid for '/Applications/Jaksta Media Recorder.app/Contents/MacOS/../Frameworks/libbrotlicommon.1.0.0.dylib'

Binary Images:

0x7fff65bde000 - 0x7fff65c1492f dyld (353.2.4)
<3C068A0D-69D5-3AD6-86D9-6261D3B1564E> /usr/lib/dyld

Model: MacBookPro5,4, BootROM MBP53.00AC.B03, 2 processors, Intel Core 2 Duo, 2.53 GHz, 4 GB, SMC 1.49f2

Graphics: NVIDIA GeForce 9400M, NVIDIA GeForce 9400M, PCI, 256 MB

Memory Module: BANK 0/DIMM0, 2 GB, DDR3, 1067 MHz, 0x80AD, 0x484D54313235533642465238432D47372020

Memory Module: BANK 1/DIMM0, 2 GB, DDR3, 1067 MHz, 0x80AD, 0x484D54313235533642465238432D47372020

AirPort: spairport_wireless_card_type_airport_extreme (0x14E4, 0x8D), Broadcom BCM43xx 1.0 (5.106.98.100.24)

Bluetooth: Version 4.3.6f4 17916, 3 services, 19 devices, 1 incoming serial ports

Serial ATA Device: FUJITSU MJA2320BH FFS G1, 320,07 GB

Serial ATA Device: HL-DT-ST DVDRW GS23N

USB Device: Built-in iSight

USB Device: USB2.0 Hub

USB Device: ONDA WCDMA Technologies MSM

USB Device: Internal Memory Card Reader

USB Device: Apple Internal Keyboard / Trackpad

USB Device: IR Receiver

USB Device: BRCM2046 Hub

USB Device: Bluetooth USB Host Controller

Thunderbolt Bus: