HAND TOOLS



Klein Journeyman™ T-Handle Hex Keys

6" Overall Length

3R7 5/16" \$6.50

3R8 3/8" \$7.90

9" Overall Length

4R1 5/16" \$6.90

4R2 3/8" \$8.90



27K- 6 inch Sizes 5/64, 3/32, 7/64, 1/8, 9/64, 5/32 and 6 Metric Sizes 1.5,2,2.5,3,4,5 \$8.90 27L-9 inch sizes 5/64,3/32,7/64,1/8,9/64,5/32,3/16,7/32,1/4 \$6.90 27M- 9 inch sizes .05,1/16,5/64,3/32,7/64,1/8,9/64,5/32,3/16 \$5.90



Five Key Set (105/9) Sizes: 3/16", 7/32", 1/4", 5/16",3/8" \$9.90



Burndy Wire Mike

- For measuring wire sizes on stranded, solid, and ACSR \$23.90



Speedi-Spreader Cable Spreader



- For use on twisted wire secondaries up to 600VAC

- Used when installing Midspan Tap in Triplex cable

- Weighs only 10 Oz. and fits into a ditty bag, bucket bag or tool board

- Not to be used in place of a permanent Mid-Span Spreader

\$28.90



Klein Broad-Head Bull Pin - forged, heat-treated bull pin increases efficiency by providing a larger striking surface

53X 10" Long; 1 1/16" Top Diameter; 1/4" Point 3256 \$18.90

53Y 13 3/4" Long; 1 1/4" Top Diameter; 5/16" Point 3255 \$19.90



Framing Chisel Carbon Steel 2"x9" \$19.90



1/2, 7/16, 3/8, 11/32, 5/16, 1/4, 3/16 \$46.90

63H




Twistool


- Helps make the job environment safer

- A small non-coducting hot stick that can hold staples for starting, separates and spreads conductors, capsoff hot wire ends, tightens and loosens

- To be used with rubber gloves \$21.90



\$62.90



GROUND ROD DRIVER

#28O Bashlin # 930 19lb. \$239.90 **#28OA** Bashlin # 930UT 24lb. \$299.00

HAND TOOLS







502-10EINS Klein 1000V Insulated



Klein 1000V Insulated Cable Cutters \$57.90 \$65.90

Diagonal Cutting Pliers \$48.90

10" Pump Pliers \$46.90

603-4-INS Klein 1000V Insulated #2 Phillips -4" Shank \$18.90







Klein 1000V Insulated Standard -4" Shank \$18.90



Klein 1000V Insulated Nut Driver

27V- 1/2" Insulated Nut Driver- 6" Shank \$19.90 27W- 3/8" Insulated Nut Driver- 6" Shank \$17.90 27X-7/16" Insulated Nut Driver- 6" Shank \$19.90 27Y- 5/8" Insulated Nut Driver- 6" Shank \$24.90 27Z-5/16" Insulated Nut Driver- 6" Shank \$17.90 27AA- 11/32" Insulated Nut Driver- 6" Shank \$16.90 27AB- 9/16" Insulated Nut Driver- 6" Shank \$22.90



Spanner Wrench- 7 1/4" Used to install and remove tap and connector plugs on underground electrical systems \$82.90



Klein High-Tension Hacksaw 12" Blade \$21.90

Klein Bi-Metal Hacksaw Blade 4T 10 Pack \$20.90 4V 100 Pack \$186.90







Fiberglass Tape 1/2" x 100' \$44.90

CUTTERS



Klein Tools® Fiberglass Handle Bolt/Guy Cutters

- 3L 18" Length \$132.90
- 3M 24" Length \$142.90
- 3N 30" Length \$184.90
- 3P 36" Length \$209.90



Greenlee®
Fiberglass Handle
Heavy Duty
Bolt/Guy Cutters

- 33H 18" Length \$114.90
- 33J 24" Length \$135.90
- 33K 30" Length \$159.90



HIT®
Fiberglass Handle
Bolt Cutters
-Tested per OSHA
Specifications

- 33V 18" Length \$84.90
- 25" Length \$97.90
- 33X 32" Length \$129.90



HIT® Fiberglass Handle

Guy Wire Cutters
-Tested per
OSHA

Specifications

- 34M 24" Length \$109.90
- 34P 30" Length \$139.90



Klein Tools®
Steel Handle
Bolt/Guy Cutters

- 33Z 14" Length \$89.90
- 33ZZ 18" Length \$92.90
- 33ZA 24" Length \$114.90



HIT®
Steel Handle
Bolt Cutters

- 33P 18" Length \$57.90
- 33Q 24" Length \$69.90



Klein Tools® 25" Fiberglass Handle Cable Cutters

- Pivot backed off to allow handles open with gravity
- Brush guards help protect against arc-flash

Max Cutting Capacity: 500 MCM Copper/750 MCM Aluminum \$106.90



Klein Tools® Fiberglass Handle Cable Cutters

59B 25" Length \$117.90 59BB 32" Length \$136.90



Klein Tools® 17" Utility Cable Cutters 63035

\$70.90



Burndy®
Fiberglass Handle
Manual 21" Cable
Cutters
Capacity:
600 kcmil
\$116.90



22-ACSRF

Fiberglass Handles
24" ACSR and Cable
Cutters
- tested per OSHA
specifications
Capacity
1" Cu. & Al.

5/8" ACSR \$127.90

CUTTERS



Klein Ratcheting **Cable Cutters** 600MCM Maximum Cutting \$209.90



KLEIN ACSR **Ratcheting Cable Cutter** - Cuts up to 336 MCM ACSR - 400 MCM Copper and

600 MCM Aluminum - 10.25"

\$264.90



KLEIN ACSR **Ratcheting Cable Cutter**

- Cuts up to 477 MCM ACSR multi-strand - 600 MCM Aluminum and 400 MCM Copper

> - Replaceable Cutting inserts

- Not for EHS guy strand or reinforcement rod

- Compact (Only 13 3/4")

\$419.90



Klein Ratcheting Open Jaw Cable Cutter

- Front opening jaws for tight applications - Spring release lever for fast jaw reset between cuts

-11 1/2" Overall Length Maximum Cutting Capacity: 600 MCM Copper 750 MCM Aluminum

\$217.90



Jenny Tools 23" C-Jaws **Ratchet Cable Cutter** Fiberglass Handles

- not designed for cutting electrically live cable

- Thumb slide release allows rapid cutting and closing

Capacity Al. & Cu. 1000MCM **ACSR 954**

\$249.00



Jenny Tools 20" C-Jaws **Ratchet Cable Cutter** Fiberglass Handles

- not designed for cutting electrically live cable

Capacity Al. & Cu. 600MCM **ACSR 556**

\$189.00



HIT® Ratcheting Cable Cutters 400MCM Maximum Cutting \$107.90



HIT® Ratcheting Cable Cutters 750MCM Maximum Cutting \$127.90



Jenny Tools Ratcheting ACSR Cable Cutters- 10.5" Capacity: 336 MCM ACSR and 350 MCM Cu \$179.00



Jenny Tools Ratcheting Cable Cutters- 10.5" Capacity: 600 MCM Cu/AL \$104.00

UNDERGROUND TOOLS



Ratcheting penta socket combined with hex (Allen) wrenches are made for working on pad-mount transformers and secondary pedestals #BW-251 **\$57.90**



3/8" hex socket for "twist-off" equipment locks



5/16" Ball-tip Hex (Allen) has a 2" working length for transformer secondary bars



MADI Tri-Penta™ Wrench

- 3/8" screwdriver for opening the primary door on 3 phase transformers
 - Hand Hole Lid Lifter
- Sleeve spins freely to open transformers and switch gears faster
 - Penta Wrench designed for opening transfomers and switch gears \$49.90



Rauckman Pentahead Socket 1/2" Square Drive \$15.90



Inwesco Pentahead Socket 1/2" Square Drive **59MS**- Small Penta \$16.90 59ML- Standard Penta \$14.90



59O - "T" Wrench with 3/4" Pentahead socket \$30.90



Ratcheting Box Wrench Has 5/16" hex shaft on one side, 3/8 hex shaft on other side. Penta on handle. Excellent tool for tightening bus bar set screws. \$49.90



RBW-51638RP

Ratcheting box wrench Has 5/16" hex shaft on one side, 3/8" hex shaft and Ratcheting penta on other end. Ergonomic handle. \$78.90



PW2 standard penta head socket with handle grip. \$19.90



PHW1 Has a standard penta socket on one end and a 3/4" hex on the other end with captive leverage handle \$20.90



Top Layer is 3/4" closed cell foam, won't absorb water!



Ergo Kneeling Pad Reduces Knee Trauma and Lower Back Stress **#92B**- 8" x 16" #5040 \$18.90 **#92C**- 14" x 21" #5050 \$26.90



Ergo Mini Kneeling Pads- fit easily into your equipment bag 4" x 6" (6-pack) \$18.90

Ripley Cable End Strippers for 600 Volt Secondary Cable



Square Cut Bushings (AWG) Carried in Stock

#6	10-32540	60 MIL Ins.
#4	10-37540	60 MIL Ins.
#2	10-47560	80 MIL Ins.
#1	10-52560	80 MIL Ins.
1/0	10-55060	80 MIL Ins.
2/0	10-60060	80 MIL Ins.
3/0	10-65060	80 MIL Ins.
4/0	10-70060	80 MIL Ins.
250M	ICM 10-75060	80 MIL Ins.
350M	ICM 11-85060	80 MIL Ins.
500M	ICM 11-97560	80 MIL Ins

* If you need a bushing that isn't on this chart, please let us know the Ripley Part# or Type of Conductor, AWG or Copper, Square or Chamfer Cut, Ins. Thickness



4x4 Cable End Stripper - Comes with 4 Bushings \$127.90



2x2 Cable End Stripper - Comes

with 2 Bushings

\$72.90




Power Driven End Stripper w/ Snap on Bushing

Strips 3/4" to 2 1/2" lengths. To select Bushing sizes use 4x4 bushing table.

This tool comes with one bushing.

WS68snap Designed for use with a low or variable speed power drill Bushings snap in. Hex wrench not needed. \$229.00







Bugwrench Ratcheting Wire Stripper with Eyeloop Accepts Ripley 4X4 Bushings (Bushing not included) \$72.90



Speed Systems 2850 Secondary Mid-Span/End Stripper

insulation thickness

57R- End Stripper \$144.00

57RR 2781Repl. Blade \$13.90

Speed Systems 2750

Secondary Cable End Stripper *No Bushings Required* -Designed to End Strip 600V Cable (#4 thru 1000MCM). No Bushings required to adjust the tool to varying cable diameters. Unlimited stripback length - 45 mil to 110 mil

No Bushings Required

-Designed to both end-strip and mid-span strip 600V Cable (#4 thru 1000MCM). Unlimited stripback length

- 45 mil to 110 mil insulation thickness

57S-Mid-Span/End Stripper \$189.90 57SS- 2787 Repl. Blade \$32.90



End Stripper - For 600 volt cables 1/0 AWG to 1000 MCM

below \$189.00




Ripley WS 22 Double-Ended Ripley WS 22A Power Driven End Stripper 3/8" Drill Drive - For 600 volt cables 1/0 AWG to 1000 MCM

- Comes with 2 Bushings from chart - Comes with 1 Bushing from chart below \$186.00



57X-Extra Bushings \$72.90 57Y- Repl. Blade \$29.90

Ripley WS22 and WS22A In Stock





SPEED SYSTEMS PRIMARY CABLE TOOLS



Speed Systems Primary Cable **Insulation Stripper** 57L-Cable Range: 1/2" to 1 3/4" Comes with wedge blade installed and spare straight blade \$224.00

57LL-1562 Wedge Blade (xlp)\$23.9057LA-1581 Straight Blade (epr) \$23.90 57LS- 1646X Scale Guage \$23.90



Speed Systems Combination Stripper

Strips cable insulation and scores semi-con. All the features of the 1542-2CL and the 1700 scorer are combined in this tool Cable Range: 1/2" to 1 3/4"

Comes with wedge blade installed and spare straight blade 58Q-\$364.00

57LL-1562 Wedge Blade (xlp)\$23.9057LA-1581 Straight Blade (epr) \$23.90 57MA- 1678 Scoring Blade

\$32.90



Mark 1 Speed Stripper with Wedge Blade

(tool stop not included)

CABLE RANGE 3/4"-2" \$349.00 58RA- Wedge Blade(15-35kV XLP) \$99.90

58RB- Straight Blade(15-35kV EPR) \$99.90

58RC- Shaving Blade(bonded semi-con) \$174.90

58RE- Tool Stop \$89.90

LPW1525/TK120X

Probe Installation Tool with Tor-Key

Combination Tool with preset torque limiter. 58C-For all 15kv & 25kv elbows and Elastimold 35KV elbows. \$119.00



Probe Installation Tool with Tor-Key and Neutral Winder

Combination Tool with preset torque limiter. 58S-For all 15kv & 25kv elbows and Elastimold 35KV elbows. \$124.00



Aerial Tree Wire/ Spacer Cable End Stripper and Mid-Span Stripper - Cable Outside

Diameter .4"- 1.66" Performs both end strip and mid-span strips on 5kV, 15kV, and 25kV. - Ins. up to 300MIL

\$419.00 58TA Repl. Blade (2872) \$97.90



Bushing Insert Tool with Torque Limiter (5/16" hex Shaft)

-Preset torque limiter takes guesswork out of bushing installation

- Can be used for bushing removal \$264.00



Semi-Con Scorers

Adjustable blade scorer with square cut / spiral cut-saddle relief for close end cut. 57M-1700-SS For cable diameter 1/2" to 2" \$169.00 57MM-1800-SS For cable diameters 1 3/4" to 3" \$199.00 57MA-1678 Replacement Blade \$32.90 Features: Adjustable blade depth (.001"-.100") Scores semi-con without damage to insulation



Chamfering Tool

57N- CT-1 For Cable O.D. 1/2" to 1 3/8" \$106.90 57NN- CT-2 For Cable O.D 1 1/4" to 2 3/4" \$119.90

57NA-2672 Replacement Blade \$32.90



Bushing Insert Tool with Torque Key (fits all loadbreak bushing inserts) BIT/TK120XQ 58E- \$169.90

58EE -For deadbreak bushing insert order BIT/TK120XN \$174.90



Semi-con Roller Grip \$29.90


RIPLEY PRIMARY CABLE TOOLS











-For 600 volt to 35 KV Cables - Adjustable Strip Stop with rotary mechanism eliminates need for hex wrench

- Adjustment window allows easy setting of stop for precise strip lengths - .260 to 1.285 in. cable O.D.

- .200 to 1.28) III. cable O.D.
 Strips XLPE, polyethylene, and EPR insulation up to 400 mils thick
- Bushings sold separately
 WS5A-DA model comes with 3/8"
 Drill Adapter
 69W- WS 5A \$178.00

58X- WS 5A-DA \$244.00 69XA- Bushings \$32.90 69XB- Repl. Blade \$56.90 69XC- Drill Adapter \$107.90



WS 5 Series Bushing Selection Table

Cable O.D.	Bushing #	Cable O.D.	Bushing #
(inch)		(inch)	
.260285	WS 5300	.761785	WS 5800
.286310	WS 5325	.786810	WS 5825
.311335	WS 5350	.811835	WS 5850
.336360	WS 5375	.836860	WS 5875
.361385	WS 5400	.861885	WS 5900
.386410	WS 5425	.886910	WS 5925
.411435	WS 5450	.911935	WS 5950
.436460	WS 5475	.936960	WS 5975
.461485	WS 5500	.961985	WS 5-1.000
.486510	WS 5525	.986 - 1.010	WS 5-1.025
.511535	WS 5550	1.011 - 1.035	WS 5-1.050
.536560	WS 5575	1.036 - 1.060	WS 5-1.075
.561585	WS 5600	1.061 - 1.085	WS 5-1.100
.586610	WS 5625	1.086 - 1.110	WS 5-1.125
.611635	WS 5650	1.111 - 1.135	WS 5-1.150
.636660	WS 5675	1.136 - 1.160	WS 5-1.175
.661685	WS 5700	1.161 - 1.185	WS 5-1.200
.686710	WS 5725	1.186 - 1.210	WS 5-1.225
.711735	WS 5750	1.211 - 1.235	WS 5-1.250
.736760	WS 5775	1.236 - 1.260	WS 5-1.275
		1.261 - 1.285	WS 5-1.300



WS 64-U-EM Adjustable Cable Stripper

-"Universal" tool for end stripping or mid span stripping of outer jackets or insulating material

- Includes ability to strip secondary and primary insulations

- "Dual position" jaw for cable sizes from 1/2" up to 2 1/2" cable O.D.
- End Stripping (Insulation to 1.5" O.D. 35Kv)
- Mid Span Stripping (175 mil max insulation)

COMES WITH END STRIPPING BLADE INSTALLED AND MID SPAN

Stripping Blade Included \$389.00

58YA- Replacement End Stripping Blade CB50K \$78.90 58YB- Replacement Mid Span Stripping Blade CB236 \$78.90



SW2 Ratchet Wrench

- For extra leverage when using WS 5A Tool \$148.00



URD Insulation Chamfer Tool

- Chamfers 15 to 35 KV Cable - Adjusts easily to fit different cable insulations

2 MODELS AVAILABLE

60X IC 1- .65"-1.26" Cable O.D. Range \$156.90

60Y IC 2- 1.25"-1.875" Cable O.D. Range \$159.90

10X Replacement Blade CB 163 \$43.90





GREENLEE® UTILITY DOUBLE DIE HEAD BATTERY CRIMPING TOOL EK425L

- 18V Lithium-Ion Battery; Up to 325 crimps per charge; 4 second cycle time
 - 6-Ton Crimping Force

- Can be used with all industry "W" style crimping dies

- Intellicrimp Crimp Force Monitoring- beeps if tool not producing proper force

- LED work light illuminates dark work areas

- Rotates 350° to fit in tight places

- Two batteries, battery charger, and convenient bucket pouch included

AVAILABLE MODELS (CALL FOR CURRENT PRICING)

79MM CJD3O Jaws- D₃ and O Die grooves w/ 120 volt Battery Charger EK425LD011

79PP CJD3O Jaws- D₃ and O Die grooves w/ 12 volt Battery Charger EK425LD012

79QQ CJD3BG Jaws- D₃ and BG Die grooves w/ 120 volt Battery Charger EK425LDBG11

79RR CJD3BG Jaws- D₃ and BG Die grooves w/ 12 volt Battery Charger EK425LDBG12

99AA Replacement 18V Lithium-Ion Battery \$99.90

99XX 12V Charger CALL FOR PRICE

95UU 120V Charger CALL FOR PRICE



18V Lithium-Ion Burndy® Patriot® In-Line® 6 ton Battery Actuated Tool

 can be operated with one hand allowing for advance, retract, and hold functions for easier operation

- uses "W" style dies in the permanent D_3 groove

- supplied with vinyl tool bag, 120V battery charger and 2 batteries

- high capacity 3.0 AH batteries provide more crimps per charge

1Q PATMD6-LI with "BG" and D_3 Grooves- Call for Price

PATMD6-8-LI with "O" and D_3 Grooves- Call for Price





Burndy® Cutting Jaws for Burdy Patriot® In-Line® Tool

Maximum Cutting Capacity
ACSR: 556 kcmil (26/7 Dove)
AAC: 636 kcmil
Copper: 500 kcmil
Guy Wire: 3/8" Utility and High Strength
Not for use on EHS

\$560.00

CRIMPERS AND ACCESSORIES



Burndy® PAT600-LI 6-Ton Battery Actuated Crimping Tool - 18V Lithium-Ion

- permanent " D_3 " groove accepts all "W" dies - Completes a crimp in approximately 3 seconds - 180° Head Rotation

- Comes equipped with carrying case, battery- Comes equipped with carrying case, battery charger and two batteries

PLEASE CALL FOR PRICING



Burndy® PAT750-LI 12-Ton Battery Actuated Crimping Tool - 18V Lithium-Ion

- Capable of using all "U" style dies - High speed hydraulic pump - 355° Head Rotation

> charger and two batteries PLEASE CALL FOR PRICING



Burndy® PAT46LWLI 15-Ton, Lightweight Latch Head - 18V Lithium-Ion

- Used P and U Style Dies (PUADP-1 adapter needed if using U dies)

- 2" Jaw opening

- 355° Head Rotation

- Comes equipped with carrying case, battery charger and two batteries

PLEASE CALL FOR PRICING



Burndy® OH25 Dieless Full Cycle Ratchet

- Installs Service Entrance Splice Connectors #10-1/0 - Ratchet Mechanism does not allow handles to open until full cycle is complete

\$399.00



Burndy® PUADP-1 "U" Die Adapter

- Allows use of "U" dies in tools equipped with "P" die slot \$289.00



Burndy® Hand Operated Crimping Tool

- Hickory Handles

-D₃ Groove accommodates "W-" die inserts - Installs full range of connectors: #14 through 4/0

MD6 with "BG" and D3 Grooves \$284.90

MD6-8 with "O" and D₃ Grooves \$284.90



Burndy® Hand Operated Crimping Tool

- Composite polymer handle that requires no adjustment for the life of the tool

-D₃ Groove accommodates "W-" die inserts

- Installs full range of connectors: #14 through 4/0

 $\overline{1F}$ MD7 with "BG" and D₃ Grooves \$284.90

1C MD7-8 with "O" and D3 Grooves \$284.90

99W



Below you will find the Burndy® W, and U Dies that we stock. If there is another Burndy die that you need please contact us for pricing and availability.





BURNDY® W-28K CUTTING DIE

- #4-4/0 ACSR, AL, CU \$47.90




BURNDY® W-DIETREEE
For Convenient Storage of
W Style Dies
\$32.90



BURNDY® DIE CASE

98E W- Die Case(Plastic)- fits 12 dies \$39.90



Burndy® W-Dies				
	Alum	inum		
W-BG	\$42.90	W-167	\$42.90	
W-0	\$42.90	W-237	\$42.90	
W-KK	\$42.90	W-239	\$42.90	
W-C	\$42.90	W-241	\$42.90	
W-K840	\$42.90	W-243	\$42.90	
W-161	\$42.90	W-245	\$42.90	
W-162	\$42.90	W-247	\$42.90	
W-163	\$42.90	W-249	\$42.90	
W-164	\$42.90	W-31AR	Т \$42.90	
W-165	\$42.90	W-660	\$42.90	
W-166	\$42.90	W-702	\$42.90	
W-K737	\$42.90			
Copper				
W-4CRT	\$42.90	W-27RT	\$42.90	
W-2CRT	\$42.90	W-28RT	\$42.90	
W-1CRT	1 \$42.90	W-29RT	\$42.90	
W-25RT	\$42.90	W-31RT	\$42.90	
W-26RT	\$42.90	W-34RT	\$42.90	

Burndy [®] U-Dies			
Alumi	inum		
U-2CABT \$79.90	U-28ART \$79.90		
U-25ART \$79.90	U-29ART \$79.90		
U-26ART \$79.90	U-31ART \$79.90		
U-27ART \$79.90	U-34ART \$79.90		
	U-39ART2 \$79.90		
Сорр	er		
U-2CRT \$79.90	U-28RT \$79.90		
U-1CRT \$79.90	U-29RT \$79.90		
U-25RT \$79.90	U-31RT \$79.90		
U-26RT \$79.90	U-34RT \$79.90		
U-27RT \$79.90	U-39RT \$79.90		
Other			
U-660 \$79.90	U-D3 \$79.90		
U-O \$79.90	U-C \$79.90		

BURNDY P-DIESP-39ART \$165.00 P-44ART \$165.00



Chargers for Burndy® Battery Operated Tools

98J 120V AC Charger for 12V Battery used with BCC1000CUAL

PLEASE CALL FOR PRICING

95UU 120V AC Charger 3.0Ah 18V Lithium-Ion Batteries
PLEASE CALL FOR PRICING

99XX 12V DC Charger for 3.0Ah 18V Lithium-Ion Batteries
PLEASE CALL FOR PRICING




Batteries for Burndy® Battery Operated Tools

98K 12V Battery used with BCC1000CUAL PLEASE CALL FOR PRICING

3.0Ah Lithium-Ion Battery used with Burndy 18V Lithium-Ion Tools \$99.90

CUTTERS, PUMPS AND CHAINSAWS



Burndy® PATCUT245-LI Battery Actuated Cutter - 18V Lithium-Ion

- Compact, fast, and easy to use
 180° Head Rotation
- Latch style head for mid-span cuts - For up to 2.45" O.D. AL/CU
- Comes with case, charger and 2 batteries
 - NOT FOR USE ON STEEL, GROUND ROD,
 REBAR, OR GUY WIRE

PLEASE CALL FOR PRICING



Burndy® PATCUT129-LI Battery Actuated Cutter -18V Lithium-Ion

- Compact, fast, and easy to use - 180° Head Rotation
- Capable of cutting 1.29" AL/CU, 1113 ACSR, 5/8" Ground Rod, 1/2" Rebar, 5/8" diameter soft steel bolts, up to 1/2" standard guy strand and up to 3/8" EHS guy strand

- Comes with case, charger and 2 batteries

PLEASE CALL FOR PRICING



Burndy® PATCUT2156-LI ACSR up to 2156 kcmil -18V Lithium-Ion

- Latch head for mid-span cuts - 180° Head Rotation
- Capable of cutting Copper/Aluminum up to 2"; ACSR up to 2156 kcmil; Ground Rod up to 3/4"; Standard and EHS Guy up to 9/16"; Soft Steel Bolts up to 3/4"
 - Comes with case, charger and 2 batteries

PLEASE CALL FOR PRICING



Burndy® BCC1000CUAL Battery Actuated Cable Cutter

- 12V cable cutter capable of cutting up to 750 kcmil hard drawn copper and 1000 kcmil soft drawn copper and up to 2" O.D. aluminum cable
- Comes with charger and carrying case

- Not for steel or ACSR

PLEASE CALL FOR PRICING



GREENLEE UTILITY HYDRAULIC 3" SUBMERSIBLE TRASH PUMP

- All aluminum body is lightweight and durable
- Compact, under 12" diameter to easily fit into small diameters
 - Open- and Closed- Center operation

Specifications:

Hydraulic Pressure Port- 1/2" Male NPTF Hydraulic Return Port- 1/2" Male NPTF Weight- 28lbs. Width- 11.87" Height- 14.18" Trash Diameter 3"; Pump Inlet Port 3.125"; Pump Discharge Port 3"

Recommended Flow 8-10 gpm Couplers and Discharge Hose Assembly on Page 57

CALL FOR PRICING



Lightweight
Hydraulic Pole Chain Saw

- 83" Overall Length, 13" Cutting Capacity, 8.2 lbs
- FLOW 4-8 GPM; PRESSURE 1000-2000 PSI; OPERATION: OPEN/ CLOSED CENTER

PLEASE CALL FOR PRICING

TAMPS AND DRILLS



GREENLEE UTILITY® HYDRAULIC POLE TAMPER- HOSE END VALVE

- Makes quick work of setting poles
- Reversible on/off valve for Open- and Closed-Center hydraulic systems
 - Standard with kidney-shaped foot

Specifications:

System- Open- and Closed Center Valve Location- End of hose

Length- 60"

Flow Range- 4-6 gpm

Operating Pressure- 1,000-2,000 psi Pressure Port Thread- 9/16- 18 SAE O-Ring

Return Port Thread- 3/4- 16 SAE O-Ring

Couplers on page 57

CALL FOR PRICING

GREENLEE UTILITY® HYDRAULIC POLE TAMPER- VALVE ON TUBE

- Makes quick work of setting poles - Rotate trigger spool for Open- and Closed-Center hydraulic systems

- Standard with kidney-shaped foot

Specifications:

System- Open- and Closed Center Valve Location- End of Tamper

Length-72"

Flow Range- 4-6 gpm

Operating Pressure- 1,000-2,000 psi

Pressure Port Thread- 9/16- 18 SAE O-Ring Return Port Thread- 3/4- 16 SAE O-Ring

Couplers on page 57

H4802-3

CALL FOR PRICING



Tanaka Gas Powered Drill with Reverse

- 27cc, 1.4 h.p. PureFire two-stroke engine - powered reversing feature - optional chuck shown allows drill to be become 7/16" quick change \$549.00



Threaded Quick **Change Chuck**

- chuck allows for use of 7/16" quick change bits and adapters \$62.90



BOSCH 18V HIGH TORQUE IMPACT WRENCH WITH 7/16 HEX

- Heavy duty all-metal motor made to hold up in tough environments

- LED light- adds visibility

- Ergonomic Soft-Grip Handle

- 500 (ft.-lbs) max torque

- Includes case, 2 batteries, and charger \$499.90

Replacement Batteries

80E 18V Battery 4.0Ah \$89.90

HYDRAULIC IMPACT WRENCHES



Burndy® HIW716ENF Enforcer Hydraulic Impact Wrench with Variable Torque

- Dual torque selector spool allows users to switch between 200 and 515 ft lb torque settings - Weight 5.95 lbs.
- CHUCK TYPE: 7/16" QUICK CHANGE; OPTIMAL PRESSURE;
 750-2000 PSI; FLOW RANGE: 4-12 GPM; OPERATION:
 OPEN/ CLOSED OPTION; TORQUE 515 FT-LBS
 \$999.00



Burndy® HIW716MAG Hydraulic Impact Wrench

- Specifically designed for linemen needing power, reliability and enhanced ergonomics
- CHUCK TYPE: 7/16" QUICK CHANGE; OVER 550 FT-LBS OF TORQUE @ 2,000 PSI AND 5 GPM; "ON-THE-GO" FORWARD AND REVERSE SELECTOR; DUAL SPOOL SELECTOR FOR OPEN AND CLOSED CENTER USE; PRESSURE RELIEF VALVE TO PREVENT OVER-PRESSURING OF TOOL

\$699.00



Burndy® HIW716MAGKIT2 Hydraulic Impact Wrench with 8' Hose and Couplers

- HIW716MAG hydraulic impact wrench installed with swivels, 8' NCR hose and flat face couplers

\$949.00



Greenlee Utility® High Torque 1/2" Impact Wrench with 7/16" Hex Quick Change Chuck

- - Reversible operation
 - Comes with Heavy Duty 7/16" hex by 1/2" square drive shank

\$879.00



Greenlee Utility® High Torque 1/2" Impact Wrench with 7/16" Hex Quick Change Chuck with FLOW CONTROL

- Flow control allows user to adjust the speed
- Super Spool™ for use on Open- and Closed- Center hydraulic systems
 - 400 ft.-lb @ 8 gpm Maximum Torque
 - Reversible operation

\$1029.00



Available in 18" or 24"

28T 18" TEFLON DEEP CUT QUICK CHANGE

UTILITY POLE IMPACT WRENCH AUGER BITS

28T 7/16 HEX SIZE

DIAMETER	18" Length	Price
9/16"	08806	\$26.90
11/16"	08808	\$28.90
13/16"	08810	\$30.90
15/16"	08812	\$32.90
1 1/16"	08814	\$38.90





Wood Owl 7.5" x 9/16" Quick Change Bit \$10.90

28W 24" TEFLON DEEP CUT QUICK CHANGE UTILITY POLE IMPACT WRENCH AUGER BITS

7/16 HEX SIZE

//10 112/1 012/2		
DIAMETER	24" Length	Price
9/16"	01006	\$31.90
11/16"	01008	\$36.90
13/16"	01010	\$39.90
15/16"	01012	\$44.90
1 1/16"	01014	\$54.90





Wood Owl 18" Nail Chipper TRI- CUT[®] Auger Bit- 7/16 Quick Change Shank

- TRI- CUT® design with 3 precision ground edges for fast, smooth cutting without resistance

- Reduces nails to chips without grabbing and leaves a clean hole with minimal "blowout."

DIAMETER	18" Length	Price
9/16"	03806	\$21.90
11/16"	03808	\$22.90
13/16"	03810	\$24.90
15/16"	03812	\$26.90



Burndy Auger Bit Hollow Core for Fiberglass-Composite Poles

Part# DIAMETER

28FS 9/16"

28FL 11/16"

28FM 13/16"

 Burndy Part#
 Length
 Price

 LPHTBIT91612HC
 12"
 \$38.90

 LPHTBIT111618HC
 18"
 \$48.90

 LPHTBIT131618HC
 18"
 \$54.90

IRWIN BITS- FOR BIT BRACE





28A UTILITY POLE AUGER		
BITS- FOR BIT BRACE		
DIAMETER	18" length	Price
9/16"	46609	\$28.90
11/16"	46611	\$30.90
13/16"	46613	\$33.90

When Ordering Pole Auger Bits for 1/2", 5/8", 3/4", 7/8" or 1" hardware increase size by 1/16". (i.e. 1/2"=9/16", 5/8=11/16, 3/4"=13/16", 7/8"=15/16" 1"=1 1/16")

ACCESSORIES





Nut Runner Socket Wrench

For use with Impact Wrench for installing and tightening pole hardware. Hollow so that bolts that extend up to 6" beyond nut can be accommodated.

COMES IN 2 MODELS

25X NR1- Fits 5/8", 3/4", 13/16", 1" Nut Sizes for 3/8", 1/2", 5/8" Bolt Diameters \$144.90

25Y NR2- Fits 1 1/8", 1 5/16", 1 1/2" Nut Sizes for 3/4", 7/8", 1" Bolt Diameters \$184.90

79C Replacement Adapter for NR1 \$49.90 79D Replacement Adapter for NR2 \$72.90





Extra Deep Lineman Sockets for Pole Hardware Installation and Removal 1/2" Drive, 5" Overall Length, 8 Point

79F 3/4" Socket \$18.90

79G 13/16" Socket \$19.90

79H 1" Socket \$21.90

95R 1 1/16" Socket \$22.90

79J 1 1/8" Socket \$23.90

79L 1/2" Male Square x 7/16" Hex Shank \$8.90



Klein NRHD Distribution 3-in-1 Impact Socket

- 3 sizes in 1 (3/4", 1", and 1 1/8" square sizes)

- 13/16" diameter, 6" long hollow shaft allows use on long threaded bolts

- 7/16" hex quick-change adapter included \$114.90

Adapter Only \$39.90



Klein NRHD2 Transmission 3-in-1 Impact Socket

- 3 square socket sizes (1-1/8", 1-5/16", and 1-1/2")

- 1" Diameter, 7" long hollow shaft allows use on long threaded bolts

> - 7/16" hex quick-change adapter included \$164.90

89HA Adapter Only \$64.90



Pole Step Driver

- Rapidly places or removes a standard 1/2" step in a wood pole

- Fits 1/2" Drive Wrenches \$124.90





Klein Single Ended Triple Square Impact Socket

- Easily change from the 3/4" square to the 1" and 1-1/8" square utilizing the locking slide cam; 7/16" Hex Quick-Change Adapter included; Length-9" with adapter \$185.00



Drill Chuck

Converts your 1/2" Square Drive Drill into 7/16" Quick Change Hex \$49.90



Ratchet Bit Brace \$98.90

HYDRAULIC ACCESSORIES



GREENLEE® UTILITY RUBBER LOW PRESSURE HOSE SET

- Certified nonconductive orange rubber
- Double rayon braid
- Working pressure 2,250 psi tested to 75 kV/ft. for 5 minutes

80B 3/8" x 8' I.D. Hoses with 3/8" NPTF male fittings 40887 \$134.90

80C 3/8" x 10' I.D. Hoses with 3/8" NPTF male fittings 40888 \$167.90



GREENLEE® UTILITY SUBMERSIBLE TRASH PUMP 3" x 25' DISCHARGE HOSE ASSEMBLY \$219.00

Swivel Adapters



Adapter 3/8" NPSM x 9/16 - 18 Straight Thread \$8.90



Adapter 3/8" NPSM x 3/4 - 16 Straight Thread \$8.90



Adapter 1/2" NPSM x 3/4 - 16 Straight Thread \$9.90

HTMA COUPLERS: 3,000 psi maximum operating pressure



HTMA Male Coupler 3/8" NPTF internal thread \$20.90



HTMA Male Coupler 1/2" NPTF internal thread \$23.90



HTMA Female Coupler 3/8" NPTF internal thread \$38.90



HTMA Female Coupler 1/2" NPTF internal thread \$41.90



HTMA Female Coupler 3/4- 16 SAE O-ring external thread \$58.90



HTMA Female Coupler 9/16- 18 SAE O-ring external thread \$56.90



HTMA Male Coupler 3/4- 16 SAE O-ring external thread \$26.90



HTMA Male Coupler 9/16- 18 SAE O-ring external thread \$25.90



lineman.edu



ELECTRICAL TEST EQUIPMENT



STB 9-36kv Phasing Voltmeter with Hot Sticks (full set-6)

- Provides safe and convenient testing means for parelleling 3-phase voltage circuits
 Consists of two resistance elements
 connected in series with an indicating meter in the series connection
- Includes 10' cable, a proof tester, battery, shepherds hook and probe tip \$1549.00



ELECTRICAL

EQUIPMENT, INC.



STB Phase Rotation Meter

- May be used interchangeably on 110/220/440/ 550 volt circuits of either 25 or 60 cycles \$299.00



STB AC CLAMP-ON AMMETER/ GROUND FAULT MODEL

- 1/2/5/10/20/50 Amps
- Ideal for preventative maintenance
- Will indicate ground faults and electrical leakage while the equipment is in operation
 - Measures leakage current directly and located faults
 - Convenient one-hand operation - 6" Jaw Opening
 - 6" Jaw Opening \$829.00



AEMC PHASE ROTATION TESTER

- self powered via the measurement inputs
- operating voltage: 40 to850VAC between phases600V CAT III
- Comes with carrying case and leads

\$72.00



AEMC NON-CONTACT HIGH VOLTAGE DETECTOR

- Universal Spline
- 8 switch-selectable voltage sensitivity ranges
- Once range threshold is reached, the buzzer sounds and a bright red warning light warns the operator of live conductors
 - Self Test Position
 - Finds 80V to 275kV \$369.00



SALISBURY SELF TESTING VOLTAGE DETECTOR KIT

Used to verify live or de-energized conductors. May be used with insulating rubber gloves or hot stocks using splined universal end fitting. Comes with tester, shotgun adapter, batteries, and case.

2 MODELS AVAILABLE

81F 240V to 230kV 4556 \$709.00

81G 240V to 69kV w/ URD Test Point Setting 15, 25, 35kV 4769 \$719.00

ELECTRICAL TEST EQUIPMENT



Klein CL2500 Clamp Meter

- 1000A AC/DC Current
- 750 AC Voltage and 1000V DC Voltage
 - $60M\Omega$ Resistance
- 6000µF Capacitance
- Audible Continuity
- CAT IV 600V Rating
- Worklight and Backlit Display
- Includes test leads, batteries, and case \$169.90



Klein CL100 Clamp Meter

- 600A AC Current
- 600V AC and DC Voltage
 - 20MΩ Resistance
 - Continuity
 - CAT III 600V Rating
 - Jaw Size 1"
- Includes test leads, batteries, and case \$52.90



Klein CL1000 Clamp Meter

- 400A AC Current
- 750V AC Voltage and 1000V DC Voltage
 - 40MΩ Resistance
 - Continuity
 - Jaw Size 1.25"
 - Non Contact Voltage
 - CAT III 600V Rating
- Includes test leads, batteries, and case \$94.90



Klein CL2000 Clamp Meter

- 400A AC/DC Current TRMS Clamp Meter
- 750V AC Voltage and 1000V DC Voltage
 - 40MΩ Resistance
 - Continuity
 - Jaw Size 1.25"
 - Non Contact Voltage
 - CAT III 600V Rating
- Includes test leads, batteries, and case \$140.90



Klein MM1000 Multimeter

- 10A AC/DC Current - 1000V AC and 1000V DC Voltage
 - $40M\Omega$ Resistance
 - CAT IV 600V Rating
- Includes test leads, batteries, thermocouple \$73.90



Klein 12:1 Dual Laser Infrared Thermometer

- backlit display and worklight - includes case, K-type
- thermocouple and batteries \$118.90



GREENLEE® 1000A AC/DC CLAMP

METER

AC/DC amperage, AC/DC Voltage, frequency and resistance measuring capacitance. Battery, test leads, and carrying case included. Jaw Opening 2" CAT IV 600V CAT III 1000V \$244.00

CM-1560



Klein ET100 Electronic **Voltage Tester**

- Measures AC and DC Voltage at 9 common levels up to 600V
 - Bright LEDs indicate voltage reading without batteries installed
- Permanently secured test leads - CAT IV 600V Rating \$26.90



Klein Non-Contact Voltage Tester

Voltage Range- 50-1000 Volts AC Frequency Range- 50-500 Hz CAT Rating- CAT IV 1000V - when voltage is detected, a high intensity, bright red LED illuminates and a warning tone sounds \$14.90



81D

GREENLEE® NON-CONTACT VOLTAGE DETECTOR

Use to detect the presence of voltage at circuit breakers, wires and cables or to find a break in the wire AC V 50-1000; CAT IV 1000V \$16.90