



Pyola[®] Insect Spray

READY-TO-USE

Fast acting—kills on contact

ACTIVE INGREDIENTS:	By Wt.
Pyrethrins	0.01%
Canola Oil	1.00%
OTHER INGREDIENTS	98.99%
TOTAL	100.00%

This product contains 0.0824 lbs. of canola oil and 0.0008 lbs. of pyrethrins per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panels for first aid and directions for use.

EPA Reg. No. 67702-6-56872

EPA Est. No. 50591-GA-01

NET CONTENTS: 22 Fl. Oz.

64411



Pyola[®] Insect Spray

READY-TO-USE

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 to 20 minutes.• Call a poison control center or doctor for treatment advice.
	Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call the poison control center at 1-800-222-1222.

- Easy to use.
- Kills on contact
- Contains pyrethrins and canola oil
- Dormant and growing season insect spray to kill:
 - adelgids, aphids, armored scale, cankerworms, caterpillars, fungus gnats, lace bugs, leafhoppers, leafminers, leafrollers, mealybugs, mites, plant bugs, psyllids, scale insects, spider mites, thrips, webworms and whiteflies.
- May be used on edible fruits and vegetables up to and including day of harvest.

↑
Peel back tab for First Aid and Precautionary Statements, Storage and Disposal Instructions and Directions for Use.

KEEP OUT OF REACH OF CHILDREN

CAUTION



Manufactured under a license of
W. Neudorff GmbH KG, Germany

BATCH CODE:

Distributed by Gardens Alive![®], Inc.
706 W. Cumberland St. Lewisburg, OH 45338
Phone: 513-354-1483 www.GardensAlive.com



Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

User Safety Recommendations

- Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing.

Physical or Chemical Hazards: Combustible. Do not use or store near heat or open flame.

Environmental Hazards: This product is toxic to aquatic organisms including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Only for use in home gardens, home indoor houseplants, and home greenhouses. Read entire label. Use only as directed. Shake well before each use.

Thoroughly wet all parts of the plants. Do not wet plants to point of runoff or drip. Repeat treatment in 1-2 weeks if needed. Do not apply more than 20 fl. oz. per 100 square feet per application. May be used on edible crops up to and including day of harvest.

USE RESTRICTIONS

- Do not wet plants to point of runoff or drip.
- Do not allow adults, children, or pets to enter the treated area until sprays have dried.
- Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.
- Remove pets, birds, and cover fish aquariums before spraying.
- Do not apply within 21 days of a sulfur application.
- Do not use Pyola Insect Spray Ready-to-Use when temperatures are above 90° F.
- Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy.
- To prevent product run-off, do not over water the treated area(s) or apply prior to heavy rainfall.
- Do not apply more than 10 times per season.
- Do not reapply within 3 days except under extreme pest pressure.
- In case of extreme pest pressure do not reapply within 24 hours.
- Do not apply more than 1 time per day.

Phytotoxicity Note:

Oil removes the glaucous (blue) bloom from such evergreens as Colorado blue spruce and Koster spruce. Apply carefully to blooms and buds and on oil sensitive plants such as: Chamaecyparis, Cryptomeria, Japanese Holly, Red Cedar, and Smoke Tree. If concerned about sensitivity of plants, test by spraying a portion of the plant and wait several days to determine if burn occurs before spraying larger areas.

PESTS/SITES AND APPLICATION

INSTRUCTIONS

Pyola Insect Spray Ready-to-Use will kill: Adelgids, Ants (including Foraging Ants, Sweet-Feeding Ants, Pavement Ants, Moisture Ants, Little Black Ants, Argentine Ants, Crazy Ants, Acrobat Ants, Bigheaded Ants, Cornfield Ants, Ghost Ants, Odorous House Ants, Thief Ants, Texas Leafcutting Ants, Field Ants, and other Common Ants) (except Fire Ants, Harvester Ants, Carpenter Ants, and Pharaoh Ants), Aphids (including Green Peach Aphids), Armyworms (including Beet Armyworms, Western Yellow Striped Armyworms), Bagworms, Beetles (Colorado potato beetle, flea beetle, Japanese beetle, asparagus beetle, Blister Beetles, 12-spotted Cucumber Beetles, Cucumber Beetle, Darkling Beetles (lesser mealworm), Sawtoothed Grain Beetles, Elm Leaf Beetles, Bean Beetles, Mexican Bean Beetles), Borers (including European Corn Borer, Branch and Twig Borers, Shot hole borers and Pacific flathead borers), Box Elder Bugs, Cabbageworms (including Cross-striped Cabbageworm and Imported Cabbageworm), Cankerworms, Caterpillars (Gypsy Moth Caterpillars, Tent Caterpillar, Eastern Tent Caterpillar, Forest Tent

Caterpillar and Tomato Fruitworm Caterpillar), Corn Earworms, Crane Flies, Crickets, Diamondback Moth Larvae, Earwigs, Fireworms, Fungus Gnats, Fruit Flies (including Cherry Fruit Fly), Glassy Winged Sharpshooter, Grape Leaf Skeletonizer, Grasshoppers, Green Fruit Worm, Harlequin Bugs, Hornworms (including Tomato Hornworm), Katydid, Lace Bugs, Leafhoppers (including Grape Leafhopper, and Potato Leafhoppers), Leafminers, Leafrollers (including Fruittree Leafrollers), Leaf-tiers, Loopers (including Cabbage Looper), Lygus, Maggots (including Apple Maggot, Cabbage Maggots, and Onion Maggot), Mealybugs (including Citrus Mealybugs, Grape Mealybugs and Vine Mealybugs), Non-biting Midges, Millipedes, Mites (including Clover Mites, European Red Mite and Spider Mites), Moths (including Artichoke Plume Moth, Codling Moth, Diamondback Moth, European Pine Tip Moth, Gypsy Moths, Indian Meal Moth, Mediterranean Flour Moth), Mushroom Flies, Navel Orangeworm, Plant Bugs (including Leaf footed Plant Bug, Tarnished Plant Bug), Psyllids (including Pear Psyllids), Sawfly Larvae (pear and rose slugs), Scale insects (including Soft Scale and Armored Scale), Silverfish, Skippers, Sowbugs, Spittlebugs, Squash Bugs, Stink Bugs, Thrips (including Greenhouse Thrips), Vinegar Flies, Webworms, Weevils (including Boll Weevil, Carrot Weevil, Clover Weevil, Rice Weevil, Pepper Weevil), Whitefly and Phylloxera.

OUTDOOR USE

For use outdoors on fruit and nut trees (apples, cherries, peaches, pears, nuts); flowering, foliage plants; corn; melons; tomatoes; vegetables (beans, cabbage, cucurbits, peas, potatoes); figs; small fruits (grapes, strawberry, raspberry); citrus; ornamental and shade trees (birch, evergreens, holly, oak) and herbs.

HOME GREENHOUSE USE

For use in home greenhouses: flowering, foliage plants; melons; tomatoes; vegetables (beans, cabbage, cucurbits, peas, potatoes); small fruits (grapes, strawberry, raspberry); houseplants.

INDOOR USE

For use indoors on houseplants.

DORMANT USE

Kills exposed egg stages of pests present in dormant season and pests on dormant shrubs (roses), evergreens, fruit trees and shade trees. Thoroughly wet the dormant plants or trees.

Notice To Buyer

To the extent consistent with applicable law, Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

EPA Reg. No. 67702-6-56872

EPA Est. No. 50591-GA-01



Manufactured under a license of
W. Neudorff GmbH KG, Germany

Distributed by Gardens Alive!®, Inc.
706 W. Cumberland St. Lewisburg, OH 45338
Phone: 513-354-1483 www.GardensAlive.com

**Precautionary Statements
Hazards to Humans
and Domestic Animals**

CAUTION: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

User Safety Recommendations

- Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing.

Physical or Chemical Hazards:

Combustible. Do not use or store near heat or open flame.

Environmental Hazards: This product is toxic to aquatic organisms including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

FIRST AID

IF ON
SKIN OR
CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call the poison control center at 1-800-222-1222.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



Manufactured under a license of
W. Neudorff GmbH KG, Germany

Distributed by Gardens Alive!®, Inc.
706 W. Cumberland St. Lewisburg, OH 45338
Phone: 513-354-1483 www.GardensAlive.com