

HOME GARDEN USE

For use outdoors on fruit and nut trees (apples, cherries, peaches, pears, nuts); flowering foliage plants; corn; melons; tomatoes; vegetables (beans, cabbage, cucurbits, peas, potatoes); figs; small fruits (grapes, strawberry, raspberry); citrus; ornamental and shade trees (birch, evergreens, holly, oak). Do not apply more than 4 fl.oz. of concentrate (400 fl.oz. of 1% solution or 200 fl.oz. of 2% solutions) per 1000 square feet.

DIRECTIONS FOR GREENHOUSE USE

For use in home greenhouses on flowering, foliage plants; melons; tomatoes; vegetables (beans, cabbage, cucurbits, peas, potatoes); small fruits (grapes, strawberry, raspberry). Do not apply more than 4 fl.oz. of concentrate (400 fl. oz. of 1% solution or 200 fl.oz. of 2% solution) per 1000 square feet.

DORMANT USE

Kills egg stages of pests present in dormant season and scale insects, mites, and mealybugs on dormant shrubs (e.g., roses), evergreens, fruit trees and shade trees. Apply a 2% solution. Thoroughly wet the dormant plants or trees. Do not apply more than 4 fl.oz of concentrate (400 fl. oz. of 1% solution or 200 fl. oz. of 2% solution) per 1000 square feet.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep this product in its tightly closed original container, when not in use. Store in a cool, dry, well-ventilated (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container.

If empty: Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Notice To Buyer

To the extent consistent with applicable law, Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

Made with Pyrol™ Insecticide a trademark of
W. Neudorff GmbH KG



Pyola® Insect Spray

- ✓ Easy to use.
- ✓ Fast acting-kills on contact
- ✓ Contains pyrethrins and canola oil botanical insecticides
- ✓ Dormant and growing season insect spray to kill adelgids, aphids, armored scale, beetle larvae, canker worms, caterpillars, fungus gnats, lace bugs, leafhoppers, leafminers, leafrollers, mealybugs, mites, plant bugs, psyllids, scale insects, spider mites, thrips, webworms and whiteflies.

Active Ingredients	By Wt.
Pyrethrins	0.5%
Canola Oil	89.5%
Other Ingredients	10.0%
Total	100.0%

This product contains 0.859 lbs. of canola oil and 0.005 lbs. of pyrethrins per pint.

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Registration No. 67702-5-56872
EPA Establishment No. 56872-OH-001

Manufactured By:
Gardens Alive!®, Inc.
706 W. Cumberland St.
Lewisburg, OH 45338
Phone 513-354-1483
www.GardensAlive.com

FIRST AID	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> - Take off contaminated clothing - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific Time (PT), seven days a week. During other times, call the poison control center at 1-800-222-1222.</p>	

Precautionary Statements

Hazards to Humans and Domestic Animals:

CAUTION. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

User Safety Recommendations
<ul style="list-style-type: none"> • Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet. • Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards: This product is toxic to aquatic organisms including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Only for use in home gardens and home greenhouses.

USE RESTRICTIONS

- Do not wet plants to point of runoff or drip.
- Do not allow adults, children, or pets to enter the treated area until sprays have dried.
- Do not apply within 21 days of a sulfur application.
- Do not use Pyola Insect Spray when temperatures are above 90° F
- Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden area only.
- Do not apply more than 10 times per season.
- Do not reapply within 3 days except under extreme pest pressure.
- In case of extreme pest pressure do not reapply within 24 hours.
- Not for use in outdoor residential misting systems.
- Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying.
- Do not make applications during rain.
- Do not water the treated area to the point of run-off.

Phytotoxicity Note:

Oil removes the glaucous (blue) bloom from such evergreens as Colorado blue spruce and Koster spruce. Use a 1% solution on oil sensitive plants such as: Chamaecyparis, Cryptomeria, Japanese Holly, Red Cedar, and Smoke Tree. Use care on blooms and buds. Test spray a portion of the plant and wait several days to determine if burn occurs before spraying larger areas. Some plants are sensitive to this product. If in doubt, test-spray a small portion of the plant and wait several days to determine if burn occurs before spraying larger areas.

Read entire label before use. Use only as directed. Shake well before each use. Thoroughly wet all parts of the plant. Repeat treatment in 1 - 2 weeks if necessary. May be used on edible fruits and vegetables up to and including day of harvest.

INSTRUCTIONS FOR MIXING

For a 1% solution, mix 2 teaspoons of concentrate with 1 quart (32 fl.oz) water, or 1 fl.oz. concentrate with 3 quarts (96 fl.oz.) water. For a 2% solution, mix 4 teaspoons of concentrate with 1 quart (32 fl.oz.) water, or 2 fl. oz. concentrate with 3 quarts (96 fl.oz.) water. Shake well before each use and stir or shake diluted spray frequently during use.

PESTS/SITES AND APPLICATION INSTRUCTIONS

Pyola Insect Spray will kill the following insect pests: aphids, beetles (Colorado potato beetle, flea beetle, Japanese beetle, asparagus beetle), caterpillars (gypsy moth caterpillars, tent caterpillar, diamondback moth larvae, leafrollers), ants (except Fire Ants, Harvester Ants, Carpenter Ants and Pharaoh Ants), mealybugs, mites, leafhoppers, scale insects, whitefly, adelgids, plant bugs, fungus gnats, thrips, sawfly larvae, psyllids, spittlebugs, and phylloxera. Apply at a rate of 1% or 2% solution. For soft-bodied pests such as aphids and mites, a 1% solution is sufficient. Using hand-held trigger sprayers, hand sprayers, or backpack sprayers, thoroughly spray insect pests with diluted product until plants are wet. Do not wet plants to point of runoff or drip. Repeat treatment in 1-2 weeks, if needed.