

Quote Order

Date: _____

Sales Representative: _____

Dealer Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____ Fax: _____

Email: _____

 Shipping Method: Pick-Up Common Carrier
 Liftgate (VPL400 only) Flatbed/Forklift

Account Number: _____

Projected Close Date: _____

Purchase Order Number: _____

Ship To Address: _____

Contact: _____

Phone: _____

Opportunity Reference / Project Name: _____

STEP 1 (BASE VPL COMPATIBLE FOR ENCLOSURE)

APPLICATION

 VPL-C Commercial (includes:
 Lighted E-Stop/Alarm, Handrail)

INSTALLATION

 OUTDOOR **INDOOR**

MODEL

 VPL400 4' Vertical Platform Lift (up to 53" lift height)

 VPL600 6' Vertical Platform Lift (up to 77" lift height)

 VPL800 8' Vertical Platform Lift (up to 101" lift height)

 VPL1000 10' Vertical Platform Lift (up to 125" lift height)

 VPL1200 12' Vertical Platform Lift (up to 149" lift height)

 VPL1400 14' Vertical Platform Lift (up to 171" lift height)

 Exact Lifting Height _____ inches
 (Mandatory) *Note: Measure from Inside Pit (measured from top landing to floor)*
 VPL-021 3-Stop Package: 3 Call/Send (must select VPL-C)

 VPL-021K 3-Stop Package: 3 Keyed Call/Send + Lighted E-Stop Alarm (must select VPL-C)

 Middle Lifting Height _____ inches
 (Mandatory for 3-stop orders)

TOWER CONFIGURATION (MUST CHOOSE 1)

 VPL-LH Left hand **VPL-RH** Right hand


 VPL-062 Tower brace with bracket

BATTERY BACKUP OPTIONS

 VPL-030 Standard READYUPS battery backup
 VPL400-600 only: 2, 12V at 12AH

 VPL-033 Plus READYUPS battery backup
 VPL400-VPL1400: 4, 12V at 12AH

 VPL-030CWP Standard UPS cold weather package

 VPL-033CWP Plus UPS cold weather package


PLATFORM CONFIGURATION (ONLY 60" LONG PLATFORMS ARE AVAILABLE)

<input type="checkbox"/> VPL-3660	36" x 60" x 42" straight through platform	<input type="checkbox"/> VPL-3660-SS	36" x 60" x 42" same side entry exit platform (Not applicable for VPL400 - VPL800)
<input type="checkbox"/> VPL-3660-90L	36" x 60" x 42" 90° left platform	<input type="checkbox"/> VPL-3660-90R	36" x 60" x 42" 90° right platform
<input type="checkbox"/> VPL-4260	42" x 60" x 42" straight through platform	<input type="checkbox"/> VPL-4260-SS	42" x 60" x 42" same side entry / exit platform (Not applicable for VPL400 - VPL800)
<input type="checkbox"/> VPL-4260-90L	42" x 60" x 42" 90° left platform	<input type="checkbox"/> VPL-4260-90R	42" x 60" x 42" 90° right platform

PLATFORM OPTIONS (MUST CHOOSE 1 RAMP)

<input type="checkbox"/> VPL-060-36F	36" fixed ramp	<input type="checkbox"/> VPL-060-42F	42" fixed ramp
---	----------------	---	----------------

CONTROLS / SWITCHES (CALL SENDS FOR ENCLOSURE IN ENCLOSURE SECTION)

<input type="checkbox"/> VPL-015K	Keyed cab control
<input type="checkbox"/> _____ qty VPL-016	Call/send station control box, top/bottom (each)
<input type="checkbox"/> _____ qty VPL-016K	Keyed call/send station control box, top/bottom (each)
<input type="checkbox"/> VPL-017-1	Wireless call/send controls for one (1) landing
<input type="checkbox"/> VPL-017-2	Wireless call/send controls for two (2) landings
<input type="checkbox"/> VPL-017-3	Wireless call/send controls for three (3) landings
<input type="checkbox"/> VPL-026	Float level switch
<input type="checkbox"/> VPL-075	Phone jack
<input type="checkbox"/> VPL-076	Emergency tower light, back-up
<input type="checkbox"/> _____ qty VPL-CK	Chicago key upgrade for keyed controls (each)
<input type="checkbox"/> VPL-KEY	Spare key (each)

STEP 2 (ENCLOSURE KIT INCLUDES PANELS, ENTRY DOOR, LANDING GATE, AND PIT SWITCH)

36" STEEL PANELS

- | | |
|---|---|
| <input type="checkbox"/> VPL-400-S-36
36" wide enclosure kit: 4' steel panels (no safety pan) | <input type="checkbox"/> VPL-1000-S-36
36" wide enclosure kit: 10' steel panels (no safety pan) |
| <input type="checkbox"/> VPL-600-S-36
36" wide enclosure kit: 6' steel panels (no safety pan) | <input type="checkbox"/> VPL-1200-S-36
36" wide enclosure kit: 12' steel panels (no safety pan) |
| <input type="checkbox"/> VPL-800-S-36
36" wide enclosure kit: 8' steel panels (no safety pan) | <input type="checkbox"/> VPL-1400-S-36
36" wide enclosure kit: 14' steel panels (no safety pan) |

42" STEEL PANELS

- | | |
|---|---|
| <input type="checkbox"/> VPL-400-S-42
42" wide enclosure kit: 4' steel panels (no safety pan) | <input type="checkbox"/> VPL-1000-S-42
42" wide enclosure kit: 10' steel panels (no safety pan) |
| <input type="checkbox"/> VPL-600-S-42
42" wide enclosure kit: 6' steel panels (no safety pan) | <input type="checkbox"/> VPL-1200-S-42
42" wide enclosure kit: 12' steel panels (no safety pan) |
| <input type="checkbox"/> VPL-800-S-42
42" wide enclosure kit: 8' steel panels (no safety pan) | <input type="checkbox"/> VPL-1400-S-42
42" wide enclosure kit: 14' steel panels (no safety pan) |

36" ACRYLIC PANELS

- | | |
|---|---|
| <input type="checkbox"/> VPL-400-A-36
36" wide enclosure kit: 4' acrylic panels (no safety pan) | <input type="checkbox"/> VPL-1000-A-36
36" wide enclosure kit: 10' acrylic panels (no safety pan) |
| <input type="checkbox"/> VPL-600-A-36
36" wide enclosure kit: 6' acrylic panels (no safety pan) | <input type="checkbox"/> VPL-1200-A-36
36" wide enclosure kit: 12' acrylic panels (no safety pan) |
| <input type="checkbox"/> VPL-800-A-36
36" wide enclosure kit: 8' acrylic panels (no safety pan) | <input type="checkbox"/> VPL-1400-A-36
36" wide enclosure kit: 14' acrylic panels (no safety pan) |

42" ACRYLIC PANELS

- | | |
|---|---|
| <input type="checkbox"/> VPL-400-A-42
42" wide enclosure kit: 4' acrylic panels (no safety pan) | <input type="checkbox"/> VPL-1000-A-42
42" wide enclosure kit: 10' acrylic panels (no safety pan) |
| <input type="checkbox"/> VPL-600-A-42
42" wide enclosure kit: 6' acrylic panels (no safety pan) | <input type="checkbox"/> VPL-1200-A-42
42" wide enclosure kit: 12' acrylic panels (no safety pan) |
| <input type="checkbox"/> VPL-800-A-42
42" wide enclosure kit: 8' acrylic panels (no safety pan) | <input type="checkbox"/> VPL-1400-A-42
42" wide enclosure kit: 14' acrylic panels (no safety pan) |

ENCLOSURE CONFIGURATION

Straight Thru Access



Same Side Access




ENC-055

90° Side Access



ENC-060

TOP LANDING




BOTTOM LANDING Maximum 2-stops from bottom landing (Note: Start at bottom landing)


DOORS

<input type="checkbox"/>	___ qty	VPL-078-D	Automatic door opener for full door		
<input type="checkbox"/>	___ qty	VPL-008-WR	Wiring for interlocks provided by others		
<input type="checkbox"/>	___ qty	VPL-008L	EMI interlock for door/gate provided by others - LH	<input type="checkbox"/>	___ qty VPL-008R EMI interlock for door/gate provided by others - RH
<input type="checkbox"/>	___ qty	VPL-005-36L	36" flush, fire-rated door with EMI interlock - LH	<input type="checkbox"/>	___ qty VPL-005-36R 36" flush, fire-rated door with EMI interlock - RH
<input type="checkbox"/>	___ qty	VPL-005-42L	42" flush, fire-rated door with EMI interlock - LH	<input type="checkbox"/>	___ qty VPL-005-42R 42" flush, fire-rated door with EMI interlock - RH


TOP LANDING GATE DOOR SWING



BOTTOM LANDING DOOR SWING



MIDDLE LANDING DOOR SWING



ENCLOSURE OPTIONS

<input type="checkbox"/>	VPL-078-LG	Automatic opener for landing gate	<input type="checkbox"/>	ENC-742	42" wide upper 6'8" enclosure door upgrade
<input type="checkbox"/>	ENC-003	3-sided enclosure (non-enter/exit same side)	<input type="checkbox"/>	ENC-915	Top door upgrade: 36" steel (includes extra side panels)
<input type="checkbox"/>	ENC-007	Upper 6'8" enclosure door upgrade (LH or RH)	<input type="checkbox"/>	ENC-916	Top door upgrade: 36" acrylic (includes extra side panels)
<input type="checkbox"/>	ENC-008	Middle 6'8" enclosure door (LH or RH)	<input type="checkbox"/>	ENC-917	Top door upgrade: 42" steel (includes extra side panels)
<input type="checkbox"/>	ENC-011	Acrylic door panel (each)	<input type="checkbox"/>	ENC-918	Top door upgrade: 42" acrylic (includes extra side panels)
<input type="checkbox"/>	ENC-016	In-frame call station (each)	<input type="checkbox"/>	ENC-925	Top extra side panels: 36" steel (ceiling height sides for gate)
<input type="checkbox"/>	ENC-016K	In frame call station; keyed	<input type="checkbox"/>	ENC-926	Top extra side panels: 36" acrylic (ceiling height sides for gate)
<input type="checkbox"/>	ENC-020	Acrylic roof (requires 6'8" enclosure)	<input type="checkbox"/>	ENC-927	Top extra side panels: 42" steel (ceiling height sides for gate)
<input type="checkbox"/>	ENC-025	Power ventilation system (for enclosures with roof; includes VPL-076)	<input type="checkbox"/>	ENC-928	Top extra side panels: 42" acrylic (ceiling height sides for gate)
<input type="checkbox"/>	ENC-035	Platform safety pan			

SHIPPING OPTIONS

<input type="checkbox"/>	VPL400-SS	4' shipping: Upright (VPL400 only)
<input type="checkbox"/>	VPL400-LD	4' shipping: Laid down (VPL400 only - NOTE: 42" x 60" platform size are laid downs for VPL400's)
<input type="checkbox"/>	VPL400-URC	4' crated shipping: Upright (VPL400 only)
<input type="checkbox"/>	VPL400-LDC	4' crated shipping: Laid down (VPL400 only)
<input type="checkbox"/>	VPL-IC	4' - 10' international crated shipment (VPL400 - VPL1000 only)
<input type="checkbox"/>	VPL-IC TALL	12' - 14' international crated shipment (VPL1200 - VPL1400 only)

 **DRAWING FOR APPROVAL (REQUIRED)**

An application-specific drawing is required and **production will be scheduled after return of signed approval drawing.**
Upcharge if lift is not ordered within 90-days of drawing submission.

NOTES: _____

NOTE - THESE UNITS ARE SHIPPED LAYING DOWN. A LIFT GATE IS UNABLE TO BE USED ON MODELS 6' AND TALLER. VPL UNITS WILL REQUIRE A LOADING DOCK OR ARRANGEMENTS CAN BE MADE TO PICK-UP AT THE TERMINAL.

ACKNOWLEDGMENT OF DEALER/PURCHASER RESPONSIBILITIES

The product you are about to order will be carefully inspected at the factory to assure every component is correct and undamaged. It ships F.O.B. Missouri, meaning it becomes the property of the receiver upon leaving our factory. Therefore it is incumbent on you, the receiver, to carefully inspect the package to assure it has been delivered in good order and is undamaged.

Before signing for the shipment, inspect the package carefully.

VISIBLE DAMAGE: You must note any visible damage on the freight bill. If product damage is obvious, we recommend a further immediate inspection to see what other damage may be concealed, and this also must be written on the freight bill. Report any damage to LiftSquad support.

CONCEALED DAMAGE: If no damage was immediately evident, but is found later (within 48 hours), stop what you are doing and call the freight company immediately to report concealed damage.

Pictures of the damage are a great support in any freight claim and are strongly recommended. Failure to take these steps may preclude your ability to be reimbursed for any damage in transit.

We have personnel available to assist with this process Monday – Friday, 7:30 am – 5:00 pm EST by calling **800-833-0478**.

CODE COMPLIANCE

Harmar Vertical Platform Lifts are designed to meet Safety standard ASME A18.1-2020 when properly equipped. It is the Dealer/Installer's responsibility to ensure compliance with Safety standard ASME A18.1-2020 as well as State and Local code requirements including electrical and building codes which do vary. Some jurisdictions require fees for site preparation and permits. Dealer acknowledges that their order will be installed in accordance with applicable national, state and local governance.

INSTALLATION COMPLIANCE

Harmar Vertical Platform Lifts should only be installed by a Certified Harmar Installer. Harmar provides specific training for its Vertical Platform Lifts at training@harmar.com. If the Vertical Platform Lift is installed by a non-certified, untrained installer, the purchaser and installer assume all responsibility for repair and replacement costs from issues that may arise involving improper installation.

Thank you for your business!



I have read and understand the above:

Print Name: _____

Signature: _____ Date: _____