

## NOTICE

- \* Please make sure that you have all parts indicated and they are in good condition before you begin assembly of this item. Refer to part list and hardware list below for guidance.
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly.
- \* This item may require periodic tightening.
- \* If you are having difficulty, our friendly Customer Care team is always here to help. Please email [customersupport@safavieh.com](mailto:customersupport@safavieh.com)

## PREPARATION

- \* Before beginning assembly of product, make sure all parts are present. Compare parts with part contents list and hardware contents list.
- \* If any part is missing or damaged, do not attempt to assemble the product.
- \* Estimated assembly time : **20 minutes**.
- \* Tools required for assembly (included) : **Allen key**
- \* Tools required for assembly (not included) : **Philip screw driver**
- \* Tools required for assembly (not included) : **Mallet**

## CARE AND MAINTENANCE

Always use felt pads under all articles to prevent discoloration or softening of the lacquer. Plastic and rubber bases on items can discolor wood. Wipe up spill immediately and avoid common hazards such as hot dishes, harsh solvents and abrasives. Cleaning should be done with a soft lint free cotton cloth damped with water or furniture polish.

### Part List and Hardware List

| PIECE | DESCRIPTION           | PICTURE   | QUANTITY |
|-------|-----------------------|---|----------|
| A     | Table Top             |    | 1x       |
| B     | Leg L/R               |    | 2x       |
| C     | Side Panel L/R        |    | 2x       |
| D     | Mid Panel             |   | 1x       |
| E     | Top Panel             |  | 1x       |
| F     | Back Panel            |  | 2x       |
| G     | Rail                  |  | 1x       |
| HW 1  | Pan Head Screw 12mm   |  | 20x      |
| HW 2  | Cam Lock (Minifix)    |  | 10x      |
| HW 3  | Shaft (Minifix)       |  | 10x      |
| HW 4  | Wood Dowel M8 x 30mm  |  | 10x      |
| HW 5  | Barrel Nut            |  | 6x       |
| HW 6  | Jcbc Bolt M6x0.5x60mm |  | 6x       |
| HW 7  | Allen Key M4          |  | 1x       |



Item Id : DSK1400

Product Dimensions : 47.24" W x 23.62" D x 37.0" H



Weight capacity - 182 LBS  
Warning : Do not stand on table.  
Warning : Do not over torque bolts.


## PREPARATION

- \* Before beginning assembly of product, make sure all parts are present. Compare parts with part contents list and hardware contents list.
- \* If any part is missing or damaged, do not attempt to assemble the product.
- \* Estimated assembly time : 20 minutes
- \* Tools required for assembly (included) : Allen key
- \* Tools required for assembly (not included) : Philip screw driver
- \* Tools required for assembly (not included) : Mallet
- \* If you are having difficulty, our friendly Customer Care team is always here to help. Please email [customersupport@safavieh.com](mailto:customersupport@safavieh.com)


|   |  |
|---|--|
|   |  |
| <p><b>Step 1</b> : Insert the wood dowel inside the hole at the rail, mid panel and table top. Make sure to place the table on a smooth and clear surface to prevent scratch.</p> | <p><b>Step 2</b> : Place the leg in position along with the rail and screw in all the bolts.</p> |

## PREPARATION

- \* Before beginning assembly of product, make sure all parts are present. Compare parts with part contents list and hardware contents list.
- \* If any part is missing or damaged, do not attempt to assemble the product.
- \* Estimated assembly time : 20 minutes
- \* Tools required for assembly (included) : Allen key
- \* Tools required for assembly (not included) : Philip screw driver
- \* Tools required for assembly (not included) : Mallet
- \* If you are having difficulty, our friendly Customer Care team is always here to help. Please email [customersupport@safavieh.com](mailto:customersupport@safavieh.com)



**Step 3 :** Attach all shaft (minifix) at both of the side panel, then assemble the parts.



**Step 4 :** Place the back panel in position, then tighten all the screws.