NOTICE

- * Please make sure that you have all parts indicated and they are in good condition before you begin assembly of this item. Refer to part list and hardware list below for guidance.
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly.
- * This item may require periodic tightening.
- * If you are having difficulty, our friendly Customer Care team is always here to help. Please email customersupport@safavieh.com

PREPARATION

- * Before beginning assembly of product, make sure all parts are present. Compare parts with part contents list and hardware contents list.
- * If any part is missing or damaged, do not attempt to assemble the product.
- * Estimated Assembly Time: 60 minutes.
- * Tools Required for Assembly: Allen Key (included), Phillips screwdriver (not included).

CARE AND MAINTENANCE

Adhesive felt pads should always be applied to areas of furniture which make direct contact with flooring, said application will prevent damage to the furniture and or surfaces on which the furniture lies. Objects placed on articles of furniture should rest on non abrasive material as to prevent damage to the wood finish. Wipe up spills immediately and avoid common hazards such as hot dishes, harsh solvents and abrasives. Cleaning should be done with a soft lint free cotton cloth dampened with water or furniture polish.


Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
А	TOP PANEL		1X
В	SIDE PANEL		2X
С	SHELF		1X
D	RAIL TOP	<u> </u>	1X
Е	BOTTOM ASSEMBLY		1X
F	BACK PANEL		2X
G	SUPPORT BACK PANEL	←	1X
Н	LEG		4X
I	DOOR		2X



Model# SFV1309

Product Dimensions: 34 9/16"W x 18 3/32"D x 32"H



WARNING: DO NOT STAND ON THE NIGHTSTAND
WARNING: DO NOT OVER TORQUE BOLTS/SCREWS

HW11


DESCRIPTION PICTURE QUANTITY PIECE 8X HW1 BOLT 6 x 1 x 30 MM 8X HW2 SPRING WASHER 0 16X ROUND HEAD SCREW 3 x 1 x 13 MM HW3 (|mm> 8X FLAT HEAD SCREW 3 x 1 x 13 MM HW4 mm 22X **CAMBOLT** HW5 CAMLOCK 22X HW6 HINGE 4X HW7 2X **PUSH LATCH** HW8 (D) 4X HW9 SHELF SUPPORT PIN 12X HW10 **DOWEL**

ALLEN KEY


1X

PREPARATION


- * Before beginning assembly of product, make sure all parts are present. Compare parts with part contents list and hardware contents list.
- * If any part is missing or damaged, do not attempt to assemble the product.
- * Estimated Assembly Time: 60 minutes.
- * Tools Required for Assembly: Allen Key (included), Phillips screwdriver (not included).
- * If you are having difficulty, our friendly Customer Care team is always here to help. Please email customersupport@safavieh.com





STEP 1 ATTACH CAMBOLTS (HW5) TO TOP PANEL (A), SIDE PANELS (B), BOTTOM ASSEMBLY (E) AND SUPPORT BACK PANEL (G).





STEP 2 DETACH THE HINGE FROM THE BASE. ATTACH HINGE BASES (HW7b) TO SIDE PANELS (B) USING ROUND HEAD SCREWS 13MM (HW3). ATTACH HINGES (HW7a) TO DOORS (I) USING ROUND HEAD SCREWS 13MM (HW3).














STEP 11 THE GAPS AND EDGES AROUND THE DOOR SHOULD BE BALANCED. IF THE GAPS ARE NOT BALANCED, PLEASE FOLLOW STEPS 12 THROUGH 14.




STEP 12.1. IF THE GAP ON THE TOP OR BOTTOM ARE NOT BALANCED, LOOSEN BOTH HINGE BASE SCREWS.




STEP 12.1.1. IF THE GAP ON THE TOP IS TOO WIDE THEN SLIDE THE DOOR SLIGHTLY TO THE TOP.




STEP 12.1.2. IF THE GAP ON THE BOTTOM IS TOO WIDE THEN SLIDE THE DOOR SLIGHTLY TO THE BOTTOM.




STEP 12.2. TIGHTEN BOTH HINGE BASE SCREWS.




STEP 13.1. IF THE EDGE ON THE LEFT OR RIGHT ARE NOT BALANCE, LOOSEN THE BACK CENTER SCREW.




STEP 13.1.1. IF THE EDGE ON THE LEFT SIDE IS TOO WIDE, YOU WILL NEED TO SLIDE THE DOOR SLIGHTLY TO THE LEFT BY TURNING THE FRONT CENTER SCREW COUNTER CLOCKWISE.





STEP 13.1.2. IF THE EDGE ON THE LEFT SIDE IS TOO NARROW, YOU WILL NEED TO SLIDE THE DOOR SLIGHTLY TO THE RIGHT BY TURNING THE FRONT CENTER SCREW CLOCKWISE.



STEP 13.2. TIGHTEN THE BACK CENTER SCREW.







STEP 19 ADJUST THE ADJUSTER THAT HAS ALREADY BEEN ASSEMBLED TO THE LEGS TO STABILIZE YOUR UNIT.