




CHRYSLER GROUP COMPARISON CHART



7

COMPARISON CHART

Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R
PASSENGER CARS							
Chrysler 300	Brampton Assembly, Brampton, Ontario (Canada)	Four-door sedan	120 (3048)	196.8 (4999)	55.6/51	15.6	2/3
			126 (3200) LWB Pkg.	202.8 (5151) LWB Pkg.	55.6/61.2 LWB Pkg.		
	Drive Layout						
			Chrysler 300	Chrysler 300	Chrysler 300 LWB		
Chrysler 300 SRT8	Brampton Assembly, Brampton, Ontario (Canada)	Four-door sedan	120 (3048)	196.8 (4999)	55.6/51	15.6	2/3
	Drive Layout						
			Chrysler 300 SRT8				
Chrysler Crossfire	Karmann, Osnabrück, Germany	Sports Coupe and Roadster	94.5 (2400)	159.8 (4058)	Coupe — 48 Roadster — 48.6	Coupe — 7.6 Roadster with top up — 6.5 Roadster with top down — 3.6	2
	Drive Layout						
			Chrysler Crossfire Coupe	Chrysler Crossfire Roadster			
Chrysler PT Cruiser	Toluca Assembly, Toluca (Mexico)	Four-door multi-purpose hatchback	103 (2616)	168.9 (4290)	49.6/49.3	21.6(b) 62.7(j)	2/3
	Drive Layout						
			Chrysler PT Cruiser				
Chrysler PT Cruiser Convertible	Toluca Assembly, Toluca (Mexico)	Two-door convertible	103 (2616)	168.9 (4290)	48.1/36.2	7.4(d)	2/2
	Drive Layout						
			Chrysler PT Cruiser Convertible				





Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R
PASSENGER CARS (Cont.)							
Chrysler Sebring Sedan	Sterling Heights Assembly, Sterling Heights, Michigan	Four-door sedan	108.9 (2765)	190.6 (4842)	55.5/45.4	13.6	2/3
	Drive Layout	 Chrysler Sebring Sedan		 Chrysler Sebring Sedan			
Chrysler Sebring Convertible	Sterling Heights Assembly, Sterling Heights, Michigan	Two-door convertible	108.9 (2765)	193.8 (4922)	53.7 (1.52)/ 35.0 (.099)	13.1 top up 6.6 top down	2/2
	Drive Layout	 Chrysler Sebring Convertible					
Dodge Avenger	Sterling Heights Assembly, Sterling Heights, Michigan	Four-door sedan	108.9 (2765)	190.9 (4848.5)	55.3/45.17	13.4 (.379)	2/3
	Drive Layout	 Dodge Avenger		 Dodge Avenger			
Dodge Charger	Brampton Assembly, Brampton, Ontario (Canada)	Four-door sedan	120 (3048)	200.1 (5082)	55.5/48.5	16.2	2/3
	Drive Layout	 Dodge Charger		 Dodge Charger			
Dodge Charger SRT8	Brampton Assembly, Brampton, Ontario (Canada)	Four-door sedan	120 (3048)	200.1 (5082)	55.5/50.5	16.2	2/3
	Drive Layout	 Dodge Charger SRT8					
Dodge Viper SRT10	Conner Avenue Assembly, Detroit, Michigan	Convertible/ Coupe	98.8 (2510)	175.6 (4459)	N/A	N/A	2
	Drive Layout	 Dodge Viper SRT10		 Dodge Viper SRT10 Coupe			










Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R
SPORT TOURER							
Chrysler Pacifica	Windsor Assembly, Windsor, Ontario (Canada)	Multi-purpose vehicle	116.3 (2954)	198.9 (5052)	Two rows 56.5/57.2 Three rows 56.2/55/32.7	43.6(a) 13(b) 79.5(f) 92.7(h)(f)	LX 2/3 Touring & Limited 2/2/2
	Drive Layout	  Chrysler Pacifica					
Dodge Caliber	Belvidere Assembly, Belvidere, Illinois	Sport tourer	103.7 (2635)	173.8 (4414)	52.4/42.8	18.5(e) 48(d)	2/3
	Drive Layout	  Dodge Caliber					
Dodge Caliber SRT4	Belvidere Assembly, Belvidere, Illinois	Five-door hatchback	103.7 (2635)	173.8 (4414)	52.4/42.8	18.5(e) 48(d)	2/3
	Drive Layout	 Dodge Caliber SRT4					
Dodge Magnum	Brampton Assembly, Brampton, Ontario (Canada)	Sport tourer	120 (3048)	197.7 (5021)	55/50.9	27.2(e) 71.6(d)	2/3
	Drive Layout	  Dodge Magnum					
Dodge Magnum SRT8	Brampton Assembly, Brampton, Ontario (Canada)	Sport tourer	120 (3048)	197.7 (5021)	55/50.9	27.2(e) 71.6(d)	2/2
	Drive Layout	 Dodge Magnum SRT8					









Vehicle	Manufacturing Facility	Body Style	Wheelbase— Inches (mm)	Overall Length— Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R
PASSENGER MINIVANS							
Chrysler Town & Country	Windsor Assembly, Windsor, Ontario (Canada); St. Louis South Assembly, Fenton, Missouri;	Multipurpose vehicle	121.2 (3078.2)	202.5 (5142.5)	LX — 58.7/53.4/51.1 — Touring & LTD 58.7/54.0/43.2	LX — 144.4 (4.1) Touring & LTD 140.6 (4.0)	2/2/3
	Drive Layout  Chrysler Town & Country LWB						
Dodge Grand Caravan	Windsor Assembly, Windsor, Ontario (Canada); St. Louis South Assembly, Fenton, Missouri	Multipurpose vehicle	121.2 (3078.2)	202.5 (5142.5)	SE — 58.7 (1.7)/53.4/51.1 (1.4) SXT — 58.7 (1.7)/54.0 (1.53)/43.2 (1.2)	SE — 144.4 (4.1) SXT — 140.6 (4.0)	2/2/3
	Drive Layout  Dodge Grand Caravan						
SPORT-UTILITY VEHICLE (SUV)							
Chrysler Aspen	Newark Assembly, Newark, Delaware	Four-door sport-utility vehicle	119.2 (3027)	200.8 (5101)	58/50.6/46.5	19.0(b) 67.25(a) 102.4(g)	Standard— 2/3/2 Optional— 2/3/3 or 2/2/3
	Drive Layout  Chrysler Aspen  Chrysler Aspen						
Jeep® Commander	Jefferson North Assembly, Detroit, Michigan Magna Steyr, Graz, Austria	Four-door sport-utility vehicle	109.5 (2781)	188.5 (4787)	68.5/36.3/7.5	68.9(k)(d) 36.4(d) 7.5(b)	2/3/2
	Drive Layout  Jeep Commander  Jeep Commander						









Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R
SPORT-UTILITY VEHICLE (SUV) (CONT.)							
Jeep® Compass	Belvidere Assembly, Belvidere, Illinois	Five-door sport-utility vehicle	103.7 (2635)	173.4 (4404)	52.2/49.1	53.6(d)	2/3
	Drive Layout   Jeep Compass Jeep Compass						
Jeep® Grand Cherokee	Jefferson North Assembly, Detroit, Michigan; Magna Steyr, Graz, Austria	Four-door sport-utility vehicle	109.5 (2781)	186.6 (4740.5)	58.02/50.84	34.5(b) 67.4(k)(d)	2/3
	Drive Layout   Jeep Grand Cherokee Jeep Grand Cherokee						
Jeep® Grand Cherokee SRT8	Jefferson North Assembly, Detroit, Michigan; Magna Steyr, Graz, Austria	Four-door sport-utility vehicle	109.5 (2781)	195.1 (4953.3)	58.02/50.84	34.5(b) 67.4(k)(d)	2/3
	Drive Layout  Jeep Grand Cherokee SRT8						
Jeep® Liberty	Toledo North Assembly, Toledo, Ohio	Four-door sport-utility vehicle	106.1 (2694.4)	176.9 (4492.9)	54.05/50.74	31.2 64.6	2/3
	Drive Layout   Jeep Liberty Jeep Liberty						
Jeep® Patriot	Belvidere Assembly, Belvidere, Illinois	Five-door sport-utility vehicle	103.7 (2635)	173.6 (4409.5)	52.6/49.1	54.2(d)	2/3
	Drive Layout   Jeep Patriot Jeep Patriot						

Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R
SPORT-UTILITY VEHICLE (SUV) (CONT.)							
Jeep® Wrangler	Toledo Assembly, Toledo, Ohio	Two-door sport-utility vehicle	95.4 (2424)	152.8 (3881)	54.6/48.3	56.5 — rear seat installed 58.3 — rear 61.2 rear seat removed 17.15 behind rear seat	2/2
	Drive Layout	 Jeep Wrangler					
Jeep® Wrangler Unlimited	Toledo Assembly, Toledo, Ohio	Four-door sport-utility vehicle	116.0 (2946)	173.4 (4404)	54.6/ 49.4	86.75 — rear seat folded 46.43 — rear seat upright	2/3
	Drive Layout	 Jeep Wrangler Unlimited	 Jeep Wrangler Unlimited				
Dodge Durango	Newark Assembly, Newark, Delaware	Four-door, sport-utility vehicle	119.2 (3027)	200.8 (5101)	58/50.6/46.5	20.1(b) 68.4(a)(d) 102.4(g)(f)	Standard— 2/3 Optional— 2/3/3 or 2/2/3
	Drive Layout	 Dodge Durango	 Dodge Durango				
Dodge Nitro	Toledo North Assembly, Toledo, Ohio	Four-door, sport-utility vehicle	108.8 (2763)	178.9 (4544)	54.8/47.7	32.1(b) 65.2(d) 75.6(f)	2/3
	Drive Layout	 Dodge Nitro	 Dodge Nitro				

Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R
TRUCK							
Dodge Dakota	“Dodge City” Warren Truck Assembly, Warren, Michigan	Extended Cab and Crew Cab pickups	131.3 (3335.3)	218.8 (5558.2)	Extended Cab 55.3/39 Crew Cab 55.8/46.5	Cargo box volume 46.6 — Extended Cab 38.2 — Crew Cab Cab cargo volume(e) 30 — Club Cab 37.1 — Quad Cab	Extended Cab 2 or 3/0 or 2
							Crew Cab 2 or 3/3
		Drive Layout					
							
Dodge Ram 1500	Reg/Quad: St. Louis North Assembly, Fenton, Missouri, MO; Quad: “Dodge City” Warren Truck Assembly, Warren, MI;	Regular Cab and Quad Cab® pickups	Regular Cab 120.5 — 6.3 ft. box 140.5 — 8 ft. box	Regular Cab 207.7 — 6.3 ft. box 229.7 — 8 ft. box	Regular Cab 65.2/- Quad Cab 64.9/56.7	60.9 — 6.3 ft. box 74.9 — 8 ft. box	Regular Cab 3/- Quad Cab 3/3
			Quad Cab 140.5 — 6.3 ft. box 160.5 — 8 ft. box	Quad Cab 227.7 — 6.3 ft. box 249.7 — 8 ft. box			
		Drive Layout					
							

Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R	
TRUCK (Cont.)								
Dodge Ram 2500, 3500	St. Louis North Assembly, Fenton, Missouri; Saltillo Assembly, Saltillo, Mexico	Regular Cab and Quad Cab® pickups	Regular Cab 140.5 — 2WD and 4WD	Regular Cab 229.7	Regular Cab 65.2/-	60.9 — 6.3 ft. box 74.9 — 8 ft. box	Regular Cab 3/-	
			Quad Cab 140.5 — 2WD and 4WD 2500 and 3500, 6.3 ft. box 160.5 — 2WD and 4WD 2500 and 3500, 8 ft. box	Quad Cab 227.7 — 6.3 ft. box 249.7 — 8 ft. box	Quad Cab 64.9/56.7		Quad Cab 3/3	
			Drive Layout					
			 Ram 2500/3500 Reg. Cab  Ram 2500/3500 Reg. Cab  Ram 3500 Reg. Cab DRW  Ram 3500 Reg. Cab DRW  Ram 3500 Quad Cab DRW  Ram 2500/3500 Quad Cab  Ram 2500/3500 Quad Cab  Ram 3500 Quad Cab DRW					
Dodge Ram Power Wagon	Saltillo Assembly, Saltillo, Mexico; St. Louis North Assembly, Fenton, Missouri	Regular Cab and Quad Cab® pickup	140.5	Regular Cab 229.7	Regular Cab 65.2/-	Regular Cab 60.9 — 6.3 ft. box	Regular Cab — 3/-	
				Quad Cab 227.7	Quad Cab 64.9/56.7	Quad Cab 74.9 — 8 ft. box	Quad Cab — 3/3	
			Drive Layout					
			 Ram Power Wagon Regular Cab  Ram Power Wagon Quad Cab					
Dodge Ram Mega Cab	Saltillo Assembly, Saltillo, Mexico	Mega Cab	4x2 — 160.5 4x4 — 160.3	247.7	64.8/68.9	Interior: 7.7 (b) 71(k) Cargo Box: 60.9	3/3	
			Drive Layout					
			 Dodge Ram Mega Cab  Dodge Ram Mega Cab  Dodge Ram Mega Cab DRW  Dodge Ram Mega Cab DRW					

Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R	
COMMERCIAL VEHICLES								
Dodge Ram 3500 Chassis Cab	Saltillo Assembly, Saltillo, Mexico	Chassis Cab	Regular Cab 143.5 — 2WD and 4WD, short; 167.5 — 2WD and 4WD, long	Regular Cab 234.3, 2WD and 4WD, short; 258.3, — 2WD and 4WD, long	Regular Cab 64.8 Quad Cab 65.1/56.6	NA	Regular Cab 3/- Quad Cab 3/3	
			Quad Cab 163.5 — 2WD and 4WD	Quad Cab 254.3, 2WD and 4WD				
			Drive Layout  Dodge Ram 3500 Chassis Cab  Dodge Ram 3500 Chassis Cab  Dodge Ram 3500 Chassis Cab  Dodge Ram 3500 Chassis Cab					
Dodge Grand Caravan CV	St. Louis South Assembly, Fenton, Missouri	Multipurpose Vehicle	Grand Caravan CV 119.3 (3030)	Grand Caravan CV 200.5 (5093)	Grand Caravan CV 58.2	Grand Caravan 167.9	2	
			Drive Layout  Dodge Grand Caravan CV					
Dodge Ram 2500/3500 Box-Off	Saltillo Assembly, Saltillo, Mexico; St. Louis North Assembly, Fenton, Missouri	Regular Cab and Quad Cab®	Regular Cab 140.5 — 2WD; 140.5 — 4WD Quad Cab 140.5 — 2WD and 4WD, short; 160.5 — 2WD and 4WD, long	Regular Cab — 229.7, 4WD Quad Cab — 227.7, 2WD and 4WD, short; 249.7, 2WD and 4WD, long	Regular Cab — 65.2 Quad Cab — 64.92/56.7	NA	Regular Cab — 3/- Quad Cab — 3/3	
			Drive Layout  Dodge Ram 2500/3500 Box-Off  Dodge Ram 2500/3500 Box-Off  Dodge Ram 2500/3500 Box-Off  Dodge Ram 2500/3500 Box-Off					

Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R
COMMERCIAL VEHICLES (Cont.)							
Dodge Ram 4500/5500 Chassis Cab	Saltillo Assembly, Saltillo, Mexico	Chassis Cab	Regular Cab — 2WD/4WD 144.5 — 60 CA 168.5 — 84 CA 192.5 — 108 CA 204.5 — 120 CA Quad Cab — 2WD/4WD 164.5 — 60 CA 188.5 — 84 CA	Regular Cab — 2WD/4WD 235.3 — 60 CA 259.3 — 84 CA 283.3 — 108 CA 295.3 — 120 CA	Regular Cab — 64.8 Quad Cab — 65.1/56.6	N/A	Regular Cab — 3/- Quad Cab — 3/3
		Drive Layout	 Dodge Ram 4500/5500 Chassis Cab (2WD and 4WD)	 Dodge Ram 4500/5500 Chassis Cab (2WD and 4WD)	 Dodge Ram 4500/5500 Chassis Cab (2WD and 4WD)		
			 Dodge Ram 4500/5500 Chassis Cab (2WD and 4WD)	 Dodge Ram 4500/5500 Chassis Cab (2WD and 4WD)	 Dodge Ram 4500/5500 Chassis Cab (2WD and 4WD)		
Dodge Sprinter	Dusseldorf, and Ludwigsfeld, Germany; Ladson, South Carolina (Cargo Van)	Full-size Passenger and Cargo vans, Chassis Cab	144, 170, 178 Extended	Passenger and Cargo 233, 273, 289 Chassis Cab 3500 — 240, 270	NA	2500 — 318 — 144 in. 2500 and 3500 High Roof 371 — 144 in. 494 — 170 in. 547 — 170 ext. 2500 Mega Roof 530 — 170 ext 3500 Mega Roof 600 — 170 ext.	Passenger 2/3/3/4 2/3/2/3 2/2/2/3 2/3/2 Cargo 2/3/5 Chassis 2/3
		Drive Layout	 Dodge Sprinter Passenger Van	 Dodge Sprinter Cargo Van	 Dodge Sprinter Chassis Cab		

- (a) Aft of intermediate seat
(b) Aft of rear seat
(c) Seats removed
(d) Rear seats folded
(e) Rear seats up

- (f) All seats folded
(g) Behind first-row seat
(h) Two-row, five-passenger Chrysler Pacifica LX
(i) Seats folded in the floor
(j) Rear seat out
(k) Second-row seat stored