






'07

CO


Vehicle	Manufacturing Facility	Body Style	Wheelbase— Inches (mm)	Overall Length— Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R
PASSENGER CARS							
Chrysler 300	Brampton Assembly, Brampton, Ontario (Canada)	Four-door sedan	120 (3048) 126 (3200) LWB Pkg.	196.8 (4999) 202.8 (5151) LWB Pkg.	55.6/51 55.6/61.2 LWB Pkg.	15.6	2/3
		Drive Layout	 Chrysler 300	 Chrysler 300	 Chrysler 300 LWB		
Chrysler 300 SRT8	Brampton Assembly, Brampton, Ontario (Canada)	Four-door sedan	120 (3048)	196.8 (4999)	55.6/51	15.6	2/3
		Drive Layout	 Chrysler 300 SRT8				
Chrysler Crossfire	Karmann, Osnabrück, Germany	Sports Coupe and Roadster	94.5 (2400)	159.8 (4058)	Coupe – 48 Roadster – 48.6	Coupe – 7.6 Roadster with top up – 6.5 Roadster with top down – 3.6	2
		Drive Layout	 Chrysler Crossfire Coupe	 Chrysler Crossfire Roadster			
Chrysler PT Cruiser	Toluca Assembly, Toluca (Mexico)	Four-door multi-purpose hatchback	103 (2616)	168.9 (4290)	49.6/49.3	21.6(b) 62.7(j)	2/3
		Drive Layout	 Chrysler PT Cruiser				












Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R
SPORT TOURER							
Chrysler Pacifica	Windsor Assembly, Windsor, Ontario (Canada)	Multi-purpose vehicle	116.3 (2954)	198.9 (5052)	Two rows 56.5/57.2 Three rows 56.2/55/32.7	43.6(a) 13(b) 79.5(f) 92.7(h)(f)	2/3 Touring & Limited 2/2/2
	Drive Layout	 					
		Chrysler Pacifica	Chrysler Pacifica				
Dodge Caliber	Belvidere Assembly, Belvidere, Illinois	Sport tourer	103.7 (2635)	173.8 (4414)	52.4/42.8	18.5(e) 48(d)	2/3
	Drive Layout	 					
		Dodge Caliber	Dodge Caliber				
Dodge Caliber SRT4	Belvidere Assembly, Belvidere, Illinois	Five-door hatchback	103.7 (2635)	173.8 (4414)	52.4/42.8	18.5(e) 48(d)	2/3
	Drive Layout						
		Dodge Caliber SRT4					
Dodge Magnum	Brampton Assembly, Brampton, Ontario (Canada)	Sport tourer	120 (3048)	197.7 (5021)	55/50.9	27.2(e) 71.6(d)	2/3
	Drive Layout	 					
		Dodge Magnum	Dodge Magnum				
Dodge Magnum SRT8	Brampton Assembly, Brampton, Ontario (Canada)	Sport tourer	120 (3048)	197.7 (5021)	55/50.9	27.2(e) 71.6(d)	2/2
	Drive Layout						
		Dodge Magnum SRT8					










Vehicle	Manufacturing Facility	Body Style	Wheelbase— Inches (mm)	Overall Length— Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R
PASSENGER MINIVANS							
Chrysler Town & Country	Windsor Assembly, Windsor, Ontario (Canada); St. Louis South Assembly, Fenton, Missouri; Magna Steyr, Graz, Austria	Multipurpose vehicle	SWB — 113.3 (2878) — LWB — 119.3 (3030) —	SWB — 189.3 (4808) — LWB — 200.5 (5095) —	SWB — 55.9/54.3/43.2 — LWB — 58.2/51.5/41.0 w/ Stow 'n Go™ seating	SWB — 72.0(a), 23.5(b) 129.0(c) LWB— 85.9 (a), 32.5(b), 144.2 (i) w/ Stow 'n Go™ seating	2/2/3
Drive Layout							
		Chrysler Town & Country SWB		Chrysler Town & Country LWB			
Dodge Caravan/Grand Caravan	Windsor Assembly, Windsor, Ontario (Canada); St. Louis South Assembly, Fenton, Missouri	Multipurpose vehicle	Caravan — 113.3 (2878) Grand Caravan — 119.3 (3030)	Caravan — 189.3 (4808) Grand Caravan — 200.5 (5093)	Caravan — 55.9/53.7/43.2 Grand Caravan — 58.2/51.5/41	Caravan — 72.0(a), 23.5(b), 129.0(c) Grand Caravan w/ Stow 'n Go Seating — 85.9(a), 32.5(b), 144.2(i)	2/2/3
Drive Layout							
		Dodge Caravan		Dodge Grand Caravan			
SPORT-UTILITY VEHICLE (SUV)							
Chrysler Aspen	Newark Assembly, Newark, Delaware	Four-door sport-utility vehicle	119.2 (3027)	200.8 (5101)	58/50.6/46.5	19.0(b) 67.25(a) 102.4(g)	Standard— 2/3/2 Optional— 2/3/3 or 2/2/3
Drive Layout							
		Chrysler Aspen		Chrysler Aspen			
Jeep® Commander	Jefferson North Assembly, Detroit, Michigan Magna Steyr, Graz, Austria	Four-door sport-utility vehicle	109.5 (2781)	188.5 (4787)	68.5/36.3/7.5	68.9(k)(d) 36.4(d) 7.5(b)	2/3/2
Drive Layout							
		Jeep Commander		Jeep Commander			


Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R
SPORTS-UTILITY VEHICLE (SUV) (CONT.)							
Jeep® Compass	Belvidere Assembly, Belvidere, Illinois	Five-door sport-utility vehicle	103.7 (2635)	173.4 (4405)	52.2/49.1	53.6(d)	2/3
	Drive Layout   Jeep Compass Jeep Compass						
Jeep® Grand Cherokee	Jefferson North Assembly, Detroit, Michigan; Magna Steyr, Graz, Austria	Four-door sport-utility vehicle	109.5 (2781)	186.6 (4740.5)	58.02/50.84	34.5(b) 67.4(k)(d)	2/3
	Drive Layout   Jeep Grand Cherokee Jeep Grand Cherokee						
Jeep® Grand Cherokee SRT8	Jefferson North Assembly, Detroit, Michigan; Magna Steyr, Graz, Austria	Four-door sport-utility vehicle	109.5 (2781)	195.1 (4953.3)	58.02/50.84	34.5(b) 67.4(k)(d)	2/3
	Drive Layout  Jeep Grand Cherokee SRT8						
Jeep® Liberty	Toledo North Assembly, Toledo, Ohio	Four-door sport-utility vehicle	104.3 (2649)	174.4 (4430) to spare tire	54.4/49.3	31.0 — rear seat up 69.0 — rear seat folded	2/3
	Drive Layout   Jeep Liberty Jeep Liberty						
Jeep® Patriot	Belvidere Assembly, Belvidere, Illinois	Five-door sport-utility vehicle	103.7 (2635)	173.6 (4411)	52.6/49.1	54.2(d)	2/3
	Drive Layout   Jeep Patriot Jeep Patriot						

Vehicle	Manufacturing Facility	Body Style	Wheelbase—Inches (mm)	Overall Length—Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume —cu. ft.	Seating Capacity F/R
SPORTS-UTILITY VEHICLE (SUV) (CONT.)							
Jeep® Wrangler	Toledo Assembly, Toledo, Ohio	Two-door sport-utility vehicle	95.4 (2424)	152.8 (3881)	54.6/48.3	56.5 — rear seat installed 58.3 — rear 61.2 rear seat removed 17.15 behind rear seat	2/2
Drive Layout  Jeep Wrangler							
Jeep® Wrangler Unlimited	Toledo Assembly, Toledo, Ohio	Four-door sport-utility vehicle	116.0 (2946)	173.4 (4404)	54.6/ 49.4	86.75 — rear seat folded 46.43 — rear seat upright	2/3
Drive Layout  Jeep Wrangler Unlimited  Jeep Wrangler Unlimited							
Dodge Durango	Newark Assembly, Newark, Delaware	Four-door, sport-utility vehicle	119.2 (3027)	200.8 (5101)	58/50.6/46.5	20.1(b) 68.4(a)(d) 102.4(g)(f)	Standard— 2/3 Optional— 2/3/3 or 2/2/3
Drive Layout  Dodge Durango  Dodge Durango							
Dodge Nitro	Toledo North Assembly, Toledo, Ohio	Four-door, sport-utility vehicle	108.8 (2763)	178.9 (4544)	54.8/47.7	32.1(b) 65.2(d) 75.6(f)	2/3
Drive Layout  Dodge Nitro  Dodge Nitro							

Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R
TRUCK							
Dodge Dakota	“Dodge City” Warren Truck Assembly, Warren, Michigan	Club Cab® and Quad Cab® pickups	131.3 (3335.3)	218.8 (5558.2)	Club Cab 55.3/39 Quad Cab 55.8/46.5	Cargo box volume 46.6 — Club Cab 38.2 — Quad Cab Cab cargo volume(e) 30 — Club Cab 37.1 — Quad Cab	Club Cab 2 or 3/0 or 2 Quad Cab 2 or 3/3
	Drive Layout	 Dodge Dakota Club Cab	 Dodge Dakota Club Cab	 Dodge Dakota Quad Cab	 Dodge Dakota Quad Cab		
Dodge Ram 1500	Reg/Quad: St. Louis North Assembly, Fenton, Missouri, MO; Quad: “Dodge City” Warren Truck Assembly, Warren, MI;	Regular Cab and Quad Cab® pickups	Regular Cab 120.5 — 6.3 ft. box 140.5 — 8 ft. box Quad Cab 140.5 — 6.3 ft. box 160.5 — 8 ft. box	Regular Cab 207.7 — 6.3 ft. box 229.7 — 8 ft. box Quad Cab 227.7 — 6.3 ft. box 249.7 — 8 ft. box	Regular Cab 65.2/- Quad Cab 64.9/56.7	60.9 — 6.3 ft. box 74.9 — 8 ft. box	Regular Cab 3/- Quad Cab 3/3
	Drive Layout	 Ram 1500 Pickup	 Ram 1500 Pickup	 Ram 1500 Quad Cab	 Ram 1500 Quad Cab		

Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R
TRUCK (Cont.)							
Dodge Ram 2500, 3500	St. Louis North Assembly, Fenton, Missouri; Saltillo Assembly, Saltillo, Mexico	Regular Cab and Quad Cab® pickups	Regular Cab 140.5 — 2WD 2500, 3500 140.5 — 4WD 2500, 3500 Quad Cab 140.5 — 2WD and 4WD 2500 and 3500, 6.3 ft. box 160.5 — 2WD and 4WD 2500 and 3500, 8 ft. box	Regular Cab 229.7 Quad Cab 227.7 — 6.3 ft. box 249.7 — 8 ft. box	Regular Cab 65.2/- Quad Cab 64.9/56.7	60.9 — 6.3 ft. box 74.9 — 8 ft. box	Regular Cab 3/- Quad Cab 3/3
Drive Layout		 Ram 2500/3500 Reg. Cab	 Ram 2500/3500 Reg. Cab				
		 Ram 3500 Reg. Cab DRW	 Ram 3500 Reg. Cab DRW	 Ram 3500 Quad Cab DRW			
		 Ram 2500/3500 Quad Cab	 Ram 2500/3500 Quad Cab	 Ram 3500 Quad Cab DRW			
Dodge Ram Power Wagon	Saltillo Assembly, Saltillo, Mexico; St. Louis North Assembly, Fenton, Missouri	Regular Cab and Quad Cab® pickup	140.5	Regular Cab 229.7 Quad Cab 227.7	Regular Cab 65.2/- Quad Cab 64.9/56.7	Regular Cab 60.9 — 6.3 ft. box Quad Cab 74.9 — 8 ft. box	Regular Cab — 3/- Quad Cab — 3/3
Drive Layout		 Ram Power Wagon Regular Cab	 Ram Power Wagon Quad Cab				
Dodge Ram Mega Cab	Saltillo Assembly, Saltillo, Mexico	Mega Cab	4x2 — 160.5 4x4 — 160.3	247.7	64.8/68.9	Interior: 7.7 (b) 71(k) Cargo Box: 60.9	3/3
Drive Layout		 Dodge Ram Mega Cab	 Dodge Ram Mega Cab				
		 Dodge Ram Mega Cab DRW	 Dodge Ram Mega Cab DRW				

Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R	
COMMERCIAL VEHICLES								
Dodge Ram 3500 Chassis Cab	Saltillo Assembly, Saltillo, Mexico;	Chassis Cab	Regular Cab 143.5 — 2WD and 4WD, short; 167.5 — 2WD and 4WD, long	Regular Cab 234.6, 2WD and 4WD, short; 258.3, — 2WD and 4WD, long	Regular Cab 64.9	NA	Regular Cab 3/-	
			Quad Cab 163.5 — 2WD and 4WD	Quad Cab 254.3, 2WD and 4WD	Quad Cab 65.1/56.6		Quad Cab 3/3	
			Drive Layout					
								
		Dodge Ram 3500 Chassis Cab		Dodge Ram 3500 Chassis Cab				
								
		Dodge Ram 3500 Chassis Cab		Dodge Ram 3500 Chassis Cab				
Dodge Caravan/Grand Caravan CV	St. Louis South Assembly, Fenton, Missouri	Multipurpose Vehicle	Caravan 113.3 (2878) Grand Caravan 119.3 (3030)	Caravan 189.3 (4808) Grand Caravan 200.5 (5093)	Caravan — 55.9 Grand Caravan — 58.2	Caravan with seats removed — 142.3 Grand Caravan with rear seats removed — 167.9	2	
			Drive Layout					
								
		Dodge Caravan CV		Dodge Grand Caravan CV				
Dodge Ram 2500/3500 Box-Off	Saltillo Assembly, Saltillo, Mexico; St. Louis North Assembly, Fenton, Missouri	Regular Cab and Quad Cab®	Regular Cab 140.5 — 2WD; 140.5 — 4WD Quad Cab 140.5 — 2WD and 4WD, short; 160.5 — 2WD and 4WD, long	Regular Cab — 229.7, 2WD; 229.7, 4WD Quad Cab — 227.7, 2WD and 4WD, short; 249.7, 2WD and 4WD, long	Regular Cab — 65.2 Quad Cab — 64.92/56.7	NA	Regular Cab — 3/- Quad Cab — 3/3	
			Drive Layout					
								
		Dodge Ram 2500/3500 Box-Off		Dodge Ram 2500/3500 Box-Off				
								
		Dodge Ram 2500/3500 Box-Off		Dodge Ram 2500/3500 Box-Off				

Vehicle	Manufacturing Facility	Body Style	Wheelbase — Inches (mm)	Overall Length — Inches (mm)	SAE Interior Volume F/R cu. ft.	SAE Cargo Volume — cu. ft.	Seating Capacity F/R			
COMMERCIAL VEHICLES (Cont.)										
Dodge Sprinter	Dusseldorf, Germany; Gaffney, South Carolina (Cargo Van and Chassis Cab only)	Full-size Passenger and Cargo vans, Chassis Cab	118, 140, 158	Passenger and Cargo 197, 225, 263 Chassis Cab 2500 — 218, 248 3500 — 232, 261	NA	286 — 118 in. wheelbase 367 — 140 in. wheelbase 473 — 158 in. wheelbase	Cargo, Chassis Cab 2/3/3 — 118, 2/3/2/3 — 140, 2 Cargo 2/3/2/3 — 158, 2			
Drive Layout										
		Dodge Sprinter Passenger Van	Dodge Sprinter Cargo Van		Dodge Sprinter Chassis Cab					

- (a) Aft of intermediate seat

(b) Aft of rear seat

(c) Seats removed

(d) Rear seats folded

(e) Rear seats up
- (f) All seats folded

(g) Behind first-row seat

(h) Two-row, five-passenger Chrysler Pacifica

(i) Seats folded in the floor

(j) Rear seat out

(k) Second-row seat stored