

20TH ANNIVERSARY OF THE MINIVAN: DODGE CARAVAN IS STILL THE WORLD'S BEST-SELLING MINIVAN

Twenty years ago, the first Dodge Caravan was driven off of the assembly line at the Chrysler Group's Windsor Assembly Plant in Ontario, Canada. Two decades and 10 million minivan sales later, Dodge Caravan is still the world's best-selling minivan.

"We've been building the world's best-selling minivans for the past 20 years and we're still at the top of the segment that we created," said Darryl Jackson, Vice President — Dodge Brand, DaimlerChrysler Corporation. "Over the past two decades, our company has sold more than 10 million minivans worldwide. We plan to build on our leadership by continuing to offer even more minivan-first features."

Five versions of Dodge Caravan are available for the 2004 model year, including two standard-wheelbase and three extended-wheelbase models. Standard-wheelbase minivan models include Dodge Caravan SE and Dodge Caravan SXT. Extended-wheelbase models include Dodge Grand Caravan SE, Dodge Grand Caravan SXT and Dodge Grand Caravan SXT All-Wheel Drive (AWD). Also available are Cargo Van versions of the Caravan and Grand Caravan.

NEW FEATURES FOR 2004

To celebrate 20 years of minivan leadership, Dodge will offer a limited Anniversary Edition model based on the Dodge Grand Caravan SXT. This special model will offer unique Anniversary Edition badging, unique two-tone leather seating, six-disc CD/DVD changer, 16-inch chrome wheels, embroidered anniversary edition floor mats, and a no extra-charge Rear Seat Video® entertainment system.

In addition, the 2004 Dodge Caravan and Dodge Grand Caravan offer the following new features:

Tire Pressure Monitor Warning Lamp. This feature is standard on all minivans with aluminum wheels. The indicator lamp is located on the instrument panel and warns owners if the pressure in any tire falls below the recommended level.

Integrated Key/Remote Keyless/Sentry® Key. This new key fob design consolidates the Sentry Key engine immobilizer key and the remote keyless function buttons into a single fob for greater convenience when unlocking and locking the vehicle.

Updated audio/entertainment packages. The 2004 Dodge Caravan and Grand Caravan audio system lineup features two packages:

AM/FM Six-CD Radio: Includes an AM/FM radio with six-disc CD player integrated directly into the radio

Six-disc CD/DVD Changer: Includes an in-dash six-disc CD/DVD changer with integral audio/video jacks for multi-disc capability with rear-seat video system.

MINIVAN-FIRST FEATURES

The 2004 Dodge Caravan and Grand Caravan continue to lead the market with a variety of minivan-first features including:

- Industry-first power up and down liftgate*
- Industry-first removable, powered center console*
- Power dual sliding doors, allowing for manual override, powered by an industry-first inside-the-door motor*
- Industry-first power sliding door obstacle detection system for opening and closing*
- Minivan-first three-zone automatic temperature control system*
- Minivan-first pop-up rear cargo organizer*
- Minivan-first split 50/50 Easy-Out® roller rear seats

* Extended-wheelbase minivans only.

SAFETY FIRST

Following are safety features to look for in 2004 Dodge Caravan and Dodge Grand Caravan minivans:

- Child Seat Anchor System — LATCH (Lower Anchors and Tethers for CHildren) helps ease the installation of compatible aftermarket child seats
- Available supplemental side impact air bags for front outboard occupants
- Front seat belt system pretensioners and constant-force retractors for added occupant protection
- Head injury protection for occupants in all seating positions
- Automatic transaxle brake-park interlock
- Available security alarm system with Sentry Key® engine immobilizer
- Tire pressure monitoring system

CONTINUED



MINIVAN MARKET FACTS

The minivan market segment remains vibrant. For the 2002 calendar year, the entire minivan market segment totaled 1.4 million sales. Even with more than 15 competitive nameplates from which to choose, Chrysler and Dodge continue to attract approximately 36 percent of the market segment.

Since 1983, the Chrysler Group has sold more than 10 million minivans worldwide, introduced 50 minivan-first features, and earned more than 150 awards industry-wide.

Dodge Caravan and Dodge Grand Caravan are manufactured at DaimlerChrysler plants in St. Louis, Mo., and Windsor, Ontario, Canada.

###





2004 FEATURE HIGHLIGHTS

New model lineup – Caravan SE and SXT; Grand Caravan SE, eX, SXT, SXT AWD; Caravan and Grand Caravan C/V

New AM/FM radio with CD player standard sound system

New AM/FM radio with integrated six-disc CD changer

New exterior colors – Midnight Blue and Deep Molten Red

New interior colors – Khaki and Medium Slate Gray

New interior cloth trim – Vegas

New Grand Caravan Anniversary Edition (late availability)

Rear Entertainment System® now includes a six-disc, in-dash DVD/CD changer

NOTE: The information shown is preliminary and based on data available at the time of publication.

CONTINUED



PRODUCT CHRONOLOGY

2003 MODEL YEAR

eC model discontinued

SE

Adds Remote Keyless Entry and AM/FM stereo radio with cassette and CD player optional

Grand Caravan SE models offer three-zone manual air conditioning

eL

Adds 3.8-liter V-6 engine — Optional

Sport

3.8-liter V-6 included with Grand Caravan Popular Equipment Package

ES

Adds power liftgate, removable center console, Electronic Vehicle Information Center (EVIC), auto dimming mirrors, AM/FM radio with cassette and CD, third-row lamps and grab handles, roof rack, steering wheel radio controls,

16-inch chrome “Ingot” aluminum wheels — Standard

New exterior colors: Satin Jade Pearl Coat, Butane Blue Pearl Coat and Brilliant Black Crystal

New exterior accent colors: Deep Gray and Deep Blue

Power adjustable pedals — Optional on all models (late availability)

Power sun roof — Optional on ES

Rear Seat DVD Entertainment System — Optional on Grand Caravan Sport, ES and eX

Six-disc CD changer replaces four-disc CD changer — Optional on Sport and ES

2002 MODEL YEAR

Grand Caravan SE and eL models added

Four-speed automatic transaxle standard with 2.4-liter engine (October 2001 production)

3.8-liter V-6 engine — Standard on ES

New Grand Caravan ES front fascia with bright inserts

Available front door-only power windows — SE

Available rear seat audio system: AM/FM stereo radio with cassette, CD, wireless rear seat remote control and dual wireless headphones — Sport and ES

Available rear cargo organizer becomes factory option (2001 mid-year introduction)

Available steering wheel radio controls added to the power accessory delay feature — ES

CONTINUED



PRODUCT CHRONOLOGY

2001 MODEL YEAR

Grand Caravan eX model added mid-year
 Refined 3.3-liter and 3.8-liter V-6 engines
 Four-wheel disc anti-lock brakes available on front-wheel-drive models
 Available industry-first power liftgate
 Available power sliding doors with industry-first opening-direction obstacle detection and industry-first in-door motors
 All-new body structure
 Completely redesigned interior — Seats, trim panels, instrument panel and instrument cluster
 Available industry-first removable center console with power outlet
 Available industry-first infrared sensing, three-zone automatic temperature control air conditioning
 Available industry-first three-zone manual temperature control air conditioning
 Intermediate and rear seats include child seat anchorage system — LATCH (Lower Anchors and Tethers for Children)
 Driver and passenger multi-stage air bags(a)
 Available supplemental side-impact air bags for front outboard occupants
 Available security alarm system with Sentry Key® Engine Immobilizer

2000 MODEL YEAR

3.8-liter engine with all-wheel drive meets Low Emission Vehicle (LEV) standards in Northeast Trading Region states
 (a) Certified to federal regulations that allow less forceful air bags. Always use seat belts. Remember, a back seat is the safest place for children.

1999 MODEL YEAR

New Grand Caravan ES model
 3.8-liter engine with AutoStick® transaxle standard on ES
 215/60R17 touring tires and 17-inch Crusader cast-aluminum wheels standard on ES
 ES and SXT appearance upgrade
 SE appearance upgrade
 LE, SE base and front appearance upgrade
 New premium leather seating available on LE and ES
 Next-generation driver air bag(a)
 Child seat available with Quad-Command® seating
 Intermediate and rear-seat head restraints standard on all models

1998 MODEL YEAR

Next-generation passenger air bag(a)
 Flexible Fuel Vehicle (FFV) 3.3-liter V-6 engine available in states that do not adopt California emission regulations

(a) Certified to federal regulations that allow less forceful air bags. Always use seat belts. Remember, a back seat is the safest place for children.

CONTINUED



PRODUCT CHRONOLOGY

1997 MODEL YEAR

Low-speed traction control available
Four-wheel anti-lock disc brakes with all-wheel drive
Enhanced Accident Response System

1996 MODEL YEAR

Completely redesigned body, chassis and interior
2.4-liter, DOHC, 16-valve SMPI V-6 engine
Load-leveling suspension
Second sliding door available
Easy-Out® roller seats

1995 MODEL YEAR

Electronically controlled four-speed automatic overdrive transaxle refined

1994 MODEL YEAR

3.8-liter, OHV, 12-valve SMPI V-6 engine
Passenger air bag(a)

1992 MODEL YEAR

Dual child seats

1991 MODEL YEAR

All-wheel drive
All-new exterior body panels, instrument panel and interior trim

1990 MODEL YEAR

3.3-liter, OHV, 12-valve MPI V-6 engine

1989 MODEL YEAR

Electronically controlled four-speed automatic overdrive transaxle

1988 MODEL YEAR

Heavy-duty trailer tow preparation group

1987 MODEL YEAR

Grand Caravan (119-inch wheelbase) introduced spring 1987
3.0-liter, SOHC, 12-valve MPI engine introduced spring 1987

1984 MODEL YEAR

Initial introduction

(a) Certified to federal regulations that allow less forceful air bags. Always use seat belts. Remember, a back seat is the safest place for children.

CONTINUED



MARKET POSITION

With its bold styling and innovative features, Dodge Caravan is the world's best-selling minivan and has been for the past 20 years. Dodge sells more than 300,000 Caravans annually, and has a 20 percent market share in the segment – the highest of any nameplate.

Dodge Caravan is perfect for customers looking to get into a sporty minivan at an affordable price. For the customer who wants even more equipment in their Caravan or Grand Caravan, Dodge continues to offer a variety of standard- and extended-wheelbase models at various price points.

Since 1983, the Chrysler Group has sold more than 10 million minivans worldwide, introduced 50 minivan-first features, and earned more than 150 awards industry-wide.

MARKET ADVANTAGES

From standard- to extended-wheelbase models, Dodge, the minivan sales leader, continues to offer a broad range of customer choices in the minivan market, including front- and all-wheel-drive models, versatile seating configurations, multiple powertrain choices, even more new minivan-first features and a variety of price levels.

CONTINUED



CARAVAN FEATURE AVAILABILITY

	Cargo Van	SE	SXT
EXTERIOR			
Air Dam Front _____	S	S	S
Badges			
“Dodge,” bright on lower left of liftgate; Ram’s head, center mounted on front fascia;			
“Caravan” top center over lightbar _____	S	S	S
“C/V” on lower right of liftgate _____	S	—	—
“SE” on lower right of liftgate _____	—	S	—
“SXT” on lower right of liftgate _____	—	—	S
Colors _____			
Bright Silver Metallic, Inferno Red Tinted Pearl Coat, Midnight Blue Pearl Coat or Stone White ____	O	O	O
Butane Blue Pearl Coat, Deep Molten Red Pearl Coat, Onyx Green Pearl Coat, Light Almond Pearl Metallic (SXT only) or Satin Jade Pearl Coat _____	—	O	O
Door Handles, Front and Side			
Black _____	S	S	—
Body color _____	—	—	S
Doors			
Driver and passenger side sliding doors (no glass) _____	S	—	—
Driver and passenger side sliding doors (no glass on driver side, fixed glass on passenger side) _	O	—	—
Driver and passenger side sliding doors with fixed glass _____	—	S	S
Passenger side power sliding _____	—	—	O
Fascias, front and rear			
Accent color _____	S	S	—
Body color _____	—	—	S
Glass			
Tinted _____	S	S	—
Sunscreen (included with SE Popular Equipment Group) _____	—	P	S
License Plate Brow			
Black _____	S	S	—
Body color _____	—	—	S
Mirrors			
Dual, folding _____	S	S	—
Dual folding, power, heated (included in Cargo Van Power Convenience Group) _____	P	—	S
Molding, Bodyside (accent color) _____	S	S	S
Roof Rack, Black (included in SXT Popular Equipment Group) _____	O	O	O/P
Scuff Pad — Rear fascia _____	—	—	S
Spat, accent color (body color on SXT with Inferno Red paint) _____	S	S	S
Wipers — Windshield, variable intermittent; liftgate window, intermittent _____	S	S	S

Legend: S = Standard O = Optional P = Available within package or group noted in parentheses O/P = Item is a free-standing option and also in a package or group — = Not Available

CONTINUED



CARAVAN FEATURE AVAILABILITY

	Cargo Van	SE	SXT
INTERIOR			
Bezel, Instrument Panel — Black _____	S	S	S
Cargo Net — Located between front bucket seats _____	S	S	S
Climate Controls			
Air Conditioning, front _____	S	S	—
Air Conditioning, dual-zone manual temperature control _____	—	—	S
Console			
Instrument panel lower open bin with coin holder _____	S	S	S
Overhead with trip computer, reading lamps, compass/temperature display, HomeLink® and storage bin (included with SXT Popular Equipment Group) _____	—	—	P
Defroster — Electric rear window _____	O	O	S
Floor Covering			
Carpets, passenger and cargo area, 12 oz. _____	—	S	S
Floor mats — Front and rear _____	—	S	S
Floor mats — Rubber, front, with plastic rear cargo area cover _____	S	—	—
Grocery Bag Hooks — Rear seatback _____	—	S	S
Instrument Cluster			
Speedometer, fuel and temperature gauges _____	S	S	S
Lamps			
Front courtesy (not available with overhead console), Rear dome _____	S	S	S
Liftgate flood, single _____	S	S	S
Overhead console courtesy (included with SXT Popular Equipment Group, replaces front courtesy) _____	—	—	P
Mirrors			
Visor/vanity _____	S	S	S
Illuminated visor/vanity mirrors (included in SXT Popular Equipment Group) _____	—	—	P
Rearview, day/night _____	S	S	S
Pedals — Power adjustable _____	—	O	O
Power Outlets, front and rear, 12-volt _____	S	S	S
Seating, front			
High-back bucket _____	—	S	S
Low-back reclining bucket (included with supplemental side air bags or power driver seat) _____	S	P	P
Power eight-way driver's seat (included in SXT Popular Equipment Group; includes low back bucket seats) _____	—	—	P
Seating, intermediate and rear			
Deluxe intermediate and rear bench _____	—	S	—
Intermediate buckets and rear split bench (included with SXT Popular Equipment Group) _____	—	—	P
Intermediate buckets and rear bench _____	—	—	S
Intermediate buckets with one integrated child seat and rear split bench _____	—	—	O
Deluxe intermediate bench with two integrated child seats and rear bench _____	—	O	—
Easy Out® Roller Seats _____	—	S	S

CONTINUED



CARAVAN FEATURE AVAILABILITY

	Cargo Van	SE	SXT
INTERIOR (CONTINUED)			
Seating Surface – Vegas cloth trim _____	S	S	S
Sound Insulation – Hood pad and rear floor silencer _____	—	S	S
Sound Systems			
AM/FM stereo radio with CD player _____	S	S	—
AM/FM stereo radio with cassette and CD player _____	—	O	S
AM/FM stereo radio with six-disc in-dash CD changer _____	—	—	O
Speakers _____		—	O
Two _____	S	—	—
Four _____	—	S	—
Six (included with cassette/CD player radio) _____	—	P	S
Speed Control – Electronic with steering wheel-mounted controls (included with Deluxe Convenience Group) _____	P	P	S
Steering Column – Tilt (included with Deluxe Convenience Group) _____	P	P	S
Steering Wheel – Luxury, with Dodge emblem _____	S	S	S
Storage			
Drawer – Under front passenger seat, lockable _____	S	S	S
Open Bin, lower center stack _____	S	S	S
Sun Visors, cloth with vanity mirrors _____	S	S	S
Windows			
Power front (in Power Convenience Group) _____	P	P	—
Power front and rear quarter vents _____	—	—	S
POWERTRAIN AND CHASSIS			
2.4-liter I-4 engine and four-speed automatic transaxle _____	—	S	—
3.3-liter V-6 engine and four-speed automatic transaxle _____	S	—	S
Brakes			
Power front disc/rear drum _____	—	S	S
Power four-wheel disc _____	S	—	—
Four-wheel anti-lock _____	S	—	O
Engine Block Heater _____	O	O	O
Suspension			
Commercial wagon _____	S	—	—
Normal duty _____	—	S	S
Tire, Spare			
Compact _____	—	S	S
Full-size _____	S	—	—
	Cargo Van	SE	SXT

CONTINUED



CARAVAN FEATURE AVAILABILITY

POWERTRAIN AND CHASSIS (CONTINUED)

Tires			
215/65R16 LBL black sidewall all-season _____	S	—	S
215/70R15 black sidewall all-season _____	—	S	—
Wheels/Wheel Covers			
Cache wheel covers with 16-inch steel wheels _____	S	—	—
Crossfire wheel covers with 15-inch steel wheels _____	—	S	—
Europa 16-inch aluminum wheel _____	—	—	S

SAFETY AND SECURITY

Air Bags			
Next-generation multi-stage front (driver and passenger)(a) _____	S	S	S
Supplemental side for front outboard occupants (includes low-back bucket seats) _____	—	O	O
Brake-Park Interlock — Cannot shift out of Park unless brake pedal is depressed _____	S	S	S
Bumpers — Front and rear, five-mph _____	S	S	S
Door Locks			
Power: Front, sliding and liftgate (included with SE Popular Equipment Group and Power Convenience Group) _____	P	P	S
Sliding door, child protection _____	S	S	S
Headlamps - Halogen _____	S	S	S
Headlamp Off Time Delay (included with Remote Keyless Entry) _____	P	—	S
Horn - Electric, dual-note _____	S	S	S
Head Restraints			
Front, fixed _____	—	S	S
Front, adjustable (included with low-back seats) _____	S	P	P
Intermediate and rear, outboard _____	—	S	S
Illuminated Entry System (included with Remote Keyless Entry) _____	—	P	S
Remote Keyless Entry — Remote with two transmitters, with Sentry Key engine immobilizer (included with Security Group) _____	P	O	S
Restraint Systems			
Seat belts			
Front: Three-point belts with shoulder belt height adjusters, pretensioners and constant force retractors _____	S	S	S
Intermediate: Three-point belts with shoulder belt height adjusters _____	—	S	S
Rear: Three-point belts, outboard; lap belt, center _____	—	S	S
Child Seat Anchor System — LATCH (Lower Anchors and Tethers for CHildren) _____	—	S	S

(a) Certified to federal regulations that allow less forceful air bags. Always use seat belts. Remember, a back seat is the safest place for children.

CONTINUED



CARAVAN FEATURE AVAILABILITY

	Cargo Van	SE	SXT
EQUIPMENT GROUPS			
Deluxe Convenience Group – Speed control and tilt steering column _____	O	—	S
Power Convenience Group – Dual, folding power heated mirrors, power front door windows and power door locks _____	O	—	—
SE Popular Equipment Group – Speed control, power front windows, power door locks and tilt steering column _____	—	O	—
SXT Popular Equipment Group – Overhead console, intermediate bucket seats, rear split bench seat, roof rack, illuminated visor/vanity mirrors and eight-way power driver’s seat _____	—	—	O
Heavy Duty Electrical Group – 160-amp alternator and 600-amp battery _____	O	—	—
Interior Delete Group – Deletes rear quarter trim, C&D pillar trim, and rear floor silencers _____	O	—	—
Security Group – Security Alarm and Remote Keyless Entry _____	O	—	—

(b) Always use seat belts.

CONTINUED



GRAND CARAVAN FEATURE AVAILABILITY

	Grand Caravan Cargo Van	Grand Caravan SE	Grand Caravan SXT	Grand Caravan eX	Grand Caravan SXT AWD
EXTERIOR					
Badges					
"Dodge," bright on lower left of liftgate; Ram's head, center-mounted on front fascia; "Grand Caravan" top center over lightbar _____	S	S	S	S	S
"C/V" on lower right of liftgate _____	S	—	—	—	—
"SE" on lower right of liftgate _____	—	S	—	—	—
"SXT" on lower right of liftgate _____	—	—	S	—	S
"eX" on lower right of liftgate _____	—	—	—	—	—
"All Wheel Drive" on lower right of liftgate _____	—	—	—	—	S
Colors _____					
Bright Silver Metallic, Inferno Red Tinted Pearl Coat, Midnight Blue Pearl Coat and Stone White _____	O	O	O	O	O
Butane Blue Pearl Coat, Deep Molten Red Pearl Coat, Satin Jade Pearl Coat and Onyx Green Pearl Coat, Light Almond Pearl Coat (SXT, eX only) and Brilliant Black Crystal Pearl Coat (SXT, eX only) _____	—	O	O	O	O
Door Handles, Front and Side					
Black _____	S	S	—	—	—
Body color _____	—	—	S	S	S
Doors					
Driver and passenger side sliding doors (no glass) _____	S	—	—	—	—
Driver and passenger side sliding doors (no glass on driver side, fixed glass on passenger side) _____	O	—	—	—	—
Driver and passenger side sliding doors, with fixed glass _____	—	S	S	S	S
Driver-side power sliding door _____	—	—	S	S	S
Passenger-side power sliding door _____	—	—	S	S	S
Fascias					
Painted (body color) _____	S	S	S	S	S
Scuff pad, rear _____	S	S	S	S	S
Fog Lamps _____					
Glass _____	—	—	S	S	S
Tinted _____	S	S	—	—	—
Sunscreen (included with SE Popular Equipment Group) _____	—	O/P	S	S	S
License Plate Brow					
Black _____	S	S	—	—	—
Body color _____	—	—	S	S	S
Liftgate — Power (included in Premium Group) _____	—	—	O/P	O/P	O/P

Legend: S = Standard O = Optional P = Available within package or group noted in parentheses O/P = Item is a free-standing option and also in a package or group — = Not Available

CONTINUED



GRAND CARAVAN FEATURE AVAILABILITY

	Grand Caravan Cargo Van	Grand Caravan SE	Grand Caravan SXT	Grand Caravan eX	Grand Caravan SXT AWD
EXTERIOR (CONTINUED)					
Mirrors					
Dual, folding _____	S	S	—	—	—
Dual folding, power, heated (in Cargo Van Power Convenience Group) _____	P	—	S	S	S
Moldings					
Bodyside, body color _____	—	—	S	S	S
Bodyside, accent color _____	S	S	—	—	—
Spat, accent color _____	S	S	—	—	—
Spat, body color _____	—	—	S	S	S
Roof Rack, Black _____	O	O	S	S	S
Wipers — Windshield, variable intermittent; liftgate window, intermittent _____	S	S	S	S	S
INTERIOR					
Assist Handles — Right front and intermediate passenger, overhead _____	—	—	S	S	S
Bezel, Instrument Panel — Black _____	S	S	S	S	S
Climate Controls					
Air conditioning — Manual temperature control _____	S	S	S	S	S
Air conditioning — Three-zone manual temperature control (included in SE or SXT Popular Equipment Group) _____	—	P	P	P	P
Automatic temperature control — Three-zone temperature control and particulate air/odor filter (included in Premium Group) _____	—	—	P	P	P
Cargo Organizer — Rear _____	—	—	O	O	O
Cargo Net — Located between front bucket seats (not available with removable center console) _____	S	S	S	S	S
Consoles					
Center movable/removable console with 12-volt power outlet, includes non-locking storage drawer under front passenger seat, deletes cargo net between front seats (included with Premium Group) _____	—	—	O/P	O/P	O/P
Instrument Panel, Lower: Open bin with coin holder _____	S	S	S	S	S
Overhead with trip computer, compass and outside temperature display, dual map/courtesy lamps, HomeLink® universal transceiver and storage bin (included with SE Popular Equipment Group) _____	—	P	S	S	S
Defroster — Rear window, electric _____	O	O	S	S	S
Floor Covering					
Carpets, passenger and cargo area, 12 oz. _____	S	S	S	S	S
Floor mats — Front and rear _____	—	S	S	S	S
Rubber, front, with plastic rear cargo area cover _____	S	—	—	—	—
Instrument Cluster					
Speedometer, fuel and temperature gauges _____	S	S	S	S	S
Tachometer _____	—	—	S	S	S

CONTINUED



GRAND CARAVAN FEATURE AVAILABILITY

	Grand Caravan Cargo Van	Grand Caravan SE	Grand Caravan SXT	Grand Caravan eX	Grand Caravan SXT AWD
INTERIOR (CONTINUED)					
Lamps					
Front courtesy (not available with overhead console) _____	S	S	—	—	—
Intermediate and rear courtesy _____	—	—	S	S	S
Liftgate flood, single _____	S	S	S	S	S
Mirrors					
Rearview, day/night _____	S	S	S	S	S
Visor/vanity _____	S	S	—	—	—
Illuminated visor/vanity mirrors _____	—	—	S	S	S
Pedals — Power adjustable (included in Premium Group) _____	—	O	O/P	O/P	O/P
Power Outlets					
Front and rear, 12-volt _____	S	S	S	S	S
Auxiliary 12-volt in instrument panel _____	—	—	S	S	S
Seating, Front					
High-back bucket _____	—	S	—	—	—
Heated front seats (included with Premium Group) _____	—	—	P	P	P
Low-back reclining bucket (included with supplemental side air bags or power driver seat) _____	S	P	S	S	S
Lumbar support, driver's seat (included with leather seat trim) _____	—	—	P	P	P
Power eight-way driver's seat _____	—	—	S	S	S
Power four-way front passenger seat (included with Premium Group) _____	—	—	P	P	P
Seating, Intermediate and Rear					
Deluxe intermediate and rear bench _____	—	S	—	—	—
Deluxe intermediate bench with two integrated child seats and rear bench _____	—	O	—	—	—
Intermediate buckets and rear split bench (included with SXT Popular Equipment Group) _____	—	O	S	S	S
Intermediate buckets with one integrated child seat and rear split bench _____	—	—	O	O	O
Easy Out® Roller Seats _____	—	S	S	S	S
Seating Surfaces					
Vegas cloth trim _____	S	S	S	S	S
Seton Sutton leather trim (included in Premium Group) _____	—	—	P	P	P
Sound Insulation					
Deluxe _____	—	—	S	S	S
Hood Pad _____	—	S	S	S	S
Rear Floor Silencer _____	—	S	S	S	S
Sound Systems					
AM/FM stereo radio with CD player _____	S	S	—	—	—
AM/FM stereo radio with cassette and CD player _____	—	O	S	S	S
AM/FM stereo radio with six-disc in-dash CD changer _____	—	—	O	O	O

CONTINUED



GRAND CARAVAN FEATURE AVAILABILITY

	Grand Caravan Cargo Van	Grand Caravan SE	Grand Caravan SXT	Grand Caravan eX	Grand Caravan SXT AWD
INTERIOR (CONTINUED)					
Speakers					
Two _____	S	—	—	—	—
Four _____	—	S	—	—	—
Six (included with cassette/CD radio) _____	—	P	S	S	S
Infinity® Acoustic 10-speaker system (included with Premium Group) _____	—	—	O/P	O/P	O/P
Steering wheel-mounted audio controls _____	—	—	S	S	S
Speed Control (in SE Popular Equipment Group and Deluxe Convenience Group) _____	P	P	S	S	S
Steering Column — Tilt (included in SE Popular Equipment Group and Deluxe Convenience Group) _____	P	P	S	S	S
Steering Wheel — Luxury, with Dodge emblem _____	S	S	—	—	—
Leather-wrapped with Dodge emblem _____	—	—	S	S	S
Storage					
Drawer — Under front passenger seat, lockable (non-lockable if center console is selected) _____	S	S	S	S	S
Open Bin, lower center stack _____	S	S	S	S	S
Rear Cargo Organizer _____	—	—	O	O	O
Windows					
Power front (in Power Convenience Group and SE Popular Equipment Group) _____	P	P	—	—	—
Power front and rear quarter vents _____	—	—	S	S	S
POWERTRAIN AND CHASSIS					
3.3-liter V-6 engine with four-speed automatic transaxle _____	S	S	—	—	—
3.8-liter V-6 engine with four-speed automatic transaxle _____	—	—	S	S	S
Alternator					
140-amp _____	S	S	—	—	—
160-amp (with Heavy Duty Electrical Group on Cargo Van; with rear heater and air conditioning on SE) _____	P	P	S	S	S
Battery					
500-amp _____	S	S	S	S	S
600-amp (in Heavy Duty Electrical Group or Trailer Tow Preparation Group) _____	P	P	P	P	P
Brakes					
Power front disc/rear drum _____	—	S	—	—	—
Power four-wheel disc _____	S	—	S	S	S
Four-wheel anti-lock _____	S	S	S	S	S
Drivetrain					
Front-wheel drive _____	S	S	S	S	—
All-wheel drive (includes 3.8-liter V-6 engine) _____	—	—	—	—	S
Engine Block Heater _____	O	O	O	O	O

CONTINUED



GRAND CARAVAN FEATURE AVAILABILITY

	Grand Caravan Cargo Van	Grand Caravan SE	Grand Caravan SXT	Grand Caravan eX	Grand Caravan SXT AWD
POWERTRAIN AND CHASSIS (CONTINUED)					
Suspension					
Load-leveling and height control (included with Trailer Tow Prep Group) _____	—	—	P	P	P
Normal Duty _____	—	S	S	S	S
Touring (included in Premium Group) _____	—	—	P	P	P
Commercial Wagon _____	S	—	—	—	—
Tire Pressure Monitoring System _____	—	—	S	S	S
Tire, Spare					
Compact _____	—	S	S	S	S
Full-size (included with Trailer Tow Prep Group) _____	S	P	O/P	O/P	O/P
Tires					
215/70R15 black sidewall all-season _____	—	S	—	—	—
215/65R16 low black-letter all-season _____	S	—	S	S	S
Traction Control — Low-speed _____	—	—	S	S	—
Wheels and Wheel Covers					
Cache 16-inch wheel covers with steel wheels _____	S	—	—	—	—
Crossfire wheel covers with 15-inch steel wheels _____	—	S	—	—	—
Europa 16-inch aluminum wheels _____	—	—	S	S	S

CONTINUED



GRAND CARAVAN FEATURE AVAILABILITY

	Grand Caravan Cargo Van	Grand Caravan SE	Grand Caravan SXT	Grand Caravan eX	Grand Caravan SXT AWD
SAFETY AND SECURITY					
Brake-Park Interlock – Cannot shift out of Park unless brake pedal is depressed____	S	S	S	S	S
Bumpers – Front and rear, five-mph _____	S	S	S	S	S
Door Locks					
Power: Front, sliding and liftgate (included with SE Popular Equipment Group and Power Convenience Group) _____	P	P	S	S	S
Sliding door, child protection _____	S	S	S	S	S
Enhanced Accident Response System _____	S	S	S	S	S
Head Restraints					
Front, fixed _____	—	S	—	—	—
Front, adjustable (included with low-back seats) _____	S	P	S	S	S
Intermediate and Rear, outboard _____	S	S	S	S	S
Headlamp Off Time Delay (included with Remote Keyless Entry) _____	P	P	S	S	S
Illuminated Entry System (included with Remote Keyless Entry) _____	P	P	S	S	S
Remote Keyless Entry – Remote with two transmitters, with Sentry® Key engine immobilizer (included with Security Group) _____	P	O	S	S	S
Restraint Systems					
Seat belts					
Front: Three-point belts with shoulder belt height adjusters, pretensioners and constant force retractors _____	S	S	S	S	S
Intermediate: Three-point belts with shoulder belt height adjusters _____	—	S	S	S	S
Rear: Three-point belts, outboard; lap belt, center _____	—	S	S	S	S
Air Bags					
Next-generation multi-stage front (driver and passenger)(a) _____	S	S	S	S	S
Supplemental side for front outboard occupants (includes low back bucket seats)(a) _____	—	O	O	O	O
Child Seat Anchorage System – LATCH (Lower Anchors and Tethers for CHildren)	—	S	S	S	S

(a) Certified to federal regulations that allow less forceful air bags. Always use seat belts. Remember, a back seat is the safest place for children.

CONTINUED



GRAND CARAVAN FEATURE AVAILABILITY

	Grand Caravan Cargo Van	Grand Caravan SE	Grand Caravan SXT	Grand Caravan eX	Grand Caravan SXT AWD
EQUIPMENT GROUPS					
Deluxe Convenience Group – Speed control and tilt steering column _____	O	—	—	—	—
Leather Interior Group – Leather bucket seats, steering wheel-mounted audio controls and leather-wrapped steering wheel _____	—	—	—	O	
Premium Group – Includes center removable console, leather-trimmed seating, security alarm, power liftgate, three-zone automatic temperature control, four-way power front passenger seat, heated front seats, Infinity 10-speaker system, AM/FM stereo with cassette and CD player and rear audio controls, touring suspension, electronic vehicle information center and power adjustable pedals _____	—	—	O	O	O
Power Convenience Group – Dual, folding power mirrors, power front door windows and power door locks _____	O	—	—	—	—
Trailer Tow Prep Group – 160-amp alternator, 600-amp battery, four-wheel disc brakes with ABS, heavy-duty engine cooling, full-size spare tire, and trailer tow wiring harness (SE and SXT with FWD include rear suspension load-leveling and height control) _____	—	—	O	O	O
SE Popular Equipment Group – Sunscreen glass, power heated mirrors, deluxe sound insulation, three-zone manual temperature control, tachometer, message center, power front windows and power door locks _____	—	O	—	—	—
SXT Popular Equipment Group – Overhead console, intermediate bucket seats, rear split bench seat, roof rack, illuminated visor/vanity mirrors and eight-way power driver's seat _____	—	—	O	—	O
Heavy Duty Electrical Group – 160-amp alternator and 600-amp battery _____	O	—	—	—	—
Interior Delete Group – Deletes rear quarter trim, C&D pillar trim, and rear floor silencers _____	O	—	—	—	—
Security Group – Security Alarm and Remote Keyless Entry _____	O	—	—	—	—

CONTINUED



SPECIFICATIONS

All dimensions are in inches (millimeters) unless otherwise noted.

GENERAL INFORMATION

Body Style _____ Multipurpose vehicle
 Assembly Plants _____ Windsor, Ontario, Canada, and St. Louis, Missouri
 EPA Vehicle Class _____ Multipurpose vehicle

ENGINE: 2.4-LITER, DOHC, 16-VALVE SMPI I-4

Availability _____ Std. — Caravan SE
 Type and Description _____ Inline with balance shafts, liquid-cooled
 Displacement _____ 148.2 cu. in. (2429 cu. cm)
 Bore x Stroke _____ 3.44 x 3.98 (87.5 x 101.0)
 Valve System _____ DOHC, 16 valves, stamped-steel rocker arms with roller followers, hydraulic lash adjusters
 Fuel Injection _____ Sequential multi-port, electronic
 Construction _____ Cast-iron block, cast-iron bedplate, aluminum alloy head
 Compression Ratio _____ 9.4:1
 Power (SAE net) _____ 150 bhp (112 kW) @ 5200 rpm (61.8 bhp/L)
 Torque (SAE net) _____ 167 lb.-ft. (226 N•m) @ 4000 rpm
 Max. Engine Speed _____ 6250 rpm
 Fuel Requirement _____ Unleaded regular, 87 octane (R+M)/2
 Oil Capacity _____ 4.5 qt. (4.25L) plus filter
 Coolant Capacity _____ 11.35 qt. (10.74L)
 Emission Controls _____ Three-way catalytic converter, heated oxygen sensors and internal engine features(a)
 Max. Gross Trailer Weight _____ Not recommended
 Estimated EPA Fuel Economy mpg (City/Hwy) _____ 19/24

ENGINE: 3.3-LITER, OHV, 12-VALVE SMPI V-6

Availability _____ Std. — Caravan C/V and Caravan SXT; Grand C/V, Grand Caravan SE; opt. — Caravan SE
 Type and Description _____ Six-cylinder, 60° V-type, liquid-cooled
 Displacement _____ 201.5 cu. in. (3301 cu. cm)
 Bore x Stroke _____ 3.66 x 3.19 (93 x 81)
 Valve System _____ OHV, 12 valves, roller followers, hydraulic lifters
 Fuel Injection _____ Sequential, multi-port, electronic
 Construction _____ Cast-iron block, aluminum alloy heads
 Compression Ratio _____ 9.3:1
 Power (SAE net) _____ 180 bhp (134 kW) @ 5000 rpm (54.5 bhp/L)
 Torque (SAE net) _____ 210 lb.-ft. (285 N•m) @ 4000 rpm
 Max. Engine Speed _____ 5600 rpm

(a) Meets Low-Emission Vehicle (LEV) standards in all 50 states.

CONTINUED



Fuel Recommendation _____ 87 octane (R+M)/2(a)
Oil Capacity _____ 4 qt. (3.8L) plus filter
Coolant Capacity _____ 13.36 qt. (12.64L) – std.; 16.28 qt. (15.4L) – with rear heater
Emission Controls _____ Three-way catalytic converter, heated oxygen sensors, and internal engine features(b)
Max. Gross Trailer Weight _____ 2,000 lbs. (900 kg) – std.; 3,800 lbs. (1724 kg) – with optional Trailer Preparation Group
Estimated EPA Fuel Economy mpg (City/Hwy) _____ 13/18 – E-85; 18/24 – gasoline

Availability _____	Std. — Grand Caravan SXT, Grand Caravan eX and Grand Caravan SXT
Type and Description _____	Six-cylinder, 60° V-type, liquid-cooled
Displacement _____	230.5 cu. in. (3778 cu. cm)
Bore x Stroke _____	3.78 x 3.43 (96 x 87)
Valve System _____	OHV, 12 valves, roller followers, hydraulic lifters
Fuel Injection _____	Sequential, multi-port, electronic
Construction _____	Cast-iron block, aluminum alloy heads
Compression Ratio _____	9.6:1
Power (SAE net) _____	215 bhp (160 kW) @ 5000 rpm (56.6 bhp/L)
Torque (SAE net) _____	245 lb.-ft. (332 N•m) @ 4000 rpm
Max. Engine Speed _____	5600 rpm
Fuel Recommendation _____	Unleaded regular, 87 octane (R+M)/2
Oil Capacity _____	4 qt. (3.8L) plus filter
Coolant Capacity _____	13.36 qt. (12.64L) — std.; 16.28 qt. (15.4L) — with rear heater
Emission Controls _____	Three-way catalytic converter, heated oxygen sensors, and internal engine features(b)
Max. Gross Trailer Weight _____	2,000 lbs. (900 kg) — std.; AWD: 3,500 lbs. (1588 kg); FWD: 3,800 lbs. (1724 kg) — with optional Trailer Tow Preparation Group
Estimated EPA Fuel Economy mpg (City/Hwy) _____	18/24 — FWD; 17/23 — AWD

(b) Meets Low Emission Vehicle (LEV) requirements in all 50 states.

SPECIFICATIONS

TRANSAXLE: AUTOMATIC, FOUR-SPEED OVERDRIVE

Availability	Std. — All
Description	Adaptive electronic control, electronically modulated converter clutch
Gear Ratios	
1st	2.84
2nd	1.57
3rd	1
4th	0.69
Final Drive Ratio	3.62 — 3.3L engine, 3.43 — 3.8L engine
Overall Top Gear	2.49 — 3.3L engine, 2.37 — 3.8L engine

ALL-WHEEL DRIVE

Availability	Std. — Grand Caravan SXT AWD
Center Differential	Bevel gear with viscous coupling
Torque Split, % F/R	Variable
Rear Differential	Open

ELECTRICAL SYSTEM

Alternator	140-amp — std.; 160-amp — included with rear air conditioning, fog lamps, heated seats and/or Trailer Tow group
Battery	600 CCA — std. with 2.4L and 3.8L engines, included with Trailer Tow group; 500 CCA — std. with 3.3L engine

CONTINUED



SPECIFICATIONS

DIMENSIONS AND CAPACITIES(a)*Caravan*

Wheelbase _____	113.3 (2878)
Track, front _____	63.0 (1600)
Track, rear _____	64.0 (1626)
Overall length _____	189.3 (4808)
Overall width _____	78.6 (1997)
Overall height (with Roof Rack) _____	68.9 (1749)
Ground clearance _____	5.6 (142)
Curb weight (estimated) _____	3,764 lbs. (1707 kg) – C/V; 3,862 lbs. (1752 kg) – SE; 3,999 lbs. (1814 kg) – SXT
Weight distribution, %F/R _____	58/42 – SE; 59/41 – SXT
Frontal area _____	31.17 sq. ft. (2.90 sq. m)
Drag coefficient _____	0.35
Fuel tank capacity _____	20 gal. (75L)

Grand Caravan

Wheelbase _____	119.3 (3030)
Track, front _____	63.0 (1600)
Track, rear _____	64.0 (1626)
Overall length _____	200.5 (5093)
Overall width _____	78.6 (1997)
Overall height (with Roof Rack) _____	68.9 (1749)
Ground clearance _____	5.6 (142)
Curb weight (estimated) _____	3,838 lbs. (1741 kg) – Grand C/V; 3,991 lbs. (1810 kg) – SE; 4,093 lbs. (1857 kg) – SXT; 4,218 lbs. (1913 kg) – eX; 4,440 lbs. (2014 kg) – SXT AWD
Frontal area _____	31.17 sq. ft. (2.90 sq. m)
Drag coefficient _____	0.35
Fuel tank capacity _____	20 gal. (75L)

(a) All dimensions measured at curb weight.

CONTINUED



SPECIFICATIONS

ACCOMMODATIONS*Caravan*

Seating Capacity, F/I/R _____ 2/2/3

Front

Head room _____ 39.7 (1008)

Leg room _____ 40.6 (1032)

Shoulder room _____ 62.9 (1598)

Hip room _____ 57.2 (1453)

Seat travel _____ 8.6 (220)

Front volume index _____ 58.4 cu. ft. (1.65 cu. m)

Intermediate

Head room _____ 39.7 (1008)

Leg room _____ 36.5 (927)

Knee clearance _____ 2.0 (51)

Shoulder room _____ 64.7 (1644)

Hip room _____ 67.8 (1722)

Intermediate volume index _____ 54.3 cu. ft. (1.54 cu. m)

Rear

Head room _____ 37.9 (963)

Leg room _____ 33.8 (859)

Knee clearance _____ 0.2 (0.5)

Shoulder room _____ 61.9 (1574)

Hip room _____ 49.0 (1246)

Rear volume index _____ 43.0 cu. ft. (1.22 cu. m)

Interior Volume Index _____ 155.7 cu. ft. (4.41 cu. m)

Cargo Volume Indexes

Aft of int. seat _____ 45.6 cu. ft. (1.29 cu. m)

Aft of rear seat _____ 15.3 cu. ft. (0.43 cu. m)

Seats removed _____ 146.7 cu. ft. (4.15 cu. m)

CONTINUED



SPECIFICATIONS

ACCOMMODATIONS (CONTINUED)

Grand Caravan

Seating Capacity, F/I/R _____ 2/2/3

Front

Head room _____ 39.6 (1005)

Leg room _____ 40.6 (1032)

Shoulder room _____ 62.9 (1598)

Hip room _____ 57.2 (1452)

Seat travel _____ 8.6 (220)

Front volume index _____ 58.2 cu. ft. (1.65 cu. m)

Recliner range _____ 38°

Intermediate

Head room _____ 39.1 (994)

Leg room _____ 39.0 (991)

Knee clearance _____ 3.7 (94)

Shoulder room _____ 64.7 (1644)

Hip room _____ 67.6 (1717)

Intermediate volume index _____ 57.7 cu. ft. (1.63 cu. m)

Rear

Head room _____ 38.5 (978)

Leg room _____ 38.9 (988)

Knee clearance _____ 3.8 (95)

Shoulder room _____ 62.1 (1577)

Hip room _____ 49.0 (1244)

Rear volume index _____ 49.0 cu. ft. (1.39 cu. m)

Interior Volume Index _____ 164.9 cu. ft. (4.67 cu. m)

Cargo Volume Indexes

Aft of int. seat _____ 51.3 cu. ft. (1.45 cu. m)(a), 54.2 cu. ft. (1.53 cu. m)(b)

Aft of rear seat _____ 17.6 cu. ft. (0.50 cu. m)(a), 20.0 cu. ft. (0.57 cu. m)(b)

Seats removed _____ 167.9 cu. ft. (4.75 cu. m) (a), 167.9 cu. ft. (4.75 cu. m)(b)

(a) SE

(b) SXT and eX

CONTINUED



SPECIFICATIONS

BODY

Layout _____ Transverse front engine, front-wheel drive or all-wheel drive
 Construction _____ Unitized steel with hinged front doors; sliding left and right side doors – power available;
 liftgate with temperature-compensated gas props – power available

SUSPENSION

Front _____ ISO struts with integral gas-charged shock absorbers, coil springs,
 asymmetrical lower control arms, link-type stabilizer bar, urethane jounce bumpers,
 rubber-isolated cast-aluminum crossmember – std.;
 stiffer springs, higher control shock absorbers (Touring Suspension) – opt. SXT and ES
 Rear _____ Rubber-isolated longitudinal single-leaf springs, tubular beam axle,
 track bar and gas-charged shock absorbers – std.;
 Revised spring rates and load-leveling shock absorbers – opt. SE, SXT and ES;
 stiffer springs, higher control shock absorbers (Touring Suspension) – opt. SXT and ES

STEERING

Type _____ Rack and pinion, power-assisted
 Overall Ratio _____ 17.8:1
 Turning Diameter (curb-to-curb) _____ 37.6 ft. (11.5 m) – Caravan; 39.4 ft. (12.0 m) – Grand Caravan
 Steering Turns (lock-to-lock) _____ 3.14

TIRES

Standard – Cargo Van and Grand Cargo Van; opt. – Caravan SE, Caravan SXT and Grand Caravan SE

Size and type _____ 215/65R16 low black-letter all-season
 Mfr. and model _____ Bridgestone
 Revs per mile (km) _____ TBD (TBD)

Standard – SE, SXT and eX

Size and type _____ 215/70R15 black sidewall all-season
 Mfr. and model _____ Goodyear Integrity
 Revs per mile (km) _____ 778 (483)

CONTINUED



SPECIFICATIONS

WHEELS

Standard – Caravan SE and Grand Caravan SE

Type and material _____ Stamped-steel

Size _____ 15 x 6.5

Standard – Caravan Cargo Van and Grand Caravan Cargo Van

Type and material _____ Stamped-steel

Size _____ 16 x 6.5

Standard – Caravan SXT, Grand Caravan SXT, Grand Caravan eX and Grand Caravan SXT AWD

Type and material _____ Cast-aluminum

Size _____ 16 x 6.5

BRAKES

Standard – Caravan SE, Caravan SXT and Grand Caravan SE

Front

Size and type _____ 11.1 x 1.10 (281 x 28) vented disc with 2.52 (64) single-piston sliding caliper

Swept area _____ 228.5 sq. in. (1474 sq. cm)

Rear

Size and type _____ 9.8 x 2.2 (250 x 55) dual-action drum

Swept area _____ 134 sq. in. (864 sq. cm)

Power Assist Type _____ 10.62 (270) single-diaphragm vacuum

Standard – Grand Caravan SE, Optional – Caravan SXT

Front

Size and type _____ 11.1 x 1.10 (281 x 28) vented disc with 2.52 (64) single-piston sliding caliper and ABS

Swept area _____ 228.5 sq. in. (1474 sq. cm)

Rear

Size and type _____ 9.8 x 2.2 (250 x 55) dual-action drum with ABS

Swept area _____ 134 sq. in. (864 sq. cm)

Power Assist Type _____ 10.62 (270) single-diaphragm vacuum

Standard – Caravan and Grand Caravan Cargo Vans, Grand Caravan SXT, eX, and SXT AWD

Front

Size and type _____ 11.1 x 1.10 (281 x 28) vented disc with 2.60 (66) single-piston sliding caliper and ABS

Swept area _____ 228.5 sq. in. (1474 sq. cm)

Rear

Size and type _____ 11.4 x 0.5 (290 x 12.5) solid disc with 1.65 (42) single-piston sliding caliper and ABS

Swept area _____ 190.5 sq. in. (1229 sq. cm)

Power Assist Type _____ 10.62 (270) single-diaphragm vacuum

