

## SPECIFICATIONS

All dimensions are in inches (millimeters) unless otherwise noted.  
 The information shown is preliminary and based on data available at the time of publication.

### GENERAL INFORMATION

Body Style \_\_\_\_\_ Four-door sport-utility vehicle  
 Assembly Plant \_\_\_\_\_ Toledo, Ohio  
 EPA Vehicle Class \_\_\_\_\_ Multipurpose vehicle

### LIBERTY 2-WD JOB RATINGS

#### 2.4-Liter Engine

Transmission \_\_\_\_\_ NSG370, Six-speed manual  
 Axle Ratio (lbs.) \_\_\_\_\_ 4.1  
 GVWR (lbs.) \_\_\_\_\_ 4,950  
 GCWR (lbs.) \_\_\_\_\_ 6,750  
 GAWR Front/Rear (lbs.) \_\_\_\_\_ 2,750/3,150  
 Curb Weight, est.(a) (lbs.) \_\_\_\_\_ 3,648  
 Max. Tongue Weight(b) (lbs.) \_\_\_\_\_ 300  
 Max. Trailer Weight(b) (lbs.) \_\_\_\_\_ 2,000  
 Max. Payload(c) (lbs.) \_\_\_\_\_ 1,150  
 Max. Cargo(d) (lbs.) \_\_\_\_\_ 400

#### 3.7-Liter Engine

Transmission \_\_\_\_\_ NSG370, Six-speed manual  
 Axle Ratio (lbs.) \_\_\_\_\_ 3.55  
 GVWR (lbs.) \_\_\_\_\_ 5,350  
 GCWR (lbs.) \_\_\_\_\_ 8,500  
 GAWR Front/Rear (lbs.) \_\_\_\_\_ 2,750/3,150  
 Curb Weight, est.(a) (lbs.) \_\_\_\_\_ 3,846  
 Max. Tongue Weight(b) (lbs.) \_\_\_\_\_ 525  
 Max. Trailer Weight(b) (lbs.) \_\_\_\_\_ 3,500  
 Max. Payload(c) (lbs.) \_\_\_\_\_ 1,150  
 Max. Cargo(d) (lbs.) \_\_\_\_\_ 400

#### 3.7-Liter Engine

Transmission \_\_\_\_\_ 42RLE, Four-speed auto  
 Axle Ratio (lbs.) \_\_\_\_\_ 3.73  
 GVWR (lbs.) \_\_\_\_\_ 5,350  
 GCWR (lbs.) \_\_\_\_\_ 9,850(b)  
 42RLE \_\_\_\_\_ 7150  
 GAWR Front/Rear (lbs.) \_\_\_\_\_ 2,750/3,150  
 Curb Weight, est.(a) (lbs.) \_\_\_\_\_ 3,898  
 Max. Tongue Weight(b) (lbs.) \_\_\_\_\_ 750  
 Max. Trailer Weight(b) (lbs.) \_\_\_\_\_ 5,000  
 Max. Payload(c) (lbs.) \_\_\_\_\_ 1,150  
 Max. Cargo(d) (lbs.) \_\_\_\_\_ 400

- (a) Curb weight is for a base model with standard equipment.
- (b) With Trailer Tow Group.
- (c) Payload is the maximum allowable weight of driver, passenger and cargo rounded to the nearest ten pounds.  
 It is reduced by the weight of optional equipment. Five passengers at 150 lbs. each.
- (d) Cargo is determined by subtracting the weight of driver and passengers from payload.

continued

## SPECIFICATIONS

### LIBERTY 4WD JOB RATINGS

#### 2.4-Liter Engine

Transmission _____	NSG370, Six-speed manual
Axle Ratio (lbs.) _____	4.1
GVWR (lbs.) _____	5,200
GCWR (lbs.) _____	7,000
GAWR Front/Rear (lbs.) _____	2,750/3,150
Curb Weight, est.(a) (lbs.) _____	3,826
Max. Tongue Weight(b) (lbs.) _____	300
Max. Trailer Weight(b) (lbs.) _____	2,000
Max. Payload(c) (lbs.) _____	1,150
Max. Cargo(d) (lbs.) _____	400

#### 3.7-Liter Engine

Transmission _____	NSG370, Six-speed manual
Axle Ratio (lbs.) _____	3.55
GVWR (lbs.) _____	5,600
GCWR (lbs.) _____	8,750
GAWR Front/Rear (lbs.) _____	2,750/3,150
Curb Weight, est.(a) (lbs.) _____	4,044
Max. Tongue Weight(b) (lbs.) _____	525
Max. Trailer Weight(b) (lbs.) _____	3,500
Max. Payload(c) (lbs.) _____	1,150
Max. Cargo(d) (lbs.) _____	400

#### 3.7-Liter Engine

Transmission _____	42RLE, Five-speed auto
Axle Ratio (lbs.) _____	3.73
GVWR (lbs.) _____	5,600
GCWR (lbs.) _____	10,100(b)
42RLE _____	7,400
GAWR Front/Rear (lbs.) _____	2,750/3,150
Curb Weight, est.(a) (lbs.) _____	4,115
Max. Tongue Weight(b) (lbs.) _____	750
Max. Trailer Weight(b) (lbs.) _____	5,000
Max. Payload(c) (lbs.) _____	1,150
Max. Cargo(d) (lbs.) _____	400

(a) Curb weight is for a base model with standard equipment.

(b) With Trailer Tow Group.

(c) Payload is the maximum allowable weight of driver, passenger and cargo rounded to the nearest ten pounds. It is reduced by the weight of optional equipment. Five passengers at 150 lbs. each.

(d) Cargo is determined by subtracting the weight of driver and passengers from payload.

continued

## SPECIFICATIONS

### LIBERTY 4WD JOB RATINGS (CONTINUED)

#### 2.8-Liter Engine

Transmission	545RFE, Five-speed auto
Axle Ratio (lbs.)	3.73
GVWR (lbs.)	5,600
GCWR (lbs.)	10,150
GAWR Front/Rear (lbs.)	2,750/3,150
Curb Weight, est. (a) (lbs.)	4,296
Max. Tongue Weight(b) (lbs.)	750
Max. Trailer Weight(b) (lbs.)	5,000
Max. Payload(c) (lbs.)	1,150
Max. Cargo(d) (lbs.)	400

#### ENGINE: 2.4-LITER, DOHC, 16-VALVE POWER TECH™ I-4

Availability	Standard–Sport
Type and Description	Four-cylinder, in-line, liquid-cooled
Displacement	148.2 cu. in. (2429 cu. cm)
Bore x Stroke	3.44 x 3.98 (88 x 101)
Valve System	Belt drive, DOHC, 16 valves, stamped-steel followers, hydraulic lash adjustment
Fuel Injection	Sequential, multi-port electronic
Construction	Cast-iron block, cast-iron bedplate, aluminum head, balance shafts
Compression Ratio	9.5:1
Power (SAE net)	150 hp (112 kW) @ 5200 rpm
Torque (SAE net)	165 lb.-ft. (224 N•m) @ 4000 rpm
Max. Engine Speed	6240 rpm, electronically limited
Fuel Requirement	Regular unleaded, 87 octane (R+M)/2
Oil Capacity	5 qt. (5.3-Liter)
Coolant Capacity	10.1 qt. (9.6-Liter)
Emission Controls	Catalytic converters, oxygen sensors, on-board vapor recovery system, leak detection pump system(e)
Max. Gross Trailer Weight (lbs.)	2,000 lbs. (900 kg)
Estimated EPA Fuel Economy mpg (City/Hwy)	20/24

(a) Curb weight is for a base model with standard equipment.

(b) With Trailer Tow Group.

(c) Payload is the maximum allowable weight of driver, passenger and cargo rounded to the nearest ten pounds. It is reduced by the weight of optional equipment. Five passengers at 150 lbs. each.

(d) Cargo is determined by subtracting the weight of driver and passengers from payload.

(e) Meets LEV light-duty truck emissions standards in all 50 states.

continued



## SPECIFICATIONS

### TRANSMISSION: NSG370—MANUAL, SIX-SPEED

Availability	2.4L I-4/3.7L V-6
Description	Six-speed, overdrive, synchronized in all forward gears and reverse, single-rail shift system with top-mounted shift lever
Clutch	Hydraulic actuation, dual mass flywheel system
Gear Ratios	
1st	4.46
2nd	2.61
3rd	1.72
4th	1.25
5th	1
6th	0.84
Reverse	4.06

### TRANSMISSION: 545RFE—A5 AUTOMATIC

Availability	2.8L (Diesel only)
Description	Five-speed, overdrive, automatic
Gear Ratios	
1st	3.00
2nd up shift	1.67
2nd down shift	1.50
3rd	1
4th	0.75
5th	0.67
Reverse	2.21

### TRANSMISSION: 42RLE—AUTOMATIC, FOUR-SPEED OVERDRIVE

Availability	3.7L V-6
Description	Two planetary gear sets, full electronic control, overdrive lockout, electronically modulated converter clutch
Gear Ratios	
1st	2.84
2nd	1.57
3rd	1
4th	0.69
Reverse	2.21

continued

## SPECIFICATIONS

### TRANSFER CASE: NV241 COMMAND-TRAC®

Type \_\_\_\_\_ Part-time  
 Operating Modes \_\_\_\_\_ 2WD; 4WD High, part-time; Neutral; 4WD Low, part-time  
 Low Range Ratio \_\_\_\_\_ 2.72:1  
 Center Differential Type \_\_\_\_\_ None

### TRANSFER CASE: NV242 SELEC-TRAC®

Type \_\_\_\_\_ Full-time  
 Operating Modes \_\_\_\_\_ 2WD; 4WD High part-time; 4WD full-time; Neutral; 4WD Low  
 Low Range Ratio \_\_\_\_\_ 2.72  
 Center Differential Type \_\_\_\_\_ Dual sun differential with high-range and low-range lock capability

### AXLE RATIOS

2.4L I-4 \_\_\_\_\_ 4.1  
 3.7L V-6 Auto \_\_\_\_\_ 3.73  
 3.7L V-6 Manual \_\_\_\_\_ 3.55  
 2.8L Turbo Diesel Auto \_\_\_\_\_ 3.73

### ELECTRICAL SYSTEM

Alternator \_\_\_\_\_ 136-amp, Sport and Limited Edition, 160-amp Renegade  
 Battery \_\_\_\_\_ 600-amp

### DIMENSIONS AND CAPACITIES(a)

Wheelbase \_\_\_\_\_ 2WD—104.3 (2649); 4WD—104.3 (2649)  
 Track, Front \_\_\_\_\_ 2WD—60.0 (1524); 4WD—60.0 (1524)  
 Track, Rear \_\_\_\_\_ 2WD—59.7 (1516); 4WD—59.7 (1516)  
 Overall Length (to spare tire) \_\_\_\_\_ 2WD—174.4 (4430); 4WD—174.4 (4430)  
 Overall Width \_\_\_\_\_ 2WD—71.6 (1819); 4WD—71.6 (1819)  
 Overall Height \_\_\_\_\_ 2WD—70.3 (1784.7); 4WD—70.2 (1784.1)  
 Overall Height (to roof rack) \_\_\_\_\_ 2WD—71.9 (1822.9); 4WD—71.1 (1822.2)  
 Ground Clearance  
   Front axle (to skid plate) \_\_\_\_\_ 2WD—N/A; 4WD—6.4 (162.8)  
   Rear axle \_\_\_\_\_ 2WD—8.0 (201); 4WD—7.9 (200.4)  
   Running \_\_\_\_\_ 2WD—9.5 (240.6); 4WD—9.4 (239.3)  
 Approach Angle \_\_\_\_\_ 2WD—36.2; 4WD—36  
 Departure Angle \_\_\_\_\_ 2WD—31.5; 4WD—31.5  
 Curb Weight  
   2.4L with Manual \_\_\_\_\_ 2WD—3648 (1655); 4WD—3851 (1747)  
   3.7L with Manual \_\_\_\_\_ 2WD—3846 (1745); 4WD—4011 (1819)  
   3.7L with Automatic \_\_\_\_\_ 2WD—3898 (1768); 4WD—4033 (1829)  
   2.8L Turbo Diesel Automatic \_\_\_\_\_ 2WD—N/A; 4WD—4306 (1953)

(a) All dimensions measured with two passengers.

continued

## SPECIFICATIONS

### DIMENSIONS AND CAPACITIES(a) (CONTINUED)

Payload—includes occupants and cargo(b)	1150 (522)
Weight Distribution, F/R(b)	53/47
Frontal Area	29.74 sq. ft. (2.76 sq. m)
Drag Coefficient	0.421
Fuel Tank Capacity	20.5 gal. (74L)
Cargo Volume	
Rear Seat Up	29.0 cu. ft. (.821 cu. m)
Rear Seat Folded Down	69.0 cu. ft. (1.95 cu. m)

### ACCOMMODATIONS

Seating Capacity—F/R	2/3
Front	
Head room	40.7 (1034)
Leg room	40.8 (1036)
Shoulder room	56.5 (1435)
Hip room	57.0 (1448)
Seat travel	8.5 (216) horizontal, 1.5 (38) vertical with optional power height adjuster
Recliner range (degrees)	53
SAE volume	54.4 cu. ft. (1.54 cu. m)
Rear	
Head room	42.1 (1069)
Leg room	37.2 (945)
Knee clearance	1.4 (36)
Shoulder room	56.5 (1435)
Hip room	47.4 (1204)
SAE volume	49.3 cu. ft. (1.4 cu. m)
Load capacity	400 lbs. (181 kg)

### BODY AND CHASSIS

Layout	Longitudinal front engine, rear-wheel drive or four-wheel drive, part-time or full-time
Construction	Uniframe®

### SUSPENSION

Front	Upper and lower A-arms, coil springs, gas-charged shock absorbers, stabilizer bar
Rear	Live axle, trailing upper A-arm, dual trailing lower arms, coil springs, gas-charged shock absorbers and stabilizer bar

### STEERING

Type	Power rack-and-pinion
Overall Ratio	18.2:1
Turning Diameter (curb-to-curb)	35.9 ft. (12 m)
Steering Turns (lock-to-lock)	3.6

(a) All dimensions measured with two passengers.

(b) 3.7-liter with automatic transmission

continued

## SPECIFICATIONS

### TIRES(a)

#### Standard—Sport and Renegade

Size and type \_\_\_\_\_ P225/75R16 all-season  
 Mfr. and model \_\_\_\_\_ Goodyear Wrangler ST  
 Revs per mile \_\_\_\_\_ 732

#### Optional—Sport and Renegade

Size and type \_\_\_\_\_ P235/70R16 all-terrain  
 Mfr. and model \_\_\_\_\_ Goodyear Wrangler SR-A  
 Revs per mile \_\_\_\_\_ 715

#### Standard—Limited

Size and type \_\_\_\_\_ P235/65R17 all-season  
 Mfr. and model \_\_\_\_\_ Goodyear Wrangler HP  
 Revs per mile \_\_\_\_\_ 723

### WHEELS(b)

#### Standard—Sport

Type and material \_\_\_\_\_ Stamped-steel  
 Size \_\_\_\_\_ 16 x 7

#### Standard—Renegade

Type and material \_\_\_\_\_ Cast-aluminum  
 Size \_\_\_\_\_ 16 x 7

#### Standard—Limited

Type and material \_\_\_\_\_ Cast-aluminum  
 Size \_\_\_\_\_ 17 x 7.5

### BRAKES

#### Standard—All

##### Front

Size and type \_\_\_\_\_ 11.3 x 1.1 (288 x 28) vented disc with 2.6 (66) single-piston caliper  
 Swept area \_\_\_\_\_ 228 sq. in. (1471 sq. cm)

##### Rear

Size and type \_\_\_\_\_ 11.2 x 0.47 (284 x 12) solid disc with 1.89 (48) single-piston caliper  
 Swept area \_\_\_\_\_ 109 sq. in. (703 sq. cm)

Power-Assist Type \_\_\_\_\_ Tandem diaphragm, vacuum assist

ABS (optional) Type \_\_\_\_\_ Three-Channel ABS: Features Electronically Variable Brake Proportioning,  
 4 Low Mode Calibration

(a) Also see "Tires" under Feature Availability.

(a) Also see "Wheels" under Feature Availability.

## FEATURE AVAILABILITY

	Sport	Renegade	Limited Edition
<b>EXTERIOR</b>			
Colors			
Dark Khaki Pearl Coat, Light Khaki Metallic, Bright Silver Metallic, Patriot Blue Pearl Coat, Black, Deep Beryl Green Pearl Coat _____	O	O	O
Atlantic Blue Pearl Coat, Flame Red, Stone White _____	O	–	O
Fascias—Front and rear			
Gray _____	S	–	–
Accent _____	–	S	–
Body Color _____	–	–	S
Fender Flares			
Gray _____	S	–	–
Molded-in accent color _____	–	S	–
Body color _____	–	–	S
Fog Lamps—Submersible halogen (included in Sport C package); (not available with 2.4-liter engine) _____	O/P	S	S
Glass			
Swing gate, flipper _____	S	S	S
Rear door, quarter and swing gate window, tinted _____	S	–	S
Sunscreen, deep tinted (included in Sport C package) _____	O/P	S	S
Windshield, tinted _____	S	S	S
Grille			
Body color _____	S	S	–
Bright _____	–	–	S
Headlamps—Halogen, round, with parade mode and delay off _____	S	S	S
Light Bar—Roof-mounted (included in Renegade D package) _____	–	P	–
Mirrors			
Dual, power, foldaway _____	S	S	S
Dual, power, heated, foldaway (included in Luxury Group) _____	–	P	P
Molding			
Bodyside, accent color _____	S	S	–
Bodyside, chrome _____	–	–	S
Rear Window Wiper/Washer _____	S	S	S
Roof Rails—Side rails (Cross bars available through Mopar)			
Black _____	S	–	–
Rugged, tubular design _____	–	S	–
Bright _____	–	–	S
Rock Rails—Rock protection _____	–	S	–
Spare Tire Carrier—Outside _____	S	S	S
Spare Tire Cover _____	–	–	S
Sun roof—Power tilt-and-slide with solar-tint glass and express-open feature _____	O	O	O
Taillamp Guard (included in Renegade D package) _____	–	P	–
Windshield Wipers—Variable speed intermittent _____	S	S	S

Legend: S = Standard O = Optional P = Available within package or group noted in parentheses  
 O/P = Item is a free-standing option and also included in a package or group – = Not available

continued

## FEATURE AVAILABILITY

	Sport	Renegade	Limited Edition
<b>INTERIOR</b>			
Assist Handles—Passenger-side instrument panel-mounted grab handle and assist handles for front and rear outboard seating positions _____	S	S	S
Cargo Area—Tie-down loops (four) recessed in floor _____	S	S	S
Cargo Organizer _____	O	O	O
Cargo Trim Panel with storage net (included in Sport C and D package) _____	P	S	S
Carpeted Passenger and Cargo Floor _____	S	S	S
Climate Control			
Air conditioning, manual temperature control _____	S	S	S
Heater, with instrument panel ventilation _____	S	S	S
Consoles			
Full-length center floor console with removable dual front cup holders, padded armrest and large storage bin with CD/cassette provisions _____	S	S	S
Mini overhead console with HomeLink® universal garage door opener, traveler/mini-trip computer, Electronic Vehicle Information Center (EVIC) (included in Luxury Group) _____	—	P	O/P
Cover—Cargo compartment (included in Security Group) _____	P	P	S
Defroster—Rear window, electric _____	S	S	S
Door Locks—Power _____	S	S	S
Door Trim Panels _____	S	S	S
Vinyl _____	S	S	—
Premium _____	—	—	S
Luxury (included in Luxury Group and Limited G package) _____	—	P	P
Floor Mats _____	S	S	S
Instrument Cluster—Tachometer, 120-mph speedometer, coolant temperature and fuel gauges with indicators for low fuel, seat belts, brake system/parking brake, check engine, high-beam lamps, air bag, low oil pressure, charging system and lamps _____	S	S	S
Interior Colors			
Medium Slate Gray _____	O	O	O
Khaki _____	O	O	O
Slate Gray/Light Slate Gray (leather only) _____	—	O	O
Khaki/Light Graystone (leather only) _____	—	O	O
Interior Décor			
Silver Mini Carbon shifter and center stack bezels _____	—	S	—
Satin Silver shifter and center stack bezels _____	—	—	S
Interior Lighting			
Illuminated entry _____	S	S	S
Front dome _____	S	—	—
Second-row dome lamp _____	S	S	S
Map/dome reading lamps (included in Convenience Group) _____	P	S	S
Cargo compartment (included in Convenience Group) _____	P	S	S
Mirror—Rearview			
Day/night _____	S	S	S
Auto-dimming (included in Luxury Group and Limited G package) _____	—	P	P

continued

## FEATURE AVAILABILITY

	Sport	Renegade	Limited Edition
<b>INTERIOR (CONTINUED)</b>			
Power Outlets			
12-volt in center stack _____	S	S	S
12-volt in rear cargo area (included in Convenience Group) _____	P	S	S
Seat Fabric			
Freedom/Albi cloth _____	S	—	—
Trexx/Albi cloth _____	—	S	—
Addison/Albi cloth _____	—	—	S
Royale leather/Caprice vinyl _____	—	O	O
Seats—Front			
Cloth high-back reclining front buckets _____	S	S	—
Cloth low-back reclining front buckets _____	—	—	S
Premium leather low-back front buckets, includes color-keyed seat risers and passenger-side vinyl seatback map pockets (included in Luxury Group and Limited G package) _____	—	P	P
Seats, Rear—65/35 split-folding rear bench _____	S	S	S
Seats—Power			
Six-way driver _____	—	P	S
Six-way driver and passenger (with leather seats) _____	—	P	P
Seats—Heated (requires leather seats) _____	—	O	O
Sound Systems/Navigation/Communication			
AM/FM stereo radio with CD player _____	S	S	S
AM/FM stereo radio with cassette and CD player (not available with 2.4-liter engine) _____	O	O	O
AM/FM stereo radio with six-disc in-dash CD changer _____	O	O	O
AM/FM stereo radio with GPS Navigation and remote six-disc CD changer (not available with UConnect™ or SIRIUS® Satellite Radio) _____	—	O	O
Six full-range speakers _____	S	S	S
Six premium Infinity® speakers, with steering wheel-mounted audio controls (included in Limited G package) _____	O	O	O/P
SIRIUS® Satellite Radio (not available with UConnect™ or navigation radio) _____	O	O	O
UConnect hands-free communication with Bluetooth™ wireless technology (not available with SIRIUS® Satellite Radio or navigation radio) _____	—	O	O
Speed Control—Electronic with steering wheel-mounted controls (included with leather-wrapped steering wheel) _____	O/P	S	S
Steering Column—Tilt _____	S	S	S
Steering Wheel			
Luxury vinyl-wrapped _____	S	—	—
Leather-wrapped (included in Sport C package) _____	P	S	S
Sun Visors _____			
Cloth, with pull-out sunshade _____	S	—	—
With illuminated vanity mirrors (included in Convenience Group) _____	P	S	S
Windows—Power with driver and passenger one-touch down _____	S	S	S

continued

## FEATURE AVAILABILITY

	Sport	Renegade	Limited Edition
<b>POWERTRAIN AND CHASSIS</b>			
<b>Engines</b>			
2.4-liter Power Tech I-4 engine _____	S	—	—
3.7-liter Power Tech V-6 engine _____	P	S	S
2.8-liter I-4 Turbo Diesel engine (4WD only) _____	O	—	O
<b>Transmissions</b>			
Six-speed manual (not available with 2.8-liter CRD engine) _____	S	S	—
Four-speed automatic (requires 3.7-liter engine) _____	P	O	S
Five-speed automatic (requires 2.8-liter CRD engine) _____	P	—	P
<b>Axles</b>			
Dana 30 front axle (4WD only) _____	S	S	S
Corporate 8.25 rear axle _____	S	S	S
<b>Axle Ratio</b>			
4.10:1 (included with 2.4-liter engine) _____	S	—	—
3.73:1 (included with 3.7-liter engine and automatic transmission and 2.8-liter CRD engine) _____	P	P	S
3.55:1 (included with 3.7-liter V-6 engine and six-speed manual transmission) _____	P	S	—
<b>Brakes</b>			
Four-wheel disc _____	S	S	S
Four-wheel anti-lock (included with 2.8-liter Turbo Diesel engine) _____	O	O	O
Differential—Rear, Trac-Lok®(a) limited-slip, 4WD only (requires 3.7-liter Power Tech V-6 engine) _____	O/P	O/P	O
Engine Block Heater (not available with 2.4-liter engine; packaged with 2.8-liter CRD engine on Limited) _____	P	O	O/P
<b>Four-wheel Drive Systems (4WD models only)</b>			
Command-Trac® NV231 two-speed part-time transfer case _____	S	S	S
Selec Trac® NV242 two-speed full-time transfer case (included in Limited G package) _____	O	O	O/P
Skid Plates (4WD only); (included in Off-Road Group) _____	P	P	P
Steering—Power, Rack and Pinion _____	S	S	S
<b>Suspension—Front</b>			
Independent front suspension with cast-iron lower and forged-steel upper control arms, coil springs, low-pressure gas-charged shock absorbers, jounce bumpers and stabilizer bar _____	S	S	S
<b>Suspension—Rear</b>			
Solid axle rear with two trailing lower arms, A-shaped upper arm, coil springs, stabilizer bar and low-pressure gas-charged shock absorbers _____	S	S	S
<b>Tires(b)</b>			
P225/75R16 Goodyear outline white-letter, all-season (packaged with 2.8-liter CRD engine) _____	P	S	P
P235/70R16 Goodyear outline white-letter, all-terrain _____	P	P	—
P235/65R17 Goodyear black sidewall, all-season _____	—	—	S
<b>Tires—Spare</b>			
Full-size with matching wheel _____	S	S	S
Tow Hooks—Two front; one rear (included in Skid Plate Group) _____	P	S	P

(a) Trac-Lok® is a registered trademark of Spicer Technology, Inc.

(b) Another tire size or brand may also be used.

continued

## FEATURE AVAILABILITY

	Sport	Renegade	Limited Edition
<b>POWERTRAIN AND CHASSIS (CONTINUED)</b>			
Wheels			
16" x 7" mineral gray metallic painted cast aluminum _____	–	S	–
17" x 7.5" Dakar painted sparkle silver cast aluminum _____	–	–	S
16" x 7" Luxury aluminum (included in Sport C package) _____	O/P	–	–
16" x 7" Full faced steel _____	S	–	–
17" x 7" Oasis chrome-clad aluminum _____	–	–	O
<b>SAFETY AND SECURITY</b>			
Brake-shift Interlock (with automatic transmission) _____	S	S	S
Door Locks			
Child protection, rear _____	S	S	S
Enhanced Accident Response System _____	S	S	S
Remote Keyless Entry _____	S	S	S
Restraint Systems			
Air bags			
Advanced multi-stage driver and front-passenger(a) _____	S	S	S
Occupant Classification System _____	S	S	S
Supplemental side-curtains(b), headliner-mounted _____	O	O	O
Seat belts			
Front: Three-point, height-adjustable with traveling inboard buckles, constant-force retractors and driver's pretensioner _____	S	S	S
Rear: Three-point belts with LATCH-reach anchor system _____	S	S	S
BeltAlert system _____	S	S	S
Security Alarm (included in Security Group) _____	P	P	S
Sentry Key® engine immobilizer _____	S	S	S
Tire Pressure Warning _____	–	S	S
Tire Pressure Monitoring Display _____	–	O	O

(a) Certified to federal regulations that allow less forceful air bags. Always use seat belts. Remember, a back seat is the safest place for children.

(b) Always sit properly in the seat with the seat belt fastened. Always observe the passenger air bag indicator lamp to determine if the OCS classification is appropriate. Children 12 and under should always be in a back seat correctly using an infant or child restraint system or the seat belt positioned correctly for the child's age and weight.

continued

## FEATURE AVAILABILITY

	Sport	Renegade	Limited Edition
<b>EQUIPMENT GROUPS</b>			
Convenience Group—Cargo trim panel with storage net, illuminated visor vanity mirrors, rear cargo area 12-volt power outlet, map/dome reading lamps, and cargo compartment lamp (included in Sport B and C package) _____	P	S	S
Luxury Group—Premium leather-trimmed bucket seats; luxury door trim panel; power driver and front passenger seats; overhead mini console with Electronic Vehicle Information Center (EVIC), traveler/mini trip computer; HomeLink® universal garage door opener; power heated foldaway mirrors; auto-dimming rearview mirror _____	—	O	—
Off-Road Group—Trac-Lok®(a) differential; heavy-duty engine cooling; P235/70R16 outline white letter all-terrain tires; tow hooks; front suspension, fuel tank, transmission and transfer case skid plates (requires V-6 engine) (4WD only) _____	O	O	—
Security Group—Security alarm and cargo compartment cover _____	O	O	S
Skid Plate Group—Tow hooks, plate shields for fuel tank, transfer case, front suspension and transmission (4WD only); (included in Renegade D package) _____	O	P	O
Smoker's Group—Removable ash tray and cigar lighter _____	O	O	O
Trailer Tow Group—Heavy-duty engine cooling, power steering cooler, Class III receiver hitch, 7-pin wiring harness, 7-to-4-pin wiring adapter (not available with 2.4-liter engine) _____	O	O	O

(a) Trac-Lok® is a registered trademark of Spicer Technology, Inc.

continued