

LEGEND: S = Standard, O = Optional, P = Package, — = Not available

Complete package information is listed at the end of the Feature Availability section.

NOTE: Information shown is correct at time of publication and is subject to change without notice.

2009 Chrysler Sebring Feature Availability

	Sebring Touring	Sebring Limited
EXTERIOR		
Colors		
Inferno Red Crystal Pearl Coat, Deep Water Blue Pearl Coat, Silver Steel Metallic Clear Coat, Bright Silver Metallic Clear Coat, Brilliant Black Crystal Pearl Coat, and Stone White Clear Coat	O	O
Defroster—Electric rear window	S	S
Door Handles		
Body-color	S	S
Chrome	—	S
Fascias—Body-color	S	S
Glass—“Easy-Eye” Solar Control glass for windshield, door and rear windows	S	S
Grille—Silver-colored texture, bright horizontal accents	S	S
Lamps		
Quad halogen headlamps	S	S
Automatic	—	S
Headlamp—Off-time delay	S	S
Fog lamps—Fascia-mounted	—	P
Mirrors		
Mirrors—Dual, power, black	S	—
Mirrors—Dual, power, heated, body-color	—	S
Moldings		
Beltline—Bright	S	S
B-Pillars—High-gloss blackout appliqué	S	S
Quarter windows—Black appliqué	S	S
Sun Roof		
Power, includes premium headliner with illuminated visor mirrors, three passenger assist handles and four light-emitting diode (LED) map/reading lamps	—	O
Trunk Lid Release—Power	S	S
Wiper System—Windshield, variable delay, intermittent mode	S	S
INTERIOR		
Air Conditioning		
Manual temperature controls	S	S
Single-zone automatic temperature controls	—	P

	Sebring Touring	Sebring Limited
Cabin air-filtration system	S	S
Colors		
Khaki/Light Graystone or Dark Slate Gray	O	O
Cream or Dark Slate Gray	—	O
Color Accents		
Alloy Silver and Chrome	S	—
Satin Silver and Chrome	—	S
Tortoiseshell and Chrome	—	S
Console		
Center console with sliding armrest and dual-level storage	S	S
Alloy Silver center console with instrument panel and door trim bezels	S	—
Soft front console armrest	—	S
Heated/cooled cup holder	—	P
Door Handles and Door Lock Plungers		
Color-keyed	S	—
Chrome	—	S
Door Locks—Power	S	S
Floor Mats—Premium front and rear, carpeted	S	S
Headliner Module—Premium (includes four LED map/reading lamps, illuminated visor mirrors, two passenger assist handles and sunglasses holders (sunglass-holder deleted with sun roof)	—	S
HomeLink universal home security system transceiver	—	P
Instrument Panel		
Analog clock in instrument panel	S	S
Electroluminescent instrument cluster with tachometer	S	S
Electronic Vehicle Information Center (EVIC) with trip computer and Tire Pressure Monitoring (TPM) display	—	P
Outside temperature display in instrument cluster	S	S
Satin Silver instrument cluster trim rings	—	S
Alloy Silver center console with instrument panel and Satin Silver door trim bezels	S	—
Satin Silver instrument panel, steering wheel and door trim bezels	—	S
Tortoiseshell accents	—	S
Soft-touch, reverse in-mold graining	S	S
LED interior lighting for front and rear seats	—	S
Map Pockets		
Front door	S	S
Rear door with bottle holders	S	S
Driver seatback	—	S
Mirror		
Day/night manual rearview	S	S

	Sebring Touring	Sebring Limited
Automatic-dimming rearview mirror	—	P
Power Outlets—Two, battery and ignition fed	S	S
Seats		
Cloth	S	O
Stain-resistant Seat Fabric	P	S
Leather-trimmed and leather shift knob	—	S
Heated front	—	S
Manually adjustable front	S	—
Driver's manual height adjuster	S	S
Driver's lumbar adjustment	S	S
Eight-way power driver's	—	S
Fold-flat front-passenger	—	S
60/40 split-folding rear with center armrest	S	S
Shifter		
Chrome accent bezel	S	S
Leather shift knob	—	S
Sound Systems		
AM/FM radio with CD player MP3 play connectivity	S	S
Four speakers	S	—
AM/FM radio with six-disc CD player and DVD/MP3 play capability		S
Six Speakers	—	S
Boston Acoustics speaker system	—	P
SIRIUS Satellite Radio	S	S
uconnect phone	—	O / P
uconnect gps voice-activated navigation/audio system, (including touch screen, voice commands, 30-gigabyte hard drive, navigation radio, and SIRIUS Satellite Radio)	—	O
Speed Control	S	S
Steering Wheel		
Tilt and telescoping	S	S
Leather-wrapped, audio controls	—	S
Sun Visors		
Sliding	S	S
Lighted Visor mirrors	—	S
Trunk		
Lid release—Power with internal emergency release	S	S
Cargo organizer	—	P
Windows		
Power, front and rear	S	S
Express-up/-down driver and passenger windows	—	S
Express-down window feature on key fob	—	S

	Sebring Touring	Sebring Limited
POWERTRAIN AND CHASSIS		
2.4L DOHC 16-valve I-4 engine with dual Variable Valve Timing (VVT), counter-rotating balance shafts and four-speed automatic transaxle	S	S
3.5L SOHC 24-valve V-6 engine with dual-tuned intake manifold, six-speed automatic transaxle with Auto Stick and dual exhausts with chrome tips	—	—
Alternator		
120-amp	S	S
Battery—525 CCA	S	S
Brakes—Power, four-wheel disc with ABS	S	S
Brake Assist	—	S
Drive System—Front-wheel drive	S	S
Engine Block Heater	O	O
Remote Start	—	P
Steering—Power rack-and-pinion	S	S
Suspension		
Front—Independent MacPherson	S	S
Rear—Independent multi-link	S	S
Touring suspension	—	P
Traction Control	—	O
Tires		
P215/65R16 All-Season	S	—
P215/60R17 All-Season Touring	—	S
P255/55R18 All-Season Performance (3.5L only)	—	O
Wheels and Wheel Covers		
16-inch steel wheels with full covers	S	—
17-inch cast-aluminum	—	S
18-inch aluminum (3.5L only)	—	P
18-inch chrome (3.5L only)	—	O
SAFETY AND SECURITY		
Air Bags		
Advanced multi-stage driver and front-passenger ^(a)	S	S
Front seat- mounted thorax/head	S	S
Front and rear side-curtain	S	S
Electronic Stability Program (ESP)	—	S
Enhanced Accident Response System (EARS)	S	S
LATCH (Lower Anchors and Tethers for CHildren)	S	S
Remote Keyless Entry	S	S
Seat Belts		
Three-point belts in all seating positions	S	S

	Sebring Touring	Sebring Limited
Pretensioners and load-limiting retractors for front seat belts	S	S
BeltAlert	S	S
Tire Pressure Warning Lamp in Instrument Cluster	S	S
Tire Pressure Monitor with Specific Tire Pressure Display	—	P
Vehicle Theft Security Alarm—Monitors door, ignition and trunk key cylinders and disables HomeLink ^(b)	P	P
Sentry Key [®] Engine Immobilizer	S	S
(a) Certified to federal regulations that allow less forceful air bags. Always use seat belts. Remember, a back seat is the safest place for children.		
(b) If so equipped.		

EQUIPMENT GROUPS

Safety, Security and Convenience Group —Includes security alarm, Stain-resistant Seat Fabric, fold-flat front-passenger seat	O	—
Electronic Convenience Group —Includes single-zone automatic temperature control, HomeLink universal home security system transceiver, automatic-dimming rearview mirror, heated and cooled cup holder, Electronic Vehicle Information Center (EVIC) with trip computer and Tire Pressure Monitoring (TPM), Remote Start, cargo organizer, security alarm and fog lamps	—	O
Navigation & Sound Group I —Includes uconnect gps, uconnect phone and Boston Acoustics 276-watt premium sound system	—	O
Power Sun Roof Group —Includes premium headliner with illuminated vanity mirrors, rear passenger assist handles, LED map and courtesy lamps	—	O
Smoker's Group —Includes ash receiver and cigar lighter	O	O

2009 Chrysler Sebring

SPECIFICATIONS

The information shown is preliminary and based on data available at the time of publication. All dimensions are in inches (millimeters) unless otherwise noted. All dimensions are measured at curb weight with standard wheels and tires unless otherwise noted.

GENERAL INFORMATION

Body Style	Four-door sedan
Assembly Plant	Sterling Heights Assembly, Mich.
EPA Vehicle Class	Mid-size

ENGINE: 2.4-LITER, GASOLINE, DOHC, 16-VALVE, VVT, SMPI I-4

Availability	Standard on Sebring Touring and Limited
Type and Description	Four-cylinder inline, tuned intake manifold with Electronic Active Charge Motion Control valves with dual counter-rotating balance shafts
Displacement	144 cu. in. (2360 cu. cm)
Bore x Stroke	3.46 x 3.82 (88 x 97)
Valve System	Chain-driven DOHC, 16 valves, electronically controlled dual Variable Valve Timing (VVT), direct-acting shimless mechanical bucket tappets
Fuel Injection	Sequential, multi-port, electronic, returnless
Construction	High-pressure die-cast aluminum block with dry iron liners, cast-aluminum cylinder heads, cast-aluminum ladder frame, forged-steel crankshaft
Compression	10.5:1
Power (SAE net, estimated)	173 bhp (129 kW) @ 6,000 rpm (71 bhp/liter)
Torque (SAE net, estimated)	166 lb.-ft. (225 N•m) @ 4,400 rpm
Max. Engine Speed	6,500 rpm (electronically limited)
Fuel Requirement	Unleaded regular, 87 octane (R+M)/2
Oil Capacity	5.0 qt. (4.7L) SAE 5W-20
Coolant Capacity	7.2 qt. (6.8L)
Emission Controls	Single catalytic converter dual heated oxygen sensors and engine features ^(a)
EPA Fuel Economy mpg (City/Hwy)	21/30

(a) Meets Federal Tier 2, Bin 5 emissions requirements and PZEV requirements in California, Massachusetts, New York, Maine, Vermont, Connecticut, Pennsylvania, Rhode Island, New Jersey, Oregon and Washington. Meets Euro IV emissions requirements.

ENGINE: 3.5-LITER, GASOLINE, SOHC, 24-VALVE, SMPI V-6

Availability	Available on Sebring Limited
Type and Description	60-degree bank angle, liquid-cooled, three-plenum intake manifold with electronically controlled manifold tuning valve and short-runner valves
Displacement	3518 cu. cm
Bore x Stroke	96 x 81
Valve System	SOHC, 24 valves, hydraulic, center-pivot roller rocker arms
Fuel Injection	Sequential, multi-port, electronic
Construction	Semi-permanent mold aluminum block with cast-in iron liners and cast-

	aluminum heads
Compression Ratio	10.0:1
Power (SAE net, estimated)	235 bhp (175 kW) @ 6,400 rpm (71.4 bhp/liter)
Torque (SAE net, estimated)	232 lb.-ft. (315 N•m) @ 4,000 rpm
Max. Engine Speed	6,800 rpm (electronically limited)
Fuel Requirement	Unleaded mid-grade, 89 octane (R+M)/2—preferred, unleaded regular, 87 octane (R+M)/2—acceptable
Oil Capacity	6 qts. (5.7L) with dry filter
Coolant Capacity	10.3 qts. (9.75L)
Emission Controls	Three-way catalytic converter, electronic EGR, and internal engine features ^(d)
Estimated EPA Fuel Economy mpg (City/Hwy)	16/26
(d) Meets Federal Tier 2, Bin 5 emission requirements and ULEV II requirements in California, Massachusetts, New York, Maine, Vermont, Connecticut, Pennsylvania, Rhode Island, New Jersey, Oregon and Washington. Meets Euro IV emissions requirements.	

TRANSAXLE: 40TES, AUTOMATIC FOUR-SPEED OVERDRIVE

Description	Four-speed overdrive, adaptive electronic control, electronically modulated converter clutch
Gear Ratios	
1 st	2.842
2 nd	1.57
3 rd	1
4 th	0.69
Reverse	2.21
Final Drive Ratio	3.91 w/2.4L engine
Overall Top Gear	2.70 w/2.4L engine

TRANSAXLE: 62TE, AUTOMATIC SIX-SPEED OVERDRIVE

Description	Six-speed, adaptive electronic control or Auto Stick driver-interactive manual control and electronically modulated torque converter clutch
Gear Ratios	
1 st	4.127
2 nd	2.842
3 rd	2.283
4 th	Upshift—1.452, WOT kick-down—1.570
5 th	1
6 th	0.69
Reverse	3.214
Transfer Ratio	0.95
Final Drive Ratio	3.43
Overall Top Gear	2.248

DRIVETRAIN

Front-wheel Drive	Standard with all engines
-------------------	---------------------------

DIMENSIONS AND CAPACITIES

General

Wheelbase	108.9 (2765.0)
Track, Front	61.8 (1569.7)
Track, Rear	61.8 (1569.7)
Overall Length	190.6 (4842.2)
Overall Width	71.2 (1808.4)
Overall Height	59.0 (1498.4)

Aero

CdA	8.29
Cd	0.331
Fuel Tank Capacity, gal. (L)	16.9 (64.0)
Towing Capabilities, NAFTA Markets lbs. (kg) ^(e)	
2.4L Auto. Trans	1,000 (450)
3.5L Auto. Trans	2,000 (900)

(e) Maximum frontal area of trailer or boat: 22 square feet 3.5L engine; 15 square feet 2.4L engine and 2.7L engine.

U.S. Curb Weight, Base Vehicle,
lbs. (kg)

2.4L Gasoline Engine	Sebring Touring	3,310 (1501)
3.5L Gasoline Engine	Sebring Limited	3,525 (1599)

ACCOMMODATIONS

Seating Capacity - F/R	2/3
EPA Total Interior Passenger Volume, cu. ft. (cu. m)	102.5 (2.9)

Front

Head Room w/o Sun Roof	40.1 (1017.3)
Head Room w/Sun Roof	37.9 (963.4)
Leg Room	42.4 (1077.1)
Shoulder Room	56.4 (1432.8)
Hip Room	53.5 (1357.8)
Seat Travel	10.2 (260)
EPA Front Compartment Volume, cu. ft. (cu. m)	55.5 (1.6)

Rear

Head Room	38.4 (975.2)
Leg Room	37.6 (955)
Shoulder Room	56.4 (1431.6)
Hip Room	53.2 (1351.0)

EPA Rear Compartment Volume, cu. ft. (cu. m)	47.1 (1.3)
Cargo	
Liftover Height	31.8 (808.8)
SAE Luggage Compartment Volume, cu. ft. (cu. m)	13.6 (0.39)
BODY/CHASSIS	
Layout	Transverse front engine with front-wheel drive
Construction	Steel unibody
SUSPENSION	
Front	Independent MacPherson strut, coil spring over gas-charged shock absorbers, stabilizer bar
Rear	Multi-link independent with coil springs, link-type stabilizer bar, gas-charged shock absorbers and isolated rear suspension cradle
STEERING	
Type	Speed-proportional, power rack-and-pinion
Overall Ratio	16.5:1
Turning Diameter (curb-to-curb)	36.5 ft. (11.13)
Steering Turns (lock-to-lock)	3
BRAKES	
Power Assist Type—All	8 x 9 (204 x 230) tandem-diaphragm vacuum
Availability	Standard on all models
Front	
Size and Type	11.5 x 1.0 (294 x 26) vented rotors with 2.2 (57.0) single-piston floating caliper
Swept Area (Total Front)	223.5 sq. in. (1442.1 sq. cm)
Rear	
Size and Type	10.3 x 0.4 (262 x 10) solid rotor with 1.4 (35.0) single-piston floating caliper
Swept Area (Total Rear)	138.6 sq. in. (894.6 sq. cm)
Parking Brake Type	Drum-in-hat
Four-wheel Anti-lock Brake System (ABS)	Standard
Electronic Stability Program (ESP)	Optional
Traction Control	Optional
WHEELS	
Availability	Standard
Type and Material	Steel painted with Sparkle Silver wheel cover

Size	16 in. x 6.5 in.
Availability	Standard on Sebring Limited
Type and Material	Machined and painted cast-aluminum, Sparkle Silver
Size	17 in. x 6.5 in.
Availability	Standard on Sebring Limited (3.5L only)
Type and Material	Machined and painted cast-aluminum, Sparkle Silver
Size	18 in. x 7.0 in.
Availability	Available Sebring Limited (3.5L only)
Type and Material	Chrome-clad cast-aluminum
Size	18 in. x 7.0 in.
TIRES	
Availability	Standard on Sebring
Size and Type	P215/65R16, All-season
Model	Firestone FR690
Revs per Mile (km)	774 (1245.6)
Availability	Standard on Sebring Limited
Size and Type	P215/60R17, All-season Touring
Model	Bridgestone Turanza EL400
Revs per Mile (km)	772 (1242.4)
Availability	Standard on Sebring Limited (3.5L only)
Size and Type	P215/55R18, All-season Touring
Model	Bridgestone Turanza EL400
Revs per Mile (km)	763 (1227.9)