2013 Dodge Challenger SRT8 392 **FEATURE AVAILABILITY**

LEGEND: S = Standard, O = Optional, — = Not available

Complete package information is listed at the end of the Feature Availability section. NOTE: Information shown is correct at time of publication and is subject to change.

SRT8 392 EXTERIOR Colors Billet Silver Metallic Clear Coat, Bright White Clear Coat, Granite Crystal Metallic Pearl Coat, Jazz Blue Pearl Coat, Pitch Black, Phantom Black Tri-coat Pearl, Redline Tri-coat Pearl and 0 **TorRed Clear Coat** Antennas S AM/FM, integrated into rear window S SiriusXM Radio, roof mounted **Badges** "392 HEMI" on fenders S S "SRT8" on rear spoiler S "SRT" on front grille Deck-lid spoiler S Body color **Door Handles** Body color S Keyless Enter-N-Go lock button S Fuel filler door — bright, polished aluminum S Grille Black with satin-chrome surround S Glass — solar control, all windows S Lamps Automatic, xenon, high-intensity discharge (HID) headlamps S S Fog lamps Mirrors Power, body-color, folding, heated S Sunroof — power with one-touch open/close and vent feature О Stripes — Dual, full body Black, Grey Metallic, Silver Metallic, Red S Tires Front and rear — P245/45ZR20 Goodyear RSA four-season Front — P245/45ZR20 Goodyear F1 three-season

	SRT8 392
Rear — P255/45ZR20 Goodyear F1 three-season	0
TIREFIT System: tire sealant and electric compressor	S
Wheels	
20-in. SRT-exclusive, five spoke polished with black pockets	S
20-in. SRT-exclusive, split five spoke, fully forged, Black Vapor Chrome finish	0
Windows — power front one-touch auto down	S
Windshield Wipers — two-speed with variable intermittent mode	S
INTERIOR	
Center Console	S
Armrest with fore- and aft-slide adjustment	S
Full-length floor-mounted with silver metal brush finish	S
Cell phone storage	S
12-volt power outlet, center stack and inside armrest	S
LED-illuminated cup holders	S
Rear climate control outlets	S
Climate Control	
Air conditioning	S
Automatic single-zone temperature controls	S
Cabin air filtration	S
Rear window defrost	S
Front/rear passenger climate-control outlets	S
Colors:	
Dark Slate Gray — Nappa leather	S
Radar Red — Nappa leather	0
Door Panels	
Silver metal brush grab handle	S
Padded armrests	S
Satin silver door lock knobs	S
Map pockets	S
Driver-selectable Electronic Vehicle Information Center (EVIC) with performance pages	
With tire-pressure monitoring (TPM) display, engine hour meter, oil pressure, oil temperature, transmission oil temperature, trip computer, instant fuel economy, trip fuel economy, trip time elapsed, radio information, outside temperature, compass, ECO-lamp (automatic transmission only) and "Sport" mode indicator. Performance pages include 0-60 mph, eighthmile, quarter-mile, braking time and G-force meter	S
Floor covering — carpet	S
Floor mats — luxury, front and rear	S

	SRT8 392
Headliner	
Black	S
Sun visors with illuminated vanity mirrors	S
LED front-map lamps	S
Front-passenger assist handle	S
Front overhead console with HomeLink universal transceiver	S
LED rear-reading courtesy lamps	S
Instrument Cluster	
180-mph speedometer with electroluminescent display, tachometer, coolant temperature and fuel gauge	S
LED back-lit illumination	S
Instrument Panel	
Black, soft touch	S
Key Fob	
Keyless Enter-N-Go with illuminated entry	S
Remote start (automatic transmission only)	S
Multimedia Systems	
Media Center 430 with 6.4-in. touchscreen display, 30 GB hard drive, USB port and AM/FM/CD/DVD/MP3 capability (included with Sound Group II)	S
Media Center 430N with 6.4-in. touchscreen display, Garmin navigation, 30 GB hard drive, USB port and AM/FM/CD/DVD/MP3 capability	0
Media Center 730N with 6.4-in. touchscreen display, SiriusXM Traffic, premium navigation, 30-gigabyte hard drive, USB port and AM/FM/CD/DVD/MP3 capability	0
SiriusXM Radio	S
Uconnect Voice Command — with auto-dimming rear-view mirror	S
Bluetooth streaming audio	S
USB Port with iPod control	S
Auxiliary input jack	S
Rear-view Mirrors	
Auto-dimming with microphone	S
Shift Knob	
Leather-wrapped	S
Steering column — manual tilt-and-telescoping	S
Steering Wheel	
SRT leather-wrapped, heated	S
Paddle shifters (automatic transmission only)	S
Satin chrome spokes	S
Audio controls, EVIC, Uconnect Voice Command and cruise controls	S

	SRT8 392
Seating	
SRT performance seats with exclusive Nappa premium-leather trim and red stripe insert	S
Front low-back buckets	S
Six-way power driver's seat	S
Four way manual front-passenger seat with easy rear-seat entry/exit	S
Heated front seats	S
Power adjustable lumbar support — driver seat	S
Rear — 60/40 split-folding rear bench with armrest and two cup holders	S
Trunk	
Carpeted compartment	S
Carpeted deck-lid liner	S
Lamp	S
Windows	
Front power with express down	S
Integrated rear window antenna	S
Solar-control glass	S
Rear-window defroster	S
Engine 392 HEMI [®] V-8 engine, active intake manifold with variable-cam timing (VCT), Fuel Saver	
392 HEMI [®] V-8 engine, active intake manifold with variable-cam timing (VCT), Fuel Saver	0
system with four-cylinder mode and interactive Decel Fuel Shut Off (iDFSO)	
392 HEMI [®] V-8 engine, active intake manifold with VCT	S
Cold-air Induction — performance tuned	S
Engine block heater	0
Engine Cooling — heavy duty	S
Transmission	
Tremec TR6060 six-speed manual with fuel-saving 1-4 skip shift sequence	S
WA580 five-speed automatic with Auto Stick and paddle shifters with "Track" mode (performance shifting and gear holding feature combined with "Sport" mode suspension damping rates)	0
Alternator — 220-amp	S
Battery — 730-amp, maintenance free	S
Battery saver feature	S
Brake System	
High-performance, four-wheel disc with vented 14.2-in. front and 13.8-in. rear discs; includes	S
Brembo Performance four-piston fixed calipers and all-speed traction control	3

Brake knockback mitigation feature Three-mode with "ESC-off" mode Hydraulic-boost Compensation (HBC) SHill-start Assist (HSA) Silferential — Rear 3.06 axle ratio, 226mm, 4-pinion limited slip (automatic transmission) O.3.91 axle ratio, 226mm, 4-pinion limited slip (manual transmission) Selectronic stability control (ESC) With four-wheel ABS, all-speed traction control system (TCS), electronic brake-force distribution (EBD) and Brake Assist Exhaust System Stainless steel performance dual exhaust with low-restriction bottle resonators, 2.75-inch diameter piping with dual chromed exhaust tips Fuel Tank 19-gal, with tethered cap Launch control – to achieve controlled wheelslip for maximum acceleration Steering Performance-tuned hydraulic power steering (HPS) Syriable-speed assisted sensitivity Suspension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling: "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Selistein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Selistein adaptive damping system (ADS) shock absorbers SAFETY AND SECURITY Active head restraints Advanced multi-stage driver and front-passenger SAIt-lock braking system (ABS) SAIt-lock braking system (ABS)		SRT8 392
Hydraulic-boost Compensation (HBC) S Hill-start Assist (HSA) S Differential — Rear 3.06 axle ratio, 226mm, 4-pinion limited slip (automatic transmission) O 3.91 axle ratio, 226mm, 4-pinion limited slip (manual transmission) S Electronic stability control (ESC) S With four-wheel ABS, all-speed traction control system (TCS), electronic brake-force distribution (EBD) and Brake Assist Exhaust System Stainless steel performance dual exhaust with low-restriction bottle resonators, 2.75-inch diameter piping with dual chromed exhaust tips Fuel Tank 19-gal. with tethered cap S Launch control — to achieve controlled wheelslip for maximum acceleration S Steering Performance-tuned hydraulic power steering (HPS) S Variable-speed assisted sensitivity S Performance rack-and-pinion steering gear S Suspension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar S Bilstein adaptive damping system (ADS) shock absorbers S Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar S Bilstein adaptive damping system (ADS) shock absorbers S SAFETY AND SECURITY Active head restraints S Air bags Advanced multi-stage driver and front-passenger S Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax) S	Brake knockback mitigation feature	S
Hill-start Assist (HSA) Differential — Rear 3.06 axle ratio, 226mm, 4-pinion limited slip (automatic transmission) O 3.91 axle ratio, 226mm, 4-pinion limited slip (manual transmission) S Electronic stability control (ESC) With four-wheel ABS, all-speed traction control system (TCS), electronic brake-force distribution (EBD) and Brake Assist Exhaust System Stainless steel performance dual exhaust with low-restriction bottle resonators, 2.75-inch diameter piping with dual chromed exhaust tips Fuel Tank 19-gal. with tethered cap Launch control — to achieve controlled wheelslip for maximum acceleration S teering Performance-tuned hydraulic power steering (HPS) S asspension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus S performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Bilstein adaptive damping system (ADS) shock absorbers S Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar S Bilstein adaptive damping system (ADS) shock absorbers S AFETY AND SECURITY Active head restraints S AFFETY AND SECURITY Advanced multi-stage driver and front-passenger S priver and front-passenger seat-mounted side airbags (pelvic-thorax) S priver and front-passenger seat-mounted side airbags (pelvic-thorax)	Three-mode with "ESC-off" mode	S
Differential — Rear 3.06 axle ratio, 226mm, 4-pinion limited slip (automatic transmission) 3.91 axle ratio, 226mm, 4-pinion limited slip (manual transmission) 8 Electronic stability control (ESC) With four-wheel ABS, all-speed traction control system (TCS), electronic brake-force distribution (EBD) and Brake Assist Exhaust System Stainless steel performance dual exhaust with low-restriction bottle resonators, 2.75-inch diameter piping with dual chromed exhaust tips Fuel Tank 19-gal. with tethered cap \$ Launch control – to achieve controlled wheelslip for maximum acceleration \$ Steering Performance-tuned hydraulic power steering (HPS) \$ Variable-speed assisted sensitivity \$ Performance rack-and-pinion steering gear \$ Suspension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar \$ Bilstein adaptive damping system (ADS) shock absorbers \$ Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar \$ Bilstein adaptive damping system (ADS) shock absorbers \$ SAFETY AND SECURITY Active head restraints \$ Control of the straints \$ Con	Hydraulic-boost Compensation (HBC)	S
3.06 axle ratio, 226mm, 4-pinion limited slip (automatic transmission) 3.91 axle ratio, 226mm, 4-pinion limited slip (manual transmission) S Electronic stability control (ESC) With four-wheel ABS, all-speed traction control system (TCS), electronic brake-force distribution (EBD) and Brake Assist Exhaust System Stainless steel performance dual exhaust with low-restriction bottle resonators, 2.75-inch diameter piping with dual chromed exhaust tips Fuel Tank 19-gal. with tethered cap S Launch control – to achieve controlled wheelslip for maximum acceleration S Steering Performance-tuned hydraulic power steering (HPS) Variable-speed assisted sensitivity S Performance rack-and-pinion steering gear SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar S Bilstein adaptive damping system (ADS) shock absorbers S Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar S Bilstein adaptive damping system (ADS) shock absorbers S AFETY AND SECURITY Active head restraints S Afir bags Advanced multi-stage driver and front-passenger S Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax)	Hill-start Assist (HSA)	S
3.91 axle ratio, 226mm, 4-pinion limited slip (manual transmission) Selectronic stability control (ESC) With four-wheel ABS, all-speed traction control system (TCS), electronic brake-force distribution (EBD) and Brake Assist Exhaust System Stainless steel performance dual exhaust with low-restriction bottle resonators, 2.75-inch diameter piping with dual chromed exhaust tips Fuel Tank 19-gal. with tethered cap Launch control – to achieve controlled wheelslip for maximum acceleration Steering Performance-tuned hydraulic power steering (HPS) Variable-speed assisted sensitivity Systemsion SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus Sperformance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Silstein adaptive damping system (ADS) shock absorbers SAFETY AND SECURITY Active head restraints Advanced multi-stage driver and front-passenger S Front and rear side-curtain S priver and front-passenger seat-mounted side airbags (pelvic-thorax)	Differential — Rear	
Electronic stability control (ESC) With four-wheel ABS, all-speed traction control system (TCS), electronic brake-force distribution (EBD) and Brake Assist Exhaust System Stainless steel performance dual exhaust with low-restriction bottle resonators, 2.75-inch diameter piping with dual chromed exhaust tips Fuel Tank 19-gal. with tethered cap Steering Performance-tuned hydraulic power steering (HPS) Variable-speed assisted sensitivity Suspension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Silstein adaptive damping system (ADS) shock absorbers SAFETY AND SECURITY Active head restraints Advanced multi-stage driver and front-passenger Sirver and front-passenger seat-mounted side airbags (pelvic-thorax)	3.06 axle ratio, 226mm, 4-pinion limited slip (automatic transmission)	0
With four-wheel ABS, all-speed traction control system (TCS), electronic brake-force distribution (EBD) and Brake Assist Exhaust System Stainless steel performance dual exhaust with low-restriction bottle resonators, 2.75-inch diameter piping with dual chromed exhaust tips Fuel Tank 19-gal. with tethered cap Salunch control – to achieve controlled wheelslip for maximum acceleration Steering Performance-tuned hydraulic power steering (HPS) Variable-speed assisted sensitivity Salupension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus sperformance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Silstein adaptive damping system (ADS) shock absorbers SAFETY AND SECURITY Active head restraints Advanced multi-stage driver and front-passenger SFront and rear side-curtain Spriver and front-passenger seat-mounted side airbags (pelvic-thorax)	3.91 axle ratio, 226mm, 4-pinion limited slip (manual transmission)	S
Exhaust System Stainless steel performance dual exhaust with low-restriction bottle resonators, 2.75-inch diameter piping with dual chromed exhaust tips Fuel Tank 19-gal. with tethered cap Salunch control – to achieve controlled wheelslip for maximum acceleration Steering Performance-tuned hydraulic power steering (HPS) Variable-speed assisted sensitivity Performance rack-and-pinion steering gear SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Bilstein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar S Bilstein adaptive damping system (ADS) shock absorbers S AFETY AND SECURITY Active head restraints S Air bags Advanced multi-stage driver and front-passenger S Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax)	Electronic stability control (ESC)	S
Stainless steel performance dual exhaust with low-restriction bottle resonators, 2.75-inch diameter piping with dual chromed exhaust tips Fuel Tank 19-gal. with tethered cap Saluanch control – to achieve controlled wheelslip for maximum acceleration Setering Performance-tuned hydraulic power steering (HPS) Variable-speed assisted sensitivity Saluance rack-and-pinion steering gear Suspension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Salistein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Salistein adaptive damping system (ADS) shock absorbers SAFETY AND SECURITY Active head restraints Salir bags Advanced multi-stage driver and front-passenger Soliver and front-passenger seat-mounted side airbags (pelvic-thorax)		S
fuel Tank 19-gal. with tethered cap S Launch control – to achieve controlled wheelslip for maximum acceleration Steering Performance-tuned hydraulic power steering (HPS) Variable-speed assisted sensitivity S Performance rack-and-pinion steering gear S Suspension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar S Bilstein adaptive damping system (ADS) shock absorbers S Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar S Bilstein adaptive damping system (ADS) shock absorbers S SAFETY AND SECURITY Active head restraints S Air bags Advanced multi-stage driver and front-passenger S Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax)	Exhaust System	
19-gal. with tethered cap Launch control – to achieve controlled wheelslip for maximum acceleration Steering Performance-tuned hydraulic power steering (HPS) Variable-speed assisted sensitivity Seprformance rack-and-pinion steering gear Suspension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Silstein adaptive damping system (ADS) shock absorbers SAFETY AND SECURITY Active head restraints Advanced multi-stage driver and front-passenger Siront and rear side-curtain Siront and front-passenger seat-mounted side airbags (pelvic-thorax)		S
Launch control – to achieve controlled wheelslip for maximum acceleration Steering Performance-tuned hydraulic power steering (HPS) Variable-speed assisted sensitivity Steering Performance rack-and-pinion steering gear Suspension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling, "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Silstein adaptive damping system (ADS) shock absorbers SAFETY AND SECURITY Active head restraints Siladgs Advanced multi-stage driver and front-passenger Siloriver and front-passenger seat-mounted side airbags (pelvic-thorax)	Fuel Tank	
Steering Performance-tuned hydraulic power steering (HPS) Svariable-speed assisted sensitivity Seperformance rack-and-pinion steering gear Suspension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Sepistein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Sepistein adaptive damping system (ADS) shock absorbers Sepistein adaptive damping system (ADS	19-gal. with tethered cap	S
Performance-tuned hydraulic power steering (HPS) Variable-speed assisted sensitivity Performance rack-and-pinion steering gear Suspension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Silstein adaptive damping system (ADS) shock absorbers SAFETY AND SECURITY Active head restraints Advanced multi-stage driver and front-passenger Spront and rear side-curtain Spriver and front-passenger seat-mounted side airbags (pelvic-thorax)	Launch control – to achieve controlled wheelslip for maximum acceleration	S
Variable-speed assisted sensitivity Performance rack-and-pinion steering gear Suspension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Safety AND SECURITY Active head restraints SAir bags Advanced multi-stage driver and front-passenger Front and rear side-curtain Silptiver and front-passenger seat-mounted side airbags (pelvic-thorax)	Steering	
Performance rack-and-pinion steering gear Suspension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Silstein adaptive damping system (ADS) shock absorbers Safety AND SECURITY Active head restraints SAir bags Advanced multi-stage driver and front-passenger Spriver and front-passenger seat-mounted side airbags (pelvic-thorax)	Performance-tuned hydraulic power steering (HPS)	S
Suspension SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Silstein adaptive damping system (ADS) shock absorbers Silstein adaptive damping system (ADS) shock absorbers Safety AND SECURITY Active head restraints Air bags Advanced multi-stage driver and front-passenger Silstein and rear side-curtain Silstein and front-passenger seat-mounted side airbags (pelvic-thorax)	Variable-speed assisted sensitivity	S
SRT tuned three-mode adaptive damping system: "Auto" mode = sporty but compliant ride; "Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Safety And Security Active head restraints Air bags Advanced multi-stage driver and front-passenger Spriver and front-passenger seat-mounted side airbags (pelvic-thorax)	Performance rack-and-pinion steering gear	S
"Sport" mode = firm, maximum handling, "Track" mode = firm, maximum handling plus performance shifting and gear holding feature Suspension Architecture — Front Independent, short- and long-arm (SLA) design with 30 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Silstein adaptive damping system (ADS) shock absorbers Safety AND SECURITY Active head restraints Advanced multi-stage driver and front-passenger Front and rear side-curtain Silver and front-passenger seat-mounted side airbags (pelvic-thorax)	Suspension	
Independent, short- and long-arm (SLA) design with 30 mm sway bar Bilstein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Bilstein adaptive damping system (ADS) shock absorbers S SAFETY AND SECURITY Active head restraints S Air bags Advanced multi-stage driver and front-passenger Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax)	"Sport" mode = firm, maximum handling; "Track" mode = firm, maximum handling plus	S
Bilstein adaptive damping system (ADS) shock absorbers Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Bilstein adaptive damping system (ADS) shock absorbers SAFETY AND SECURITY Active head restraints Air bags Advanced multi-stage driver and front-passenger Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax)	Suspension Architecture — Front	
Suspension Architecture — Rear Multi-link with "roll steer" geometry with 16 mm sway bar Bilstein adaptive damping system (ADS) shock absorbers SAFETY AND SECURITY Active head restraints Air bags Advanced multi-stage driver and front-passenger Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax)	Independent, short- and long-arm (SLA) design with 30 mm sway bar	S
Multi-link with "roll steer" geometry with 16 mm sway bar Bilstein adaptive damping system (ADS) shock absorbers SAFETY AND SECURITY Active head restraints Air bags Advanced multi-stage driver and front-passenger Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax)	Bilstein adaptive damping system (ADS) shock absorbers	S
Bilstein adaptive damping system (ADS) shock absorbers SAFETY AND SECURITY Active head restraints Air bags Advanced multi-stage driver and front-passenger Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax)	Suspension Architecture — Rear	
SAFETY AND SECURITY Active head restraints Air bags Advanced multi-stage driver and front-passenger Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax) S	Multi-link with "roll steer" geometry with 16 mm sway bar	S
Active head restraints Air bags Advanced multi-stage driver and front-passenger Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax) S	Bilstein adaptive damping system (ADS) shock absorbers	S
Air bags Advanced multi-stage driver and front-passenger S Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax) S	SAFETY AND SECURITY	
Advanced multi-stage driver and front-passenger S Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax) S	Active head restraints	S
Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax) S	Air bags	
Front and rear side-curtain S Driver and front-passenger seat-mounted side airbags (pelvic-thorax) S	Advanced multi-stage driver and front-passenger	S
		S
	Driver and front-passenger seat-mounted side airbags (pelvic-thorax)	S
	Anti-lock braking system (ABS)	S

	SRT8 392
Traction control system (TCS)	S
Auto-reverse, anti-pinch sunroof with express open/close	0
Auto-dimming rear-view mirror	S
Automatic headlamps	S
BeltAlert	S
Brake Assist	S
Brake/Park interlock (with automatic transmission)	S
Constant-force retractors	S
Crumple zones	S
Dual-note electric horn	S
Door Locks	
Speed-sensitive automatic power with illuminated switches	S
One-touch driver unlock, two-touch passenger-door unlock key fob	S
Electronic Brake-force Distribution (EBD)	S
Electronic stability control (ESC)	S
Energy-absorbing steering column	S
Enhanced Accident Response System (EARS)	S
Front seat-belt pretensioners	S
Garmin Navigation (included with Media Center 430N)	0
Height-adjustable seat belts	S
High-intensity discharge (HID) headlamps	S
HomeLink universal transceiver	S
Illuminated Entry	S
Intelligent battery sensor (IBS)	S
Interior head-impact protection	S
Keyless Enter-N-Go	S
Knee bolsters	S
Lower Anchors and Tethers for CHildren (LATCH)	S
Occupant restraint controller (ORC)	S
Remote start	S
ParkSense® rear park assist system	S
Seat belts — includes three-point for all positions	S
Sentry Key engine immobilizer — theft-deterrent system	S
Tire-pressure monitoring (TPM)	S
Trunk lid — internal emergency release	S
Uconnect Voice Command — includes auto-dimming rear-view mirror	S
Vehicle security alarm	S

DODGE CHALLENGER SRT8 392 Feature Availability

	SRT8 392
SRT TRACK EXPERIENCE	
Includes a one-day driving experience designed for SRT owners and performance enthusiasts to maximize their driving knowledge and skills on the street or track. All SRT owners and enthusiasts are eligible to participate in this day-long event held at selected tracks.	S
EQUIPMENT GROUPS	
Premium Audio Group — Harman Kardon high-performance audio system with 18 speakers including trunk enclosure with 2 x 10-in. subwoofers and 900-watt amplifier	0

• • •