



2019 RAM 1500
TOWING CHART

2019 Ram 1500
TOWING CHART

TRAILER TOWING CHART (SAE J2807 COMPLIANT) QUAD CABS											
ENGINE	TRANSMISSION	AXLE RATIO	GWR	PAYLOAD	BASE WEIGHT			GAWR		GWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
QUAD CAB: 6-ft. 4-in. BOX, 4x2 HFE											
3.6L V-6	A8 850RE	3.21	6010	1180	4825.00	2805.58	2019.42	3,700	4,100	11,900	6,710
QUAD CAB: 6-ft. 4-in. BOX, 4x2											
3.6L V-6	A8 850RE	3.21	6800	1910	4891.01	2843.96	2047.05	3,700	4,100	11,900	6,640
3.6L V-6	A8 850RE	3.55	6800	1910	4891.01	2843.96	2047.05	3,700	4,100	12,900	7,640
3.6L V-6	A8 850RE	3.55	7100	2320	4782.01	2780.58	2001.43	3,700	4,100	12,900	7,750
5.7L V-8 HEMI®	A8 8HP75	3.21	6900	1980	4925.00	2863.72	2061.28	3,700	4,100	13,900	8,590
5.7L V-8 HEMI	A8 8HP75	3.92	6900	1980	4925.00	2863.72	2061.28	3,700	4,100	17,000	11,690
5.7L V-8 HEMI eTorque	A8 8HP75	3.21	6900	1890	5009.00	2912.57	2096.43	3,700	4,100	13,900	8,540
5.7L V-8 HEMI eTorque	A8 8HP75	3.92	6900	1890	5009.00	2912.57	2096.43	3,700	4,100	17,000	11,640
5.7L V-8 HEMI eTorque	A8 8HP75	3.92	6900	1890	5009.00	2912.57	2096.43	3,700	4,100	18,200	12,750



2019 RAM 1500
TOWING CHART

TRAILER TOWING CHART (SAE J2807 COMPLIANT) QUAD CABS (CONTINUED)

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
3.6L V-6	A8 850RE	3.21	6800	1810	4988.99	2900.93	2088.06	3,900	4,100	11,900	6,460
3.6L V-6	A8 850RE	3.55	6800	1810	4988.99	2900.93	2088.06	3,900	4,100	12,900	7,460
3.6L V-6	A8 850RE	3.92	6800	1560	5237.99	3045.72	2192.27	3,900	4,100	12,900	7,290
5.7L V-8 HEMI®	A8 8HP75	3.21	7100	1950	5147.00	2992.81	2154.19	3,900	4,100	13,900	8,360
5.7L V-8 HEMI	A8 8HP75	3.92	7100	1950	5147.00	2992.81	2154.19	3,900	4,100	17,000	11,460
5.7L V-8 HEMI eTorque	A8 8HP75	3.21	7100	1870	5231.99	3042.23	2189.76	3,900	4,100	13,900	8,270
5.7L V-8 HEMI eTorque	A8 8HP75	3.92	7100	1870	5231.99	3042.23	2189.76	3,900	4,100	17,000	11,370

QUAD CAB: 6-ft. 4-in. BOX, 4x4



2019 RAM 1500
TOWING CHART

TRAILER TOWING CHART (SAE J2807 COMPLIANT) CREW CABS WITH 5-ft. 7-in. BOX

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

CREW CAB: 5-ft. 7-in. BOX, 4x2

3.6L V-6	A8 850RE	3.21	6900	2000	4903.00	2850.93	2052.07	3,700	4,100	11,900	6,590
3.6L V-6	A8 850RE	3.55	6900	2000	4903.00	2850.93	2052.07	3,700	4,100	12,900	7,590
3.6L V-6	A8 850RE	3.92	6900	1760	5141.00	2989.33	2151.67	3,700	4,100	12,900	7,390
5.7L V-8 HEMI®	A8 8HP75	3.21	6900	1840	5065.00	2945.13	2119.87	3,700	4,100	13,900	8,430
5.7L V-8 HEMI	A8 8HP75	3.92	6900	1840	5065.00	2945.13	2119.87	3,700	4,100	17,000	11,530
5.7L V-8 HEMI eTorque	A8 8HP75	3.21	6900	1750	5149.00	2993.97	2155.03	3,700	4,100	13,900	8,340
5.7L V-8 HEMI eTorque	A8 8HP75	3.92	6900	1750	5149.00	2993.97	2155.03	3,700	4,100	17,000	11,440

CREW CAB: 5-ft. 7-in. BOX, 4x4

3.6L V-6	A8 850RE	3.21	6900	1670	5231.99	3042.23	2189.76	3,900	4,100	11,900	6,280
3.6L V-6	A8 850RE	3.55	6900	1670	5231.99	3042.23	2189.76	3,900	4,100	12,900	7,280
3.6L V-6	A8 850RE	3.92	6900	1530	5372.00	3123.64	2248.36	3,900	4,100	12,900	7,160
5.7L V-8 HEMI	A8 8HP75	3.21	7100	1800	5302.01	3082.94	2219.07	3,900	4,100	13,900	8,190
5.7L V-8 HEMI	A8 8HP75	3.92	7100	1800	5302.01	3082.94	2219.07	3,900	4,100	17,000	11,290
5.7L V-8 HEMI eTorque	A8 8HP75	3.21	7100	1720	5380.01	3128.30	2251.71	3,900	4,100	13,900	8,090
5.7L V-8 HEMI eTorque	A8 8HP75	3.92	7100	1720	5380.01	3128.30	2251.71	3,900	4,100	17,000	11,190



2019 RAM 1500
TOWING CHART

TRAILER TOWING CHART (SAE J2807 COMPLIANT) CREW CABS WITH 6-ft. 4-in. BOX

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
CREW CAB: 6-ft. 4-in. BOX, 4x2											
3.6L V-6	A8 850RE	3.21	6900	1940	4964.01	2886.41	2077.60	3,700	4,100	11,900	6,550
3.6L V-6	A8 850RE	3.55	6900	1940	4964.01	2886.41	2077.60	3,700	4,100	12,900	7,550
5.7L V-8 HEMI®	A8 8HP75	3.21	6900	1820	5076.99	2952.10	2124.89	3,700	4,100	13,900	8,420
5.7L V-8 HEMI	A8 8HP75	3.92	6900	1820	5076.99	2952.10	2124.89	3,700	4,100	17,000	11,520
5.7L V-8 HEMI eTorque	A8 8HP75	3.21	6900	1740	5163.01	3002.12	2160.89	3,700	4,100	13,900	8,330
5.7L V-8 HEMI eTorque	A8 8HP75	3.92	6900	1740	5163.01	3002.12	2160.89	3,700	4,100	17,000	11,430
CREW CAB: 6-ft. 4-in. BOX, 4x4											
3.6L V-6	A8 850RE	3.21	6900	1740	5160.01	3000.37	2159.64	3,900	4,100	11,900	6,320
3.6L V-6	A8 850RE	3.55	6900	1740	5160.01	3000.37	2159.64	3,900	4,100	12,900	7,320
5.7L V-8 HEMI	A8 8HP75	3.21	7100	1830	5268.90	3063.65	2205.25	3,900	4,100	13,900	8,220
5.7L V-8 HEMI	A8 8HP75	3.92	7100	1830	5268.90	3063.65	2205.25	3,900	4,100	17,000	11,320
5.7L V-8 HEMI eTorque	A8 8HP75	3.21	7100	1750	5354.01	3113.18	2240.83	3,900	4,100	13,900	8,080
5.7L V-8 HEMI eTorque	A8 8HP75	3.92	7100	1750	5354.01	3113.18	2240.83	3,900	4,100	17,000	11,180



2019 RAM 1500 TOWING CHART

1. Payload and Max Trailer Weights are ESTIMATED values.
2. All weights are shown in pounds unless otherwise stated.
3. Payload and Max Trailer Weight values are rounded to the nearest 10 lb.
4. Payload = GVWR – Base Weight.
5. Trailer Weight Rating and Tow Vehicle Trailering Weight are calculated as specified in SAE J2807.
Passenger Weight = 300 lb.
Options Weight is option content above 33 percent of sales volume.
Trailer equipment weight =
 Class IV receiver hitch is 3.9 lb (if not already included in options weight).
 Trailer Hitch is 10 lb if TWR is less or equal to 5,000 lb and 65 lb if TWR is greater than 5,000 lb.
6. Payload and Trailer Weight Rating are mutually exclusive.
7. GAWRs, GVWRs and GCWRs should never be exceeded.
8. The recommended tongue weight for a conventional hitch is 10 percent of the gross trailer weight.
The maximum tongue weight for Class IV receiver hitch is limited to 1275 lb.
9. Weight Distributing Hitch is recommended for trailers over 5,000 lb.

• END •