



2019 RAM 2500 & 3500 HEAVY DUTY TOWING CHART

2019 Ram 2500 & 3500 Heavy Duty TOWING CHART

RAM 2500 4X2 REGULAR CAB: BOX DELETE

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI®	A8 8HP75	SRW	3.73	10000	4520	5477.45	3446.51	2030.94	5,500	6,390	20,849	21,500	14,900
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10000	4520	5477.45	3446.51	2030.94	5,500	6,390	23,349	24,000	17,400
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	9900	4420	5477.45	3446.51	2030.94	5,500	6,390	20,849	21,500	14,900
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	9900	4420	5477.45	3446.51	2030.94	5,500	6,390	23,349	24,000	17,400

RAM 2500 4X2 REGULAR CAB

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	10000	4050	5952.83	3398.31	2554.52	5,500	6,000	21,505	21,500	15,080
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10000	4050	5952.83	3398.31	2554.52	5,500	6,000	24,005	24,000	17,580
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	9900	3950	5952.83	3398.31	2554.52	5,500	6,000	21,505	21,500	15,080
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	9900	3950	5952.83	3398.31	2554.52	5,500	6,000	24,005	24,000	17,580
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	10000	3260	6741.22	4128.88	2612.34	5,500	6,000	27,000	27,000	19,780
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	9900	3160	6741.22	4128.88	2612.34	5,500	6,000	27,000	27,000	19,780



2019 RAM 2500 & 3500 HEAVY DUTY TOWING CHART

RAM 2500 4X2 CREW CAB: BOX DELETE

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI®	A8 8HP75	SRW	3.73	10000	4040	5963.96	3652.6	2311.36	5,500	6,390	20,937	21,500	14,500
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10000	4040	5963.96	3652.6	2311.36	5,500	6,390	23,437	24,000	17,000
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	9900	3940	5963.96	3652.6	2311.36	5,500	6,390	20,937	21,500	14,500
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	9900	3940	5963.96	3652.6	2311.36	5,500	6,390	23,437	24,000	17,000

RAM 2500 4X2 CREW CAB: 6-ft. 4-in. BOX

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	10000	3650	6345.2	3558.07	2787.13	5,500	6,000	21,505	21,500	14,680
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10000	3650	6345.2	3558.07	2787.13	5,500	6,000	24,005	24,000	17,180
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	9900	3550	6345.2	3558.07	2787.13	5,500	6,000	21,505	21,500	14,680
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	9900	3550	6345.2	3558.07	2787.13	5,500	6,000	24,005	24,000	17,180
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	10000	2820	7176.04	4276.29	2899.75	5,500	6,000	27,000	27,000	19,350
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	9900	2740	7159.08	4257.7	2901.38	5,500	6,000	27,000	27,000	19,370



2019 RAM 2500 & 3500 HEAVY DUTY TOWING CHART

RAM 2500 4X2 CREW CAB: BOX DELETE

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI®	A8 8HP75	SRW	3.73	10000	4030	5965.67	3711.94	2253.73	5,500	6,390	20,865	21,500	14,420
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10000	4030	5965.67	3711.94	2253.73	5,500	6,390	23,365	24,000	16,920
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	9900	3930	5965.67	3711.94	2253.73	5,500	6,390	20,865	21,500	14,420
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	9900	3930	5965.67	3711.94	2253.73	5,500	6,390	23,365	24,000	16,920

RAM 2500 4X2 CREW CAB: 8-ft. BOX

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	10000	3550	6452.7	3678.24	2774.46	5,500	6,000	21,505	21,500	14,580
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10000	3550	6452.7	3678.24	2774.46	5,500	6,000	24,005	24,000	17,080
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	9900	3450	6452.7	3678.24	2774.46	5,500	6,000	21,505	21,500	14,580
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	9900	3450	6452.7	3678.24	2774.46	5,500	6,000	24,005	24,000	17,080
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	10000	2680	7323.59	4473.24	2850.35	5,500	6,000	27,000	27,000	19,200
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	9900	2580	7322.21	4468.86	2853.35	5,500	6,000	27,000	27,000	19,200



2019 RAM 2500 & 3500 HEAVY DUTY TOWING CHART

RAM 2500 4X4 MEGA CAB: 6-ft. 4-in. BOX

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI®	A8 8HP75	SRW	3.73	10000	2970	7034.67	4040.81	2993.86	5,500	6,390	21,505	21,500	14,000
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10000	2970	7034.67	4040.81	2993.86	5,500	6,390	24,005	24,000	16,500
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	9900	2870	7034.67	4040.81	2993.86	5,500	6,390	21,505	21,500	14,000
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	9900	2870	7034.67	4040.81	2993.86	5,500	6,390	24,000	24,000	16,490
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	10000	2130	7873.39	4821.6	3051.79	6,000	6,040	24,864	25,265	16,520
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	9900	2030	7873.39	4821.6	3051.79	6,000	6,040	23,864	25,265	15,520

RAM 2500 4X4 REGULAR CAB: BOX DELETE

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	10000	4170	5828.59	3746.77	2081.82	5,500	6,390	20,849	21,500	14,550
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10000	4170	5828.59	3746.77	2081.82	5,500	6,390	23,349	24,000	17,050
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	9900	4070	5825.84	3672.62	2153.22	5,500	6,390	20,849	21,500	14,550
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	9900	4070	5825.84	3672.62	2153.22	5,500	6,390	23,349	24,000	17,050



2019 RAM 2500 & 3500 HEAVY DUTY TOWING CHART

RAM 2500 4X4 REGULAR CAB

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI®	A8 8HP75	SRW	3.73	10000	3680	6316.95	3696.48	2620.47	5,500	6,000	21,505	21,500	14,710
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10000	3680	6316.95	3696.48	2620.47	5,500	6,000	24,005	24,000	17,210
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	9900	3570	6328.54	3703.97	2624.57	5,500	6,000	21,505	21,500	14,700
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	9900	3570	6328.54	3703.97	2624.57	5,500	6,000	24,005	24,000	17,200
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	10000	2830	7172.52	4494.19	2678.33	5,750	6,000	27,000	27,000	19,350
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	9900	2720	7179.07	4497.91	2681.16	5,750	6,000	27,000	27,000	19,350

RAM 2500 4X4 CREW CAB: BOX DELETE

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	10000	3730	6268.84	3947.85	2320.99	5,500	6,390	20,937	21,500	14,190
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10000	3730	6268.84	3947.85	2320.99	5,500	6,390	23,437	24,000	16,690
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	9900	3630	6268.84	3947.85	2320.99	5,500	6,390	20,937	21,500	14,190
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	9900	3630	6268.84	3947.85	2320.99	5,500	6,390	23,437	24,000	16,690



2019 RAM 2500 & 3500 HEAVY DUTY TOWING CHART

RAM 2500 4X4 CREW CAB: 6-ft. 4-in. BOX

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI®	A8 8HP75	SRW	3.73	10000	3380	6622.9	3827.81	2795.09	5,500	6,000	21,505	21,500	14,410
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10000	3380	6622.9	3827.81	2795.09	5,500	6,000	24,005	24,000	16,910
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	9900	3280	6622.41	3832.89	2789.52	5,500	6,000	21,505	21,500	14,410
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	9900	3280	6622.41	3832.89	2789.52	5,500	6,000	24,005	24,000	16,910
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	10000	2520	7484.89	4627.74	2857.15	5,750	6,000	27,000	27,000	19,040
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	9900	2380	7515.86	4646.85	2869.01	5,750	6,000	27,000	27,000	19,010

RAM 2500 4X4 CREW CAB POWER WAGON: 6-ft. 4-in. BOX

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	8565	1660	6907.1	4080.24	2826.86	4,750	6,200	18,000	18,000	10,620



2019 RAM 2500 & 3500 HEAVY DUTY TOWING CHART

RAM 2500 4X4 CREW CAB: BOX DELETE

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI®	A8 8HP75	SRW	3.73	10000	3640	6355.79	4012.04	2343.75	5,500	6,390	20,865	21,500	14,030
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10000	3640	6355.79	4012.04	2343.75	5,500	6,390	23,365	24,000	16,530
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	9900	3530	6372.84	3981.34	2391.5	5,500	6,390	20,865	21,500	14,020
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	9900	3530	6372.84	3981.34	2391.5	5,500	6,390	23,360	24,000	16,510

RAM 2500 4X4 CREW CAB: 8-ft. BOX

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	10000	3190	6805.28	3989.34	2815.94	5,500	6,000	21505	21,500	14,220
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10000	3190	6805.28	3989.34	2815.94	5,500	6,000	24,005	24,000	16,720
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	9900	3090	6811.15	3992.57	2818.58	5,500	6,000	21,505	21,500	14,220
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	9900	3090	6811.15	3992.57	2818.58	5,500	6,000	24,005	24,000	16,720
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	10000	2340	7660.41	4765.78	2894.63	5,750	6,000	25,525	25,525	17,390
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	9900	2230	7665.91	4768.87	2897.04	5,750	6,000	25,525	25,525	17,380



2019 RAM 2500 & 3500 HEAVY DUTY TOWING CHART

RAM 3500 4X2 REGULAR CAB

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI®	A8 8HP75	DRW	3.73	14000	7680	6319.01	3396.24	2922.77	5,500	9,750	21,505	21,500	14,710
6.4L V-8 HEMI	A8 8HP75	DRW	4.10	14000	7680	6319.01	3396.24	2922.77	5,500	9,750	25,005	25,000	18,210
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	10700	4660	6037.27	3402.09	2635.18	5,500	7,000	21,505	21,500	14,990
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10700	4660	6037.27	3402.09	2635.18	5,500	7,000	24,005	24,000	17,490
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	11500	4700	6803.04	4154.64	2648.4	5,500	7,000	28,305	28,300	21,030
6.7L I-6 Turbo Diesel	A6 68RFE	DRW	3.73	14000	6910	7094.0	4148.1	2945.9	5,500	9,750	28,305	28,300	20,740
6.7L I-6 Turbo Diesel	A6 68RFE	DRW	4.10	14000	6910	7094.0	4148.1	2945.9	5,500	9,750	30,305	30,300	22,740
6.7L I-6 HO Turbo Diesel	A6 AS69RC	SRW	3.73	11500	4520	6981.94	4274.99	2706.95	5,500	7,000	34,444	34,630	26,990
6.7L I-6 HO Turbo Diesel	A6 AS69RC	DRW	3.73	14000	6570	7430.0	4324.43	3105.57	5,500	9,750	41,605	41,600	33,700
6.7L I-6 HO Turbo Diesel	A6 AS69RC	DRW	4.10	14000	6570	7430.0	4324.43	3105.57	5,500	9,750	43,005	43,000	35,100

RAM 3500 4X2 REGULAR CAB: BOX DELETE

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	10700	5190	5506.15	3440.88	2065.27	5,500	7,000	20,849	21,500	14,870
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10700	5190	5506.15	3440.88	2065.27	5,500	7,000	23,349	24,000	17,370



2019 RAM 2500 & 3500 HEAVY DUTY TOWING CHART

RAM 3500 4X2 CREW CAB: BOX DELETE

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI®	A8 8HP75	SRW	3.73	10700	4720	5984.04	3670.49	2313.55	5,500	7,000	20,936	21,500	14,480
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10700	4720	5984.04	3670.49	2313.55	5,500	7,000	23,436	24,000	16,980

RAM 3500 4X2 CREW CAB: 6-ft. 4-in. BOX

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	10700	4300	6399.88	3585.03	2814.85	5,500	7,000	21,505	21,500	14,630
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	10700	4300	6399.88	3585.03	2814.85	5,500	7,000	24,005	24,000	17,130
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	11500	4260	7240.73	4340.92	2899.81	5,500	7,000	28,305	28,300	20,590
6.7L I-6 HO Turbo Diesel	A6 AS69RC	SRW	3.73	11500	4120	7382.57	4450.49	2932.08	5,500	7,000	32,174	32,240	24,320



2019 RAM 2500 & 3500 HEAVY DUTY TOWING CHART

RAM 3500 4X2 CREW CAB: BOX DELETE

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI®	A8 8HP75	SRW	3.73	11100	5080	6018.94	3748.67	2270.27	5,500	7,000	20,865	21,500	14,370
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	11100	5080	6018.94	3748.67	2270.27	5,500	7,000	23,365	24,000	16,870

RAM 3500 4X2 CREW CAB: 8-ft. BOX

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	11100	4530	6566.5	3726.53	2839.97	5,500	7,000	21,505	21,500	14,460
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	11100	4530	6566.5	3726.53	2839.97	5,500	7,000	24,005	24,000	16,960
6.4L V-8 HEMI	A8 8HP75	DRW	3.73	14000	7050	6954.14	3753.52	3200.62	5,500	9,750	21,505	21,500	14,080
6.4L V-8 HEMI	A8 8HP75	DRW	4.10	14000	7050	6954.14	3753.52	3200.62	5,500	9,750	25,005	25,000	17,580
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	12000	4620	7384.82	4482.93	2901.89	5,500	7,000	28,305	28,300	20,450
6.7L I-6 Turbo Diesel	A6 68RFE	DRW	3.73	14000	6170	7833.09	4541.73	3291.36	5,500	9,750	28,305	28,300	20,000
6.7L I-6 Turbo Diesel	A6 68RFE	DRW	4.10	14000	6170	7833.09	4541.73	3291.36	5,500	9,750	30,305	30,300	22,000
6.7L I-6 HO Turbo Diesel	A6 AS69RC	SRW	3.73	12000	4470	7527.16	4596.6	2930.56	5,500	7,000	33,649	33,670	25,650
6.7L I-6 HO Turbo Diesel	A6 AS69RC	DRW	3.73	14000	5950	8049.66	4663.31	3386.35	5,500	9,750	41,605	41,600	33,080
6.7L I-6 HO Turbo Diesel	A6 AS69RC	DRW	4.10	14000	5950	8049.66	4663.31	3386.35	5,500	9,750	43,005	43,000	34,480



2019 RAM 2500 & 3500 HEAVY DUTY TOWING CHART

RAM 3500 4X4 MEGA CAB: 6-ft. 4-in. BOX

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI®	A8 8HP75	DRW	3.73	14000	6630	7373.56	4032.87	3340.69	5,500	9,750	21,505	21,500	13,660
6.4L V-8 HEMI	A8 8HP75	DRW	4.10	14000	6630	7373.56	4032.87	3340.69	5,500	9,750	25,005	25,000	17,160
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	11400	4420	6978.05	4010.97	2967.08	5,500	7,000	21,505	21,500	14,050
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	11400	4420	6978.05	4010.97	2967.08	5,500	7,000	24,005	24,000	16,550
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	12300	4330	7968.31	4804.9	3163.41	6,000	7,000	28,305	28,300	19,860
6.7L I-6 Turbo Diesel	A6 68RFE	DRW	3.73	14000	5670	8331.7	4851.18	3480.52	6,000	9,750	28,305	28,300	19,500
6.7L I-6 Turbo Diesel	A6 68RFE	DRW	4.10	14000	5670	8331.7	4851.18	3480.52	6,000	9,750	30,305	30,300	21,500
6.7L I-6 HO Turbo Diesel	A6 AS69RC	SRW	3.73	12300	4220	8078.62	4916.16	3162.46	6,000	7,000	32,616	32,710	24,060
6.7L I-6 HO Turbo Diesel	A6 AS69RC	DRW	3.73	14000	5420	8577.32	4989.58	3587.74	6,000	9,750	41,605	41,600	32,550
6.7L I-6 HO Turbo Diesel	A6 AS69RC	DRW	4.10	14000	5420	8577.32	4989.58	3587.74	6,000	9,750	42,070	43,000	33,020

RAM 3500 4X4 REGULAR CAB: BOX DELETE

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	11000	5130	5868.82	3742.14	2126.68	5,500	7,000	20,849	21,500	14,510
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	11000	5130	5868.82	3742.14	2126.68	5,500	7,000	23,349	24,000	17,010



2019 RAM 2500 & 3500 HEAVY DUTY TOWING CHART

RAM 3500 4X4 REGULAR CAB

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI®	A8 8HP75	SRW	3.73	11000	4600	6402.5	3698.04	2704.46	5,500	7,000	21,505	21,500	14,630
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	11000	4600	6402.5	3698.04	2704.46	5,500	7,000	24,005	24,000	17,130
6.4L V-8 HEMI	A8 8HP75	DRW	3.73	14000	7280	6715.02	3709.8	3005.22	5,500	9,750	21,505	21,500	14,310
6.4L V-8 HEMI	A8 8HP75	DRW	4.10	14000	7280	6715.02	3709.8	3005.22	5,500	9,750	25,005	25,000	17,810
6.7L I-6 Turbo Diesel	A6 68RFE	DRW	3.73	14000	6390	7613.93	4495.52	3118.41	6,000	9,750	28,305	28,300	20,220
6.7L I-6 Turbo Diesel	A6 68RFE	DRW	4.10	14000	6390	7613.93	4495.52	3118.41	6,000	9,750	30,305	30,300	22,220
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	11800	4610	7194.96	4441.61	2753.35	6,000	7,000	28,305	28,300	20,640
6.7L I-6 HO Turbo Diesel	A6 AS69RC	DRW	3.73	14000	6160	7841.66	4619.74	3221.92	6,000	9,750	41,605	41,600	33,290
6.7L I-6 HO Turbo Diesel	A6 AS69RC	DRW	4.10	14000	6160	7841.66	4619.74	3221.92	6,000	9,750	43,005	43,000	34,690
6.7L I-6 HO Turbo Diesel	A6 AS69RC	SRW	3.73	11800	4460	7340.78	4551.08	2789.7	6,000	7,000	34,260	34,540	26,440

RAM 3500 4X4 CREW CAB: BOX DELETE

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	11000	4720	6277.63	3927.03	2350.6	5,500	7,000	20,936	21,500	14,180
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	11000	4720	6277.63	3927.03	2350.6	5,500	7,000	23,436	24,000	16,680



2019 RAM 2500 & 3500 HEAVY DUTY TOWING CHART

RAM 3500 4X4 CREW CAB: 6-ft. 4-in. BOX

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI®	A8 8HP75	SRW	3.73	11000	4270	6728.39	3852.83	2875.56	5,500	7,000	21,505	21,500	14,300
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	11000	4270	6728.39	3852.83	2875.56	5,500	7,000	24,005	24,000	16,800
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	11800	4340	7459.94	4563.31	2896.63	6,000	7,000	28,305	28,300	20,370
6.7L I-6 HO Turbo Diesel	A6 AS69RC	SRW	3.73	11800	4180	7621.88	4682.84	2939.04	6,000	7,000	32,585	32,580	24,490

RAM 3500 4X4 CREW CAB: 8-ft. BOX

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GCWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI	A8 8HP75	DRW	3.73	14000	6680	7316.8	4057.54	3259.26	5,500	9,750	21,505	21,500	13,710
6.4L V-8 HEMI	A8 8HP75	DRW	4.10	14000	6680	7316.8	4057.54	3259.26	5,500	9,750	25,005	25,000	17,210
6.4L V-8 HEMI	A8 8HP75	SRW	3.73	11400	4480	6920.32	4016.91	2903.41	5,500	7,000	21,505	21,500	14,110
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	11400	4480	6920.32	4016.91	2903.41	5,500	7,000	24,005	24,000	16,610
6.7L I-6 Turbo Diesel	A6 68RFE	SRW	3.73	12300	4580	7723.16	4750.62	2972.54	6,000	7,000	28,305	28,300	20,110
6.7L I-6 Turbo Diesel	A6 68RFE	DRW	3.73	14000	5840	8159.38	4818.01	3341.37	6,000	9,750	28,305	28,300	19,670
6.7L I-6 Turbo Diesel	A6 68RFE	DRW	4.10	14000	5840	8159.38	4818.01	3341.37	6,000	9,750	30,305	30,300	21,670
6.7L I-6 HO Turbo Diesel	A6 AS69RC	SRW	3.73	12300	4420	7877.5	4872.45	3005.05	6,000	7,000	33,502	33,610	25,150
6.7L I-6 HO Turbo Diesel	A6 AS69RC	DRW	3.73	14000	5600	8395.5	4954.56	3440.94	6,000	9,750	41,605	41,600	32,730
6.7L I-6 HO Turbo Diesel	A6 AS69RC	DRW	4.10	14000	5600	8395.5	4954.56	3440.94	6,000	9,750	43,005	43,000	34,130



2019 RAM 2500 & 3500 HEAVY DUTY TOWING CHART

RAM 3500 4X4 CREW CAB: BOX DELETE

ENGINE	TRANSMISSION	SRW/DRW	AXLE RATIO	GWR	PAYLOAD	BASE WEIGHT			GAWR		GCW	GWR	MAX TRAILER WEIGHT RATING
						TOTAL	FRONT	REAR	FRONT	REAR			
6.4L V-8 HEMI®	A8 8HP75	SRW	3.73	11400	5020	6376.56	4050.24	2326.32	5,500	7,000	20,865	21,500	14,010
6.4L V-8 HEMI	A8 8HP75	SRW	4.10	11400	5020	6376.56	4050.24	2326.32	5,500	7,000	23,365	24,000	16,510

• END •