



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

2019 Ram 3500, 4500 & 5500 Chassis Cab  
**TOWING CHART**

RAM 3500 CHASSIS CAB TRAILER TOWING CHART											
ENGINE	TRANSMISSION	AXLE RATIO	GWR	PAYLOAD	BASE WEIGHT			GAWR		GWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>REGULAR CAB - CA 60" - 4X2 - SRW</b>											
6.4L V-8 HEMI®	A8 8HP75	4.10	10,700	4,930	5,770	3,526	2,244	5,500	6,800	22,000	16,080
6.4L V-8 HEMI	A6 AS66RC	4.44	10,700	4,800	5,900	3,636	2,264	5,500	6,800	25,000	18,950
<b>REGULAR CAB - CA 60" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	7,380	6,116	3,548	2,568	5,500	9,850	22,000	15,730
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,750	6,246	3,658	2,588	5,500	9,850	25,000	18,600
<b>REGULAR CAB - CA 84" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	7,300	6,202	3,644	2,558	5,500	9,850	22,000	15,650
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,670	6,332	3,754	2,578	5,500	9,850	25,000	18,520
<b>CREW CAB - CA 60" - 4X2 - SRW</b>											
6.4L V-8 HEMI	A8 8HP75	4.10	10,700	4,490	6,210	3,692	2,518	5,500	6,800	22,000	15,640
6.4L V-8 HEMI	A6 AS66RC	4.44	10,700	4,360	6,340	3,802	2,538	5,500	6,800	25,000	18,510
<b>CREW CAB - CA 60" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	6,910	6,594	3,743	2,851	5,500	9,850	22,000	15,260
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,270	6,726	3,853	2,873	5,500	9,850	25,000	18,120



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 3500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GWR	PAYLOAD	BASE WEIGHT			GAWR		GWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>REGULAR CAB - CA 60" - 4X4 - SRW</b>											
6.4L V-8 HEMI	A8 8HP75	4.10	11,000	4,990	6,013	3,732	2,281	5,500	6,800	22,000	15,840
6.4L V-8 HEMI	A6 AS66RC	4.44	11,000	4,860	6,143	3,842	2,301	5,500	6,800	25,000	18,710
<b>REGULAR CAB - CA 60" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	7,150	6,353	3,752	2,601	5,500	9,850	22,000	15,500
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,520	6,483	3,862	2,621	5,500	9,850	25,000	18,370
<b>REGULAR CAB - CA 84" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	7,020	6,485	3,880	2,605	5,500	9,850	22,000	15,370
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,390	6,615	3,990	2,625	5,500	9,850	25,000	18,240
<b>CREW CAB - CA 60" - 4X4 - SRW</b>											
6.4L V-8 HEMI	A8 8HP75	4.10	11,000	4,470	6,529	3,950	2,579	5,500	6,800	22,000	15,320
6.4L V-8 HEMI	A6 AS66RC	4.44	11,000	4,340	6,659	4,060	2,599	5,500	6,800	25,000	18,190
<b>CREW CAB - CA 60" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	6,630	6,869	3,970	2,899	5,500	9,850	22,000	14,980
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,000	6,999	4,080	2,919	5,500	9,850	25,000	17,850



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 3500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GWR	PAYLOAD	BASE WEIGHT			GAWR		GWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>REGULAR CAB - CA 60" - 4X2 - SRW</b>											
6.7L Cummins Diesel	A6 AS69RC	3.73	11,600	4,990	6,614	4,266	2,348	6,000	6,800	25,000	18,240
6.7L Cummins Diesel	A6 AS69RC	4.10	11,600	4,990	6,614	4,266	2,348	6,000	6,800	27,500	20,740
<b>REGULAR CAB - CA 60" - 4X2 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	7,040	6,960	4,268	2,692	6,000	9,850	31,000	23,890
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	7,040	6,960	4,268	2,692	6,000	9,850	33,000	25,890
<b>REGULAR CAB - CA 84" - 4X2 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,950	7,046	4,364	2,682	6,000	9,850	31,000	23,800
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,950	7,046	4,364	2,682	6,000	9,850	33,000	25,800
<b>CREW CAB - CA 60" - 4X2 - SRW</b>											
6.7L Cummins Diesel	A6 AS69RC	3.73	11,600	4,550	7,054	4,412	2,642	6,000	6,800	25,000	17,800
6.7L Cummins Diesel	A6 AS69RC	4.10	11,600	4,550	7,054	4,412	2,642	6,000	6,800	27,500	20,300



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 3500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GWR	PAYLOAD	BASE WEIGHT			GAWR		GWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>CREW CAB - CA 60" - 4X2 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,560	7,438	4,463	2,975	6,000	9,850	31,000	23,410
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,560	7,438	4,463	2,975	6,000	9,850	33,000	25,410
<b>REGULAR CAB - CA 60" - 4X4 - SRW</b>											
6.7L Cummins Diesel	A6 AS69RC	3.73	12,000	5,140	6,857	4,452	2,405	6,000	6,800	25,000	17,990
6.7L Cummins Diesel	A6 AS69RC	4.10	12,000	5,140	6,857	4,452	2,405	6,000	6,800	27,500	20,490
<b>REGULAR CAB - CA 60" - 4X4 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,800	7,203	4,481	2,722	6,000	9,850	31,000	23,650
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,800	7,203	4,481	2,722	6,000	9,850	33,000	25,650
<b>REGULAR CAB - CA 84" - 4X4 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,670	7,329	4,600	2,729	6,000	9,850	31,000	23,520
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,670	7,329	4,600	2,729	6,000	9,850	33,000	25,520



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 3500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GWR	PAYLOAD	BASE WEIGHT			GAWR		GWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>CREW CAB - CA 60" - 4X4 - SRW</b>											
6.7L Cummins Diesel	A6 AS69RC	3.73	12,000	4,630	7,373	4,670	2,703	6,000	6,800	25,000	17,480
6.7L Cummins Diesel	A6 AS69RC	4.10	12,000	4,630	7,373	4,670	2,703	6,000	6,800	27,500	19,980
<b>CREW CAB - CA 60" - 4X4 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,280	7,723	4,701	3,022	6,000	9,850	31,000	23,130
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,280	7,723	4,701	3,022	6,000	9,850	33,000	25,130



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>REGULAR CAB - CA 60" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	8,190	6,808	3,770	3,038	6,000	12,000	26,000	19,040
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	8,190	6,808	3,770	3,038	6,000	12,000	28,500	21,540
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	9,190	6,808	3,770	3,038	6,000	12,000	26,000	19,040
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	9,190	6,808	3,770	3,038	6,000	12,000	28,500	21,540
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,690	6,808	3,770	3,038	6,000	12,000	26,000	19,040
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,690	6,808	3,770	3,038	6,000	12,000	28,500	21,540
<b>REGULAR CAB - CA 84" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	8,030	6,973	3,880	3,093	6,000	12,000	26,000	18,880
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	8,030	6,973	3,880	3,093	6,000	12,000	28,500	21,380
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	9,030	6,973	3,880	3,093	6,000	12,000	26,000	18,880
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	9,030	6,973	3,880	3,093	6,000	12,000	28,500	21,380
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,530	6,973	3,880	3,093	6,000	12,000	26,000	18,880
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,530	6,973	3,880	3,093	6,000	12,000	28,500	21,380



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>REGULAR CAB - CA 108" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,880	7,121	3,954	3,167	6,500	12,000	26,000	18,730
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,880	7,121	3,954	3,167	6,500	12,000	28,500	21,230
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,880	7,121	3,954	3,167	6,500	12,000	26,000	18,730
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,880	7,121	3,954	3,167	6,500	12,000	28,500	21,230
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,380	7,121	3,954	3,167	6,500	12,000	26,000	18,730
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,380	7,121	3,954	3,167	6,500	12,000	28,500	21,230
<b>REGULAR CAB - CA 120" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,740	7,261	4,024	3,237	6,500	12,000	26,000	18,590
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,740	7,261	4,024	3,237	6,500	12,000	28,500	21,090
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,740	7,261	4,024	3,237	6,500	12,000	26,000	18,590
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,740	7,261	4,024	3,237	6,500	12,000	28,500	21,090
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,240	7,261	4,024	3,237	6,500	12,000	26,000	18,590
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,240	7,261	4,024	3,237	6,500	12,000	28,500	21,090



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>CREW CAB - CA 60" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,610	7,386	4,032	3,354	6,000	12,000	26,000	18,460
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,610	7,386	4,032	3,354	6,000	12,000	28,500	20,960
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,610	7,386	4,032	3,354	6,000	12,000	26,000	18,460
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,610	7,386	4,032	3,354	6,000	12,000	28,500	20,960
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,110	7,386	4,032	3,354	6,000	12,000	26,000	18,460
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,110	7,386	4,032	3,354	6,000	12,000	28,500	20,960
<b>CREW CAB - CA 84" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,470	7,526	4,216	3,310	6,000	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,470	7,526	4,216	3,310	6,000	12,000	28,500	20,820
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,470	7,526	4,216	3,310	6,000	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,470	7,526	4,216	3,310	6,000	12,000	28,500	20,820
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	8,970	7,526	4,216	3,310	6,000	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	8,970	7,526	4,216	3,310	6,000	12,000	28,500	20,820





2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>REGULAR CAB - CA 60" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,800	7,197	4,037	3,160	6,000	12,000	26,000	18,650
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,800	7,197	4,037	3,160	6,000	12,000	28,500	21,150
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,800	7,197	4,037	3,160	6,000	12,000	26,000	18,650
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,800	7,197	4,037	3,160	6,000	12,000	28,500	21,150
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,300	7,197	4,037	3,160	6,000	12,000	26,000	18,650
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,300	7,197	4,037	3,160	6,000	12,000	28,500	21,150
<b>REGULAR CAB - CA 84" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,650	7,349	4,208	3,141	6,000	12,000	26,000	18,500
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,650	7,349	4,208	3,141	6,000	12,000	28,500	21,000
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,650	7,349	4,208	3,141	6,000	12,000	26,000	18,500
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,650	7,349	4,208	3,141	6,000	12,000	28,500	21,000
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,150	7,349	4,208	3,141	6,000	12,000	26,000	18,500
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,150	7,349	4,208	3,141	6,000	12,000	28,500	21,000



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>REGULAR CAB - CA 108" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,530	7,467	3,953	3,514	6,500	12,000	26,000	18,380
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,530	7,467	3,953	3,514	6,500	12,000	28,500	20,880
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,530	7,467	3,953	3,514	6,500	12,000	26,000	18,380
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,530	7,467	3,953	3,514	6,500	12,000	28,500	20,880
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,030	7,467	3,953	3,514	6,500	12,000	26,000	18,380
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,030	7,467	3,953	3,514	6,500	12,000	28,500	20,880
<b>REGULAR CAB - CA 120" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,470	7,528	3,984	3,544	6,500	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,470	7,528	3,984	3,544	6,500	12,000	28,500	20,820
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,470	7,528	3,984	3,544	6,500	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,470	7,528	3,984	3,544	6,500	12,000	28,500	20,820
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	8,970	7,528	3,984	3,544	6,500	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	8,970	7,528	3,984	3,544	6,500	12,000	28,500	20,820



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GCWR	PAYLOAD	BASE WEIGHT			GAWR		GCWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>CREW CAB - CA 60" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,260	7,739	4,340	3,399	6,000	12,000	26,000	18,110
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,260	7,739	4,340	3,399	6,000	12,000	28,500	20,610
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,260	7,739	4,340	3,399	6,000	12,000	26,000	18,110
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,260	7,739	4,340	3,399	6,000	12,000	28,500	20,610
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	8,760	7,739	4,340	3,399	6,000	12,000	26,000	18,110
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	8,760	7,739	4,340	3,399	6,000	12,000	28,500	20,610
<b>CREW CAB - CA 84" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,170	7,830	4,498	3,332	6,000	12,000	26,000	18,020
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,170	7,830	4,498	3,332	6,000	12,000	28,500	20,520
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,170	7,830	4,498	3,332	6,000	12,000	26,000	18,020
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,170	7,830	4,498	3,332	6,000	12,000	28,500	20,520
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	8,670	7,830	4,498	3,332	6,000	12,000	26,000	18,020
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	8,670	7,830	4,498	3,332	6,000	12,000	28,500	20,520



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>REGULAR CAB - CA 60" - 4X2 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,420	7,580	4,408	3,172	7000/7250	12,000	32,000	24,270
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,420	7,580	4,408	3,172	7000/7250	12,000	37,500	29,770
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,420	7,580	4,408	3,172	7000/7250	12,000	32,000	24,270
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,420	7,580	4,408	3,172	7000/7250	12,000	37,500	29,770
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,920	7,580	4,408	3,172	7000/7250	12,000	32,000	24,270
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,920	7,580	4,408	3,172	7000/7250	12,000	37,500	29,770
<b>REGULAR CAB - CA 84" - 4X2 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,190	7,814	4,578	3,236	7000/7250	12,000	32,000	24,040
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,190	7,814	4,578	3,236	7000/7250	12,000	37,500	29,540
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,190	7,814	4,578	3,236	7000/7250	12,000	32,000	24,040
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,190	7,814	4,578	3,236	7000/7250	12,000	37,500	29,540



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

**REGULAR CAB - CA 84" - 4X2 - DRW (CONTINUED)**

6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,690	7,814	4,578	3,236	7000/7250	12,000	32,000	24,040
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,690	7,814	4,578	3,236	7000/7250	12,000	37,500	29,540

**REGULAR CAB - CA 108" - 4X2 - DRW**

6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,100	7,899	4,619	3,280	7000/7250	12,000	32,000	23,950
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,100	7,899	4,619	3,280	7000/7250	12,000	37,500	29,450
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,100	7,899	4,619	3,280	7000/7250	12,000	32,000	23,950
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,100	7,899	4,619	3,280	7000/7250	12,000	37,500	29,450
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,600	7,899	4,619	3,280	7000/7250	12,000	32,000	23,950
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,600	7,899	4,619	3,280	7000/7250	12,000	37,500	29,450



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,020	7,979	4,659	3,320	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,020	7,979	4,659	3,320	7000/7250	12,000	37,500	29,370
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,020	7,979	4,659	3,320	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,020	7,979	4,659	3,320	7000/7250	12,000	37,500	29,370
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,520	7,979	4,659	3,320	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,520	7,979	4,659	3,320	7000/7250	12,000	37,500	29,370

**REGULAR CAB - CA 120" - 4X2 - DRW**



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>CREW CAB - CA 60" - 4X2 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,770	8,227	4,750	3,477	7000/7250	12,000	32,000	23,620
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,770	8,227	4,750	3,477	7000/7250	12,000	37,500	29,120
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,770	8,227	4,750	3,477	7000/7250	12,000	32,000	23,620
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,770	8,227	4,750	3,477	7000/7250	12,000	37,500	29,120
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,270	8,227	4,750	3,477	7000/7250	12,000	32,000	23,620
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,270	8,227	4,750	3,477	7000/7250	12,000	37,500	29,120
<b>CREW CAB - CA 84" - 4X2 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,630	8,367	4,934	3,433	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,630	8,367	4,934	3,433	7000/7250	12,000	37,500	28,980
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,630	8,367	4,934	3,433	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,630	8,367	4,934	3,433	7000/7250	12,000	37,500	28,980



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

**CREW CAB - CA 84" - 4X2 - DRW (CONTINUED)**

6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,130	8,367	4,934	3,433	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,130	8,367	4,934	3,433	7000/7250	12,000	37,500	28,980

**REGULAR CAB - CA 60" - 4X4 - DRW**

6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,020	7,980	4,715	3,265	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,020	7,980	4,715	3,265	7000/7250	12,000	37,500	29,370
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,020	7,980	4,715	3,265	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,020	7,980	4,715	3,265	7000/7250	12,000	37,500	29,370
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,520	7,980	4,715	3,265	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,520	7,980	4,715	3,265	7000/7250	12,000	37,500	29,370





2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>REGULAR CAB - CA 84" - 4X4 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,810	8,190	4,926	3,264	7000/7250	12,000	32,000	23,660
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,810	8,190	4,926	3,264	7000/7250	12,000	37,500	29,160
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,810	8,190	4,926	3,264	7000/7250	12,000	32,000	23,660
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,810	8,190	4,926	3,264	7000/7250	12,000	37,500	29,160
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,310	8,190	4,926	3,264	7000/7250	12,000	32,000	23,660
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,310	8,190	4,926	3,264	7000/7250	12,000	37,500	29,160
<b>REGULAR CAB - CA 108" - 4X4 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,690	8,310	4,672	3,638	7000/7250	12,000	32,000	23,540
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,690	8,310	4,672	3,638	7000/7250	12,000	37,500	29,040
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,690	8,310	4,672	3,638	7000/7250	12,000	32,000	23,540
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,690	8,310	4,672	3,638	7000/7250	12,000	37,500	29,040



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

**REGULAR CAB - CA 108" - 4X4 - DRW (CONTINUED)**

6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,190	8,310	4,672	3,638	7000/7250	12,000	32,000	23,540
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,190	8,310	4,672	3,638	7000/7250	12,000	37,500	29,040

**REGULAR CAB - CA 120" - 4X4 - DRW**

6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,630	8,370	4,702	3,668	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,630	8,370	4,702	3,668	7000/7250	12,000	37,500	28,980
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,630	8,370	4,702	3,668	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,630	8,370	4,702	3,668	7000/7250	12,000	37,500	28,980
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,130	8,370	4,702	3,668	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,130	8,370	4,702	3,668	7000/7250	12,000	37,500	28,980



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>CREW CAB - CA 60" - 4X4 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,420	8,580	5,078	3,502	7000/7250	12,000	32,000	23,270
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,420	8,580	5,078	3,502	7000/7250	12,000	37,500	28,770
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,420	8,580	5,078	3,502	7000/7250	12,000	32,000	23,270
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,420	8,580	5,078	3,502	7000/7250	12,000	37,500	28,770
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	7,920	8,580	5,078	3,502	7000/7250	12,000	32,000	23,270
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	7,920	8,580	5,078	3,502	7000/7250	12,000	37,500	28,770
<b>CREW CAB - CA 84" - 4X4 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,330	8,671	5,236	3,435	7000/7250	12,000	32,000	23,180
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,330	8,671	5,236	3,435	7000/7250	12,000	37,500	28,680
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,330	8,671	5,236	3,435	7000/7250	12,000	32,000	23,180
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,330	8,671	5,236	3,435	7000/7250	12,000	37,500	28,680



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 4500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

**CREW CAB - CA 84" - 4X4 - DRW (CONTINUED)**

6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	7,830	8,671	5,236	3,435	7000/ 7250	12,000	32,000	23,180
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	7,830	8,671	5,236	3,435	7000/ 7250	12,000	37,500	28,680



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
TOWING CHART

**RAM 5500 CHASSIS CAB TRAILER TOWING CHART**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>REGULAR CAB - CA 60" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	11,140	6,862	3,750	3,112	6000/6500	13,500	26,000	18,990
6.4L V-8 HEMI	A6 AS66RC	4.89	19,000	12,140	6,862	3,750	3,112	6000/6500	13,500	28,500	21,490
<b>REGULAR CAB - CA 84" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	11,010	6,988	3,890	3,098	6000/6500	13,500	26,000	18,860
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	12,510	6,988	3,890	3,098	6000/6500	13,500	28,500	21,360
<b>REGULAR CAB - CA 108" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,840	7,160	4,031	3,129	6500/7000	13,500	26,000	18,690
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	12,340	7,160	4,031	3,129	6500/7000	13,500	28,500	21,190
<b>REGULAR CAB - CA 120" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,790	7,212	4,076	3,136	6500/7000	13,500	26,000	18,640
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	12,290	7,212	4,076	3,136	6500/7000	13,500	28,500	21,140
<b>CREW CAB - CA 60" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,630	7,369	4,033	3,336	6000/7000	13,500	26,000	18,480
6.4L V-8 HEMI	A6 AS66RC	4.89	19,000	11,630	7,369	4,033	3,336	6000/7000	13,500	28,500	20,980



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 5500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>CREW CAB - CA 84" - 4X2 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,440	7,562	4,211	3,351	6000/7000	13,500	26,000	18,290
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	11,940	7,562	4,211	3,351	6000/7000	13,500	28,500	20,790
<b>REGULAR CAB - CA 60" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,770	7,234	4,049	3,185	6000/6500	13,500	26,000	18,620
6.4L V-8 HEMI	A6 AS66RC	4.89	19,000	11,770	7,234	4,049	3,185	6000/6500	13,500	28,500	21,120
<b>REGULAR CAB - CA 84" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,630	7,366	4,215	3,151	6000/6500	13,500	26,000	18,480
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	12,130	7,366	4,215	3,151	6000/6500	13,500	28,500	20,980
<b>REGULAR CAB - CA 108" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,490	7,510	4,349	3,161	6500/7000	13,500	26,000	18,340
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	11,990	7,510	4,349	3,161	6500/7000	13,500	28,500	20,840
<b>REGULAR CAB - CA 120" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,410	7,588	4,410	3,178	6500/7000	13,500	26,000	18,260
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	11,910	7,588	4,410	3,178	6500/7000	13,500	28,500	20,760



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 5500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>CREW CAB - CA 60" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,250	7,750	4,364	3,386	6000/7000	13,500	26,000	18,100
6.4L V-8 HEMI	A6 AS66RC	4.89	19,000	11,250	7,750	4,364	3,386	6000/7000	13,500	28,500	20,600
<b>CREW CAB - CA 84" - 4X4 - DRW</b>											
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,080	7,920	4,530	3,390	6000/7000	13,500	26,000	17,930
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	11,580	7,920	4,530	3,390	6000/7000	13,500	28,500	20,430
<b>REGULAR CAB - CA 60" - 4X2 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,870	7,629	4,498	3,131	7000/7250	13,500	32,000	24,220
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,870	7,629	4,498	3,131	7000/7250	13,500	43,000	35,220
<b>REGULAR CAB - CA 84" - 4X2 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,750	7,754	4,568	3,186	7000/7250	13,500	32,000	24,100
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,750	7,754	4,568	3,186	7000/7250	13,500	43,000	35,100



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 5500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>REGULAR CAB - CA 108" - 4X2 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,660	7,839	4,609	3,230	7000/7250	13,500	32,000	24,010
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,660	7,839	4,609	3,230	7000/7250	13,500	43,000	35,010
<b>REGULAR CAB - CA 120" - 4X2 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,570	7,929	4,654	3,275	7000/7250	13,500	32,000	23,920
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,570	7,929	4,654	3,275	7000/7250	13,500	43,000	34,920
<b>CREW CAB - CA 60" - 4X2 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,290	8,210	4,751	3,459	7000/7250	13,500	32,000	23,640
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,290	8,210	4,751	3,459	7000/7250	13,500	43,000	34,640
<b>CREW CAB - CA 84" - 4X2 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,100	8,403	4,929	3,474	7000/7250	13,500	32,000	23,450
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,100	8,403	4,929	3,474	7000/7250	13,500	43,000	34,450





2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 5500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		
<b>REGULAR CAB - CA 60" - 4X4 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,450	8,047	4,748	3,299	7000/7250	13,500	32,000	23,800
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,450	8,047	4,748	3,299	7000/7250	13,500	43,000	34,800
<b>REGULAR CAB - CA 84" - 4X4 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,320	8,179	4,914	3,265	7000/7250	13,500	32,000	23,670
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,320	8,179	4,914	3,265	7000/7250	13,500	43,000	34,670
<b>REGULAR CAB - CA 108" - 4X4 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,180	8,323	5,048	3,275	7000/7250	13,500	32,000	23,530
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,180	8,323	5,048	3,275	7000/7250	13,500	43,000	34,530
<b>REGULAR CAB - CA 120" - 4X4 - DRW</b>											
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,100	8,401	5,109	3,292	7000/7250	13,500	32,000	23,450
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,100	8,401	5,109	3,292	7000/7250	13,500	43,000	34,450



2019 RAM 3500, 4500 & 5500 CHASSIS CAB  
**TOWING CHART**

**RAM 5500 CHASSIS CAB TRAILER TOWING CHART (CONTINUED)**

ENGINE	TRANSMISSION	AXLE RATIO	GVWR	PAYLOAD	BASE WEIGHT			GAWR		GVWR	MAX TRAILER WEIGHT RATING
					TOTAL	FRONT	REAR	FRONT	REAR		

**CREW CAB - CA 60" - 4X4 - DRW**

6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	10,940	8,563	5,063	3,500	7000/7250	13,500	32,000	23,290
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	10,940	8,563	5,063	3,500	7000/7250	13,500	43,000	34,290

**CREW CAB - CA 84" - 4X4 - DRW**

6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	10,770	8,733	5,229	3,504	7000/7250	13,500	32,000	23,120
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	10,770	8,733	5,229	3,504	7000/7250	13,500	43,000	34,120

• END •