



2025 Ram 1500 TOWING CHARTS

1. All weights are shown in pounds unless otherwise noted
2. GCWR is a defined value from Vehicle Development
3. Heaviest configuration per Powertrain is shown (unless otherwise noted)
4. If not already included in the EPA options or base weight. This is the weight of the entire trailer tow package, not just the hitch.
5. Maximum trailer is a defined value from Vehicle Development
6. GCW = Base Weight + EPA Options + Trailer Pkg Weight + Max Trailer +300 lbs (Passenger + Driver)

RAM 1500 4X2 QUAD HFE 6'4" BOX

Engine	Trans.	SRW/ DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.21	6875	1820	5054	2941	2112	3700	4100	13900	13900	8480
3.6L V6 24V VVT ENGINE UPG 1 W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.21	6010	1190	4820	2729	2090	3700	4100	11900	11900	6720

RAM 1500 4X2 QUAD BIG HORN 6'4" BOX

Engine	Trans.	SRW/ DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.21	6900	1840	5061	2933	2128	3700	4100	13900	13900	8470
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	6900	1840	5061	2933	2128	3700	4100	17000	17000	11570
3.6L V6 24V VVT ENGINE UPG 1 W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.21	6800	1940	4858	2748	2110	3700	4100	11900	11900	6680
3.6L V6 24V VVT ENGINE UPG 1 W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.55	6800	1940	4858	2748	2110	3700	4100	12900	12900	7680



RAM 1500 4X2 CREW BIG HORN 6'4" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.21	6900	1740	5157	2980	2176	3700	4100	13900	13900	8380
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	6900	1740	5157	2980	2176	3700	4100	17000	17000	11480

RAM 1500 4X2 CREW BIG HORN 5'7" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.21	6900	1760	5142	2944	2197	3700	4100	13900	13900	8390
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	6900	1760	5142	2944	2197	3700	4100	17000	17000	11490
3.6L V6 24V VVT ENGINE UPG I W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.21	6900	1920	4982	2769	2212	3700	4100	11900	11900	6550
3.6L V6 24V VVT ENGINE UPG I W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.55	6900	1920	4982	2769	2212	3700	4100	12900	12900	7550



RAM 1500 4X2 QUAD TRADESMAN 6'4" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.21	6900	1870	5033	2919	2113	3700	4100	13900	13900	8500
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	6900	1870	5033	2919	2113	3700	4100	17000	17000	11600
3.6L V6 24V VVT ENGINE UPG I W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.55	7200	2360	4838	2760	2078	3700	4100	12900	12900	7700
3.6L V6 24V VVT ENGINE UPG I W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.55	7200	2360	4838	2760	2078	3700	4100	13370	13370	8170

RAM 1500 4X2 CREW TRADESMAN 6'4" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.21	6900	1820	5079	3005	2074	3700	4100	13900	13900	8460
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	6900	1820	5079	3005	2074	3700	4100	17000	17000	11560



RAM 1500 4X2 CREW TRADESMAN 5'7" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.21	6900	1810	5087	2955	2132	3700	4100	13900	13900	8450
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	6900	1810	5087	2955	2132	3700	4100	17000	17000	11550
3.6L V6 24V VVT ENGINE UPG I W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.21	6900	2010	4894	2751	2143	3700	4100	11900	11900	6640
3.6L V6 24V VVT ENGINE UPG I W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.55	6900	2010	4894	2751	2143	3700	4100	12900	12900	7640

RAM 1500 4X2 CREW LARAMIE 5'7" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.21	6900	1670	5233	2941	2292	3700	4100	13900	13900	8300
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	6900	1670	5233	2941	2292	3700	4100	17000	17000	11400



RAM 1500 4X4 QUAD BIG HORN 6'4" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.55	7100	1860	5239	3090	2148	3900	4100	13900	13900	8300
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1860	5239	3090	2148	3900	4100	17000	17000	11400
3.6L V6 24V VVT ENGINE UPG I W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.21	6800	1740	5061	2914	2147	3900	4100	11900	11900	6470
3.6L V6 24V VVT ENGINE UPG I W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.55	6800	1740	5061	2914	2147	3900	4100	12900	12900	7470

RAM 1500 4X4 CREW BIG HORN 6'4" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.55	7100	1730	5373	3178	2194	3900	4100	13900	13900	8160
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1730	5373	3178	2194	3900	4100	17000	17000	11260



RAM 1500 4X4 CREW BIG HORN 5'7" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.55	7100	1790	5310	3103	2207	3900	4100	13900	13900	8220
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1790	5310	3103	2207	3900	4100	17000	17000	11320
3.6L V6 24V VVT ENGINE UPG I W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.21	6900	1730	5166	2947	2219	3900	4100	11900	11900	6370
3.6L V6 24V VVT ENGINE UPG I W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.55	6900	1730	5166	2947	2219	3900	4100	12900	12900	7370

RAM 1500 4X4 QUAD TRADESMAN 6'4" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.55	7100	1930	5166	3061	2105	3900	4100	13900	13900	8370
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1930	5166	3061	2105	3900	4100	17000	17000	11470
3.6L V6 24V VVT ENGINE UPG I W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.21	6800	1800	5000	2915	2084	3900	4100	11900	11900	6540
3.6L V6 24V VVT ENGINE UPG I W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.55	6800	1800	5000	2915	2084	3900	4100	12900	12900	7540



RAM 1500 4X4 CREW TRADESMAN 6'4" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.55	7100	1770	5329	3165	2163	3900	4100	13900	13900	8210
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1770	5329	3165	2163	3900	4100	17000	17000	11310

RAM 1500 4X4 CREW TRADESMAN 5'7" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.55	7100	1900	5203	3091	2112	3900	4100	13900	13900	8330
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1900	5203	3091	2112	3900	4100	17000	17000	11430
3.6L V6 24V VVT ENGINE UPG I W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.21	6900	1780	5121	2933	2187	3900	4100	11900	11900	6410
3.6L V6 24V VVT ENGINE UPG I W/BSG	8-SPD AUTO 850RE TRANS	SRW	3.55	6900	1780	5121	2933	2187	3900	4100	12900	12900	7410



RAM 1500 4X4 CREW WARLOCK 5'7" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.55	7100	1670	5425	3188	2237	3900	4100	13900	13900	8100
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1670	5431	3188	2243	3900	4100	17000	17000	11200

RAM 1500 4X4 CREW LIMITED 6'4" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 HO TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1380	5721	3335	2386	3900	4100	16134	16134	10050

RAM 1500 4X4 CREW LIMITED 5'7" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 HO TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1340	5764	3257	2506	3900	4100	15873	15873	9740



RAM 1500 4X4 CREW LARAMIE 6'4" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.55	7100	1620	5483	3255	2228	3900	4100	13900	13900	8050
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1620	5483	3255	2228	3900	4100	17000	17000	11150

RAM 1500 4X4 CREW LARAMIE 5'7" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.55	7100	1670	5428	3166	2262	3900	4100	13900	13900	8110
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1670	5428	3166	2262	3900	4100	17000	17000	11210

RAM 1500 4X4 CREW TUNGSTEN 5'7" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 HO TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1170	5930	3289	2641	3900	4100	15445	17000	9150



RAM 1500 4X4 TR 5'7" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 HO TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7800	1520	6283	3505	2778	4300	4200	15160	15160	8510

RAM 1500 4X4 CREW SPORT 6'4" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.55	7100	1790	5314	3156	2157	3900	4100	13900	13900	8220
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1790	5314	3156	2157	3900	4100	17000	17000	11320

RAM 1500 4X4 CREW SPORT 5'7" BOX

Engine	Trans.	SRW/DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.55	7100	1780	5322	3147	2174	3900	4100	13900	13900	8210
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1780	5322	3147	2174	3900	4100	17000	17000	11310



RAM 1500 4X4 CREW REBEL 5'7" BOX

Engine	Trans.	SRW/ DRW	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCW	GCWR	Max. Trailer Weight Rating
3.0L I6 TWIN TURBO ENGINE W/ESS	8-SPD AUTO 8HP75 TRANS	SRW	3.92	7100	1600	5496	3213	2282	3900	4100	17000	17000	11140

WEIGHT TERM DEFINITIONS

- **BASE WEIGHT:** THE WEIGHT OF A STANDARD EQUIPPED SALES UNIT (VEHICLE LINE, BODY STYLE, GVWR, ENGINE, TRANSMISSION & ELECTRIFICATION) WITH FULL QUANTITIES OF FUEL, LUBRICANT & COOLANT.
- **33 % OPTION WEIGHT:** COMBINED WEIGHT OF ALL PRODUCTION INSTALLED OPTIONS THAT HAVE A PROJECTED SALES VOLUME OF MORE THAN 33% AND COMPLY WITH EPA RULES.
- **PAYLOAD:** THE COMBINED MAXIMUM ALLOWABLE WEIGHT OF OPTIONS, CARGO AND PASSENGERS THAT THE TRUCK IS DESIGNED TO CARRY.
- **GROSS VEHICLE WEIGHT RATING (GVWR):** THE MAXIMUM ALLOWABLE WEIGHT OF THE FULLY LOADED VEHICLE.
- **GROSS AXLE WEIGHT RATING (GAWR):** THE MAXIMUM WEIGHT TO BE CARRIED BY A SINGLE AXLE (FRONT OR REAR).
- **GROSS COMBINED WEIGHT RATING (GCWR):** THE MAXIMUM ALLOWABLE WEIGHT OF THE TOWING VEHICLE AND THE LOADED TRAILER INCLUDING ALL CARGO AND PASSENGERS THAT THE VEHICLE CAN HANDLE WITHOUT RISKING DAMAGE.
- **TRAILER WEIGHT RATING (TWR):** THE MAXIMUM ALLOWABLE WEIGHT OF A TRAILER PLUS CARGO THAT A VEHICLE CONFIGURATION CAN HANDLE.
- **TONGUE WEIGHT:** THE WEIGHT A CONVENTIONAL TRAILER PUTS ON THE BACK OF A TOW VEHICLE. 10 PERCENT OF THE TRAILER WEIGHT RECOMMENDED FOR A CONVENTIONAL HITCH TRAILER AND 15 PERCENT RECOMMENDED FOR A GOOSNECK OR FIFTH WHEEL TRAILER.
- **AXLE RATIO:** THE RATIO BETWEEN THE DRIVESHAFT RPM AND AXLE SHAFT RPM. THE AXLE RATIO IS CRITICAL IN THE OPERATION OF THE TRANSMISSION/DRIVESHAFT/AXLE SYSTEM THAT TRANSMITS ENGINE TORQUE TO THE DRIVING WHEELS.

###