



2025 Ram Heavy Duty TOWING CHARTS

RAM 2500 TRAILER TOWING CHART

RAM 2500 4X2 REG ST W/O BOX SRW

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	4420	5582	3531	2051	5500	6500	22050	15370
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	4420	5582	3531	2051	5500	6500	24250	17570
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	4320	5584	3529	2054	5500	6500	22050	15370
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	4320	5584	3529	2054	5500	6500	24250	17570

RAM 2500 4X2 REG ST W 8" BOX SRW

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3940	6064	3476	2588	5500	6000	22050	15550
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3940	6064	3476	2588	5500	6000	24250	17750
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3840	6064	3476	2588	5500	6000	22050	15550
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3840	6064	3476	2588	5500	6000	24250	17750



RAM 2500 4X2 CREW ST W/O 6'4" BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3940	6055	3729	2325	5500	6390	22050	14990
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3940	6055	3729	2325	5500	6390	24250	17190
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3840	6055	3729	2325	5500	6390	22050	14990
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3840	6055	3729	2325	5500	6390	24250	17190

RAM 2500 4X2 CREW ST W 6'4" BOX SRW

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3610	6394	3610	2783	5500	6000	22050	15220
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3610	6394	3610	2783	5500	6000	24250	17420
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3500	6398	3609	2788	5500	6000	22050	15210
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3500	6398	3609	2788	5500	6000	24250	17410
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	9900	2460	7435	4540	2894	5500	6000	27870	19996
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	10000	2560	7435	4543	2892	5500	6040	27870	19960
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	10190	2750	7435	4543	2892	5500	6040	27870	19960



RAM 2500 4X2 CREW ST W/O 8" BOX SRW

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3950	6049	3798	2250	5500	6390	22050	14920
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3950	6049	3798	2250	5500	6390	24250	17120
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3850	6053	3799	2253	5500	6390	22050	14920
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3850	6053	3799	2253	5500	6390	24250	17120

RAM 2500 4X2 CREW ST W 8" BOX SRW

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3470	6530	3752	2777	5500	6000	22050	15080
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3470	6530	3752	2777	5500	6000	24250	17280
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3360	6537	3756	2781	5500	6000	22050	15070
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3360	6537	3756	2781	5500	6000	24250	17270
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	9900	2350	7553	4681	2872	5500	6040	28010	19980
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	10000	2460	7539	4668	2870	5500	6040	28010	20000
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	10190	2650	7539	4668	2870	5500	6040	28010	20000



RAM 2500 4X4 REG ST W/O BOX SRW

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	4080	5924	3826	2098	5500	6390	22050	15030
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	4080	5924	3826	2098	5500	6390	24250	17230
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3980	5922	3752	2169	5500	6390	22050	15030
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3980	5922	3752	2169	5500	6390	24250	17230

RAM 2500 4X4 REG TRADESMAN

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3630	6372	3747	2625	5500	6000	22050	15240
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3630	6372	3747	2625	5500	6000	24250	17440
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3520	6384	3754	2629	5500	6000	22050	15230
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3520	6384	3754	2629	5500	6000	24250	17430



RAM 2500 4X4 REG ST W 8" BOX SRW

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	9900	2450	7447	4702	2745	5750	6000	27820	19900
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	10190	2740	7445	4692	2753	5750	6000	27820	19900
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	10000	2550	7445	4692	2753	5750	6000	27820	19900

RAM 2500 4X4 CREW ST W/O 6'4" BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3700	6295	3976	2318	5500	6390	22050	14750
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3700	6295	3976	2318	5500	6390	24250	16950
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3600	6295	3976	2318	5500	6390	22050	14750
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3600	6295	3976	2318	5500	6390	24250	16950



RAM 2500 4X4 CREW ST W 6'4" BOX SRW

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3320	6680	3887	2792	5500	6390	22050	14930
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3320	6680	3887	2792	5500	6390	24250	17130
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3210	6689	3897	2791	5500	6390	22050	14920
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3210	6689	3897	2791	5500	6390	24250	17120
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	9900	2170	7728	4800	2927	6000	6040	28110	18820
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	10190	2450	7742	4807	2935	5750	6000	28110	19890
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	10000	2260	7742	4807	2935	5750	6000	28110	19770

RAM 2500 4X4 CREW ST 6'4" PW BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	8565	1570	6992	4149	2843	4750	6200	18000	10530



RAM 2500 4X4 CREW ST W/O 8" BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3570	6434	4126	2308	5500	6390	22050	14540
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3570	6434	4126	2308	5500	6390	24250	16700
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3450	6451	4095	2356	5500	6390	22050	14520
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3450	6451	4095	2356	5500	6390	24250	16680

RAM 2500 4X4 CREW ST W 8" BOX SRW

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10000	3110	6886	4059	2827	5500	6390	22050	14720
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10000	3110	6886	4059	2827	5500	6390	24250	16920
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	9900	3020	6875	4055	2820	5500	6000	22050	14730
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	9900	3020	6875	4055	2820	5500	6000	24250	16930
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	9900	2010	7888	4969	2919	5750	6000	26580	17080
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	10190	2310	7877	4959	2918	5750	6000	26580	18230
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	10000	2120	7877	4959	2918	5750	6000	26580	18230



RAM 2500 4X4 MEGA LARAMIE W/BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	9900	1790	8105	5009	3096	6000	6040	24290	14630
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	10190	2050	8137	5041	3096	6000	6040	24290	15680
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	10000	1860	8137	5041	3096	6000	6040	24290	15380

1. Max. Trailer Weight Rating represents a properly equipped base trim configuration.
2. Vehicles with a GVWR of 13,500 and greater are DRW Vehicles less than 13,500 GVWR are SRW.
3. Payload and Max Trailer Weights are ESTIMATED values.
4. All values are shown in pounds unless otherwise stated.
5. Payload and Max Trailer Weight values are rounded to the nearest 10lb.
6. Payload = GVWR – Base Weight
7. Payload and Trailer Weight Rating are mutually exclusive.
8. GAWRs, GVWRs and GCWRs should never be exceeded.
9. Trailer Weight Rating and Tow Vehicle Trailing Weight are calculated as specified in SAE J2807.
10. Passenger Weight = 300 lb.
11. Options Weight = 100 lb.
12. Trailing Equipment Weight: 75 lb for Conventional Hitch, 70 lb for Gooseneck and 250 lb for 5th Wheel.
13. Tongue weight: 10 percent of the gross trailer weight for Conventional Hitch, 15 percent of the gross trailer weight for a 5th Wheel or Gooseneck hitch.
14. Payload and GAWR should never be exceeded and must account for all the above weights, including the appropriate trailering equipment and tongue weight.
15. Box Off Body Completion Weight = 80 lb per foot from end of cab to end of frame
16. A fifth-wheel hitch is required for trailers over 23,000 lbs.
17. A Gooseneck hitch is required for trailers over 30,000 lbs.



RAM 3500 TRAILER TOWING CHART

RAM 3500 4X2 REG CAB ST W/8" BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	14000	7590	6408	3449	2958	5500	9750	22600	15750
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	14000	7590	6408	3449	2958	5500	9750	25000	18150
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10750	4680	6072	3431	2640	5500	7000	22000	15490
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10750	4680	6072	3431	2640	5500	7000	24240	17730

RAM 3500 4X2 REG CAB ST W/O BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10750	5200	5551	3470	2081	5500	7000	22000	15350
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10750	5200	5551	3470	2081	5500	7000	24240	17590

RAM 3500 4X2 CREWCAB ST BOX OFF

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10750	4740	6014	3690	2324	5500	7000	22000	14980
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10750	4740	6014	3690	2324	5500	7000	24240	17220



RAM 3500 4X2 CREW CAB ST W/6'4"

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	10750	4290	6455	3636	2818	5500	7000	22000	15100
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	10750	4290	6455	3636	2818	5500	7000	24240	17340

RAM 3500 4X2 CREW CAB ST W/6'4" BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	11500	4040	7459	4501	2957	5500	7000	31850	23950

RAM 3500 4X2 CREW CAB ST W/8" BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	14000	6990	7013	3822	3190	5500	9750	22600	15150
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	14000	6990	7013	3822	3190	5500	9750	25000	17550
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	11150	4520	6628	3760	2867	5500	7000	22000	14930
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	11150	4520	6628	3760	2867	5500	7000	24240	17170
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	12000	4400	7603	4647	2956	5500	7000	33530	25490
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	14000	5890	8110	4724	3385	5500	9750	43040	34490



RAM 3500 4X2 CREW CAB ST W/O 8" BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	11150	5050	6099	3819	2280	5500	7000	22000	14820
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	11150	5050	6099	3819	2280	5500	7000	24240	17060

RAM 3500 4X4 REG CAB ST W/8" BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	14000	7200	6796	3780	3015	5500	9750	22600	15360
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	14000	7200	6796	3780	3015	5500	9750	25000	17760
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	11040	4580	6462	3762	2699	5500	7000	22000	15100
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	11040	4580	6462	3762	2699	5500	7000	24230	17330
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	14000	6050	7947	4718	3228	6000	9750	45000	36610
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	11830	4350	7478	4655	2823	6000	7000	34000	26080



RAM 3500 4X4 REG CAB ST W/O BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	11040	5140	5902	3784	2117	5500	7000	22000	15000
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	11040	5140	5902	3784	2117	5500	7000	24230	17230

RAM 3500 4X4 CREWCAB ST W/O 6.4'BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	11040	4730	6305	3944	2360	5500	7000	22000	14690
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	11040	4730	6305	3944	2360	5500	7000	24240	16930

RAM 3500 4X4 CREW CAB ST W/6'4" BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	11040	4250	6794	3911	2882	5500	7000	22000	14770
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	11040	4250	6794	3911	2882	5500	7000	24240	17010
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	11800	3970	7827	4819	3008	6000	7000	31820	23550



RAM 3500 4X4 CREW CAB ST W/8" BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	14000	6640	7357	4126	3231	5500	9750	22600	14800
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	14000	6640	7357	4126	3231	5500	9750	25000	17200
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	11440	4440	7004	4097	2906	5500	7000	22000	14560
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	11440	4440	7004	4097	2906	5500	7000	24240	16800
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	12300	4310	7991	4997	2993	6000	7000	33610	25180
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	14000	5530	8470	5053	3417	6000	9750	42800	33890

RAM 3500 4X4 CREW CAB ST W/O 8" BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	3.73	11440	4990	6453	4114	2339	5500	7000	22000	14470
6.4L V8 HEMI UPGRADE HD ENGINE	8-SPD AUTO 8HP75-LCV TRANSMISSION	4.10	11440	4990	6453	4114	2339	5500	7000	24240	16710



RAM 3500 4X4 MEGA CAB LARA 6'4" BOX

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating ⁽¹⁾
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	12300	4100	8201	5029	3171	6000	7000	32720	24080
6.7L I6 CUMMINS HO TURBO DIESEL ENG	8-SPD ZF TORQUEFLITE HD AUTOMATIC TRANS	3.42	14000	5370	8627	5052	3575	6000	9750	41950	32880

1. Max. Trailer Weight Rating represents a properly equipped base trim configuration.
2. Vehicles with a GVWR of 14,000 and greater are DRW Vehicles less than 14,000 GVWR are SRW.
3. Payload and Max Trailer Weights are ESTIMATED values.
4. All values are shown in pounds unless otherwise stated.
5. Payload and Max Trailer Weight values are rounded to the nearest 10lb.
6. Payload = GVWR – Base Weight
7. Payload and Trailer Weight Rating are mutually exclusive.
8. GAWRs, GVWRs and GCWRs should never be exceeded.
9. Trailer Weight Rating and Tow Vehicle Trailing Weight are calculated as specified in SAE J2807.
10. Passenger Weight = 300 lb.
11. Options Weight = 100 lb.
12. Trailing Equipment Weight: 75 lb for Conventional Hitch, 40 lb for Gooseneck and 250 lb for 5th Wheel.
13. Tongue weight: 10 percent of the gross trailer weight for Conventional Hitch, 15 percent of the gross trailer weight for a 5th Wheel or Gooseneck hitch.
14. Payload and GAWR should never be exceeded and must account for all of the above weights, including the appropriate trailering equipment and tongue weight.
15. Box Off Body Completion Weight = 80 lb per foot from end of cab to end of fram
16. A fifth-wheel hitch is required for trailers over 23,000 lbs.
17. A Gooseneck hitch is required for trailers over 30,000 lbs.

###