

## Components

## Components

VIN : 3HAEDTAR2KL244405

253 components found. 

S.No	Class Description	Parts Catalog Component	Component Line Drawing	Description
1	AXLE CONFIGURATION	<u>0001ANA</u>	<u>0001ANA</u>	AXLE CONFIG 4X2 4x2
2	FRAMES	<u>0001CAJ</u>	<u>0001CAJ</u>	FRAME RAIL 120,000 PSI YIELD 456.0" OAL Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL
3	FRAMES	<u>0001LNR</u>	<u>0001LNR</u>	FRT BUMPER-SWEPT BACK PTD STL Steel, Swept Back; Painted 0001 Canyon Black
4	FRAMES	<u>0001WDS</u>	<u>0001WDS</u>	20" INTEGRAL FRONT FRAME EXTENSION Integral; 20" In Front of Grille
5	FRAMES	<u>0001WEV</u>	<u>0001WEV</u>	WHEEL BASE RANGE 146" THRU 195" 146" (370cm) Through and Including 195" (495cm)
6	FRAMES	<u>0001570</u>	<u>0001570</u>	TWO FRONT TOW HOOKS Frame Mounted
7	FRONT AXLES	<u>0002ARU</u>	<u>0002ARU</u>	FR AXLE 16K MTOR MFS-16-143A W-TRK Wide Track, I-Beam Type, 16,000-lb Capacity
8	FRONT SUSPENSIONS	<u>0003ADE</u>	<u>0003ADE</u>	16,000-LB FRT PARABOLIC TAPER LEAF SUS Parabolic, Taper Leaf; 16,000-lb Capacity; with Shock Absorbers
9	FRONT SUSPENSIONS	<u>0003770</u>	<u>0003770</u>	SPRINGS-RUBBER AUXILIARY FRONT Rubber
10	BRAKES	<u>0004AZA</u>	<u>0004AZA</u>	BENDIX AIR BRAKE ABS Full Vehicle Wheel Control System (4- Channel)
11	BRAKES	<u>0004EBD</u>	<u>0004EBD</u>	AIR DRYER WABCO SYS- SAVR1200 with Heater
12	BRAKES	<u>0004EXU</u>	<u>0004EXU</u>	REAR BRAKE CHMBRS BENDIX 30/30 EVERSURE 30/30 Spring Brake
13	BRAKES	<u>0004EXV</u>	<u>0004EXV</u>	FRONT CHAMBERS BENDIX 24" 24 SqIn 16.5X7 R S-CAM BRKS 30/30 L/S

14	BRAKES	<u>0004NDB</u>	<u>0004NDB</u>	CHAMBERS S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
15	BRAKES	<u>0004SPA</u>	<u>0004SPA</u>	18.7-CFM CUMMINS AIR COMPRESSOR 18.7 CFM Capacity
16	BRAKES	<u>0004VGM</u>	<u>0004VGM</u>	POL-ALUM AIR TANK Polished Aluminum, with Straight Thread O- Ring Ports
17	BRAKES	<u>0004VKC</u>	<u>0004VKC</u>	AIR DRYER LOC INSIDE LT RAIL BOC Mounted Inside Left Rail, Back of Cab
18	BRAKES	<u>0004VKK</u>	<u>0004VKK</u>	LOCATE 2 AIR TANKS Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail
19	BRAKES	<u>0004WBX</u>	<u>0004WBX</u>	FRONT DUST SHIELDS AIR BRAKES for Air Brakes
20	BRAKES	<u>0004WDM</u>	<u>0004WDM</u>	REAR DUST SHIELDS AIR BRAKES for Air Brakes
21	BRAKES	<u>0004091</u>	<u>0004091</u>	TRUCK DUAL AIR BRK SYSTEM Dual System for Straight Truck Applications
22	BRAKES	<u>0004193</u>	<u>0004193</u>	16.5"X 6" W/24" LONG STROKE 16.5" x 6", Includes 24 Sqn Long Stroke Brake Chambers
23	BRAKES	<u>0004619</u>	<u>0004619</u>	TRAILER CONNECTIONS 4- WHEEL Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck
24	BRAKES	<u>0004732</u>	<u>0004732</u>	DRAIN VALVE 1 W/PULL CHAIN with Pull Chain, for Air Tank
25	STEERING	<u>0005CAW</u>	<u>0005CAW</u>	STRG WHL BLK 4-SPK 4-Spoke; 18" Dia., Black
26	STEERING	<u>0005PSL</u>	<u>0005PSL</u>	1-PWR STRG GEAR SHEPPARD M110 Power
27	STEERING	<u>0005708</u>	<u>0005708</u>	STRG COL, TILTING Tilting
28	EXHAUST SYSTEMS	<u>0007BEU</u>	<u>0007BEU</u>	AFTERTREATMENT COVER ALUMINUM Aluminum
29	EXHAUST SYSTEMS	<u>0007BKS</u>	<u>0007BKS</u>	EXH SYS HORZ/VERT TP RSM Single Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; for Single Vertical Tail Pipe, Frame Mounted Right Side

30	EXHAUST SYSTEMS	<u>0007WBA</u>	<u>0007WBA</u>	Back of Cab 1-VERT T/P BRI TURNBACK (1) Turnback Type, Bright, for Single Exhaust
31	EXHAUST SYSTEMS	<u>0007WBS</u>	<u>0007WBS</u>	1-MUFFLER/TAIL PIPE GD BRIGHT STAINLESS (1) Bright Stainless Steel
32	EXHAUST SYSTEMS	<u>0007WDM</u>	<u>0007WDM</u>	TAIL PIPE HEIGHT 10' 10'
33	ELECTRICAL SYSTEMS	<u>0008GHP</u>	<u>0008GHP</u>	160 AMP 12V ALT DELCO 28SI Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount, with Remote Voltage Sensor
34	ELECTRICAL SYSTEMS	<u>0008HAB</u>	<u>0008HAB</u>	BODY BLDR WIRING BOC OR U/C AT LT FRAME Back of Standard or Sleeper Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
35	ELECTRICAL SYSTEMS	<u>0008HAH</u>	<u>0008HAH</u>	ELECTRIC TRAILER BRAKE/LIGHTING COMBINED Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket
36	ELECTRICAL SYSTEMS	<u>0008MKX</u>	<u>0008MKX</u>	3-12V 2775CCA BTRY SYS- INTERNATIONAL Maintenance- Free, (3) 12-Volt 2775CCA Total
37	ELECTRICAL SYSTEMS	<u>0008NAA</u>	<u>0008NAA</u>	SPECIAL TAIL LIGHT WIRING Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights
38	ELECTRICAL SYSTEMS	<u>0008RGA</u>	<u>0008RGA</u>	2-WAY RADIO WIRING EFFECTS Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab

39	ELECTRICAL SYSTEMS	<u>0008RML</u>	<u>0008RML</u>	AM/FM/WB/CLK/BT, USB, MP3, APPLE DEV AM/FM/WB/Clock/Bluetooth/USB Input/3.5MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music
40	ELECTRICAL SYSTEMS	<u>0008RMY</u>	<u>0008RMY</u>	2-SPKRS DUAL CONE MTD IN B-PILLARS (2) 5.25" Dual Cone Mounted in Both B-Pillars
41	ELECTRICAL SYSTEMS	<u>0008THB</u>	<u>0008THB</u>	BACK UP ALARM 102 DBA ELECTRIC Electric, 102 dBA
42	ELECTRICAL SYSTEMS	<u>0008THJ</u>	<u>0008THJ</u>	AUX HARNESS-F/AUX FRT HEADLIGHTS & T/S 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications
43	ELECTRICAL SYSTEMS	<u>0008TKK</u>	<u>0008TKK</u>	TRAILER AUXILIARY CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch
44	ELECTRICAL SYSTEMS	<u>0008TPS</u>	<u>0008TPS</u>	S/T/T & B/U LTS WELDON LED Multi-Function Lamp, Mounted Inside Rails, Includes License Plate Light
45	ELECTRICAL SYSTEMS	<u>0008VUK</u>	<u>0008VUK</u>	BATT BOX AL RSM BOC 18"W 2-4 CAP Aluminum with Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Right Side Back of Cab
46	ELECTRICAL SYSTEMS	<u>0008WCK</u>	<u>0008WCK</u>	POWER SOURCE TWO POST TYPE 2-Post
47	ELECTRICAL SYSTEMS	<u>0008WGL</u>	<u>0008WGL</u>	WIPER SLOW INTERMITTENT W/PARK BRAKE Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time
48	ELECTRICAL SYSTEMS	<u>0008WGU</u>	<u>0008WGU</u>	BATTERY BOX COVER ALUMINUM Aluminum
49	ELECTRICAL SYSTEMS	<u>0008WML</u>	<u>0008WML</u>	2-HEADLIGHTS LONG LIFE HALOGEN Long Life Halogen; for Two Light System
50	ELECTRICAL SYSTEMS	<u>0008WPH</u>	<u>0008WPH</u>	CAB/SUNSHADE CLEARANCE LIGHTS LED AMBER Amber LED Lights, Flush Mounted on Cab or Sunshade

TEST EXTERIOR LAMPS EXCEPT

51	ELECTRICAL SYSTEMS	0008WPZ	0008WPZ	BACK UPS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights
52	ELECTRICAL SYSTEMS	0008WRB	0008WRB	HEADLIGHTS ON WITH WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on
53	ELECTRICAL SYSTEMS	0008WTK	0008WTK	START MOTOR (DELCO 38MT TYPE 300) 12 Volt; less Thermal Over-Crank Protection
54	ELECTRICAL SYSTEMS	0008WTP	0008WTP	2-COURTESY LIGHTS FRONT MAP POCKET Mounted In Front Map Pocket Left and Right Side
55	ELECTRICAL SYSTEMS	0008WWJ	0008WWJ	INDICATOR LOW COOLANT WITH ALARM with Audible Alarm
56	ELECTRICAL SYSTEMS	0008WXD	0008WXD	ALARM, PARK BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened
57	ELECTRICAL SYSTEMS	0008XAH	0008XAH	MANUAL-RESET CIRC BREAKERS (MAIN PANEL) Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
58	ELECTRICAL SYSTEMS	0008XGT	0008XGT	T/S FRONT W/ LED TURN MOUNTED ON FENDER Includes LED Side Turn Lights Mounted on Fender
59	ELECTRICAL SYSTEMS	0008XHD	0008XHD	BATTERY DISCONNECT SWITCH 300 Amp; Cab Mounted, Disconnects Charging Circuits; Locks with Padlock
60	ELECTRICAL SYSTEMS	0008XHN	0008XHN	1-AIR HORN BLACK W/LANYARD PULL CORD Black, Single Trumpet, with Lanyard Pull Cord
61	ELECTRICAL SYSTEMS	0008000	0008000	ELEC SYS (12 VOLT) 12-Volt, Standard Equipment
62	ELECTRICAL SYSTEMS	0008518	0008518	CIGAR LIGHTER Includes Ash Cup
63	ELECTRICAL SYSTEMS	0008541	0008541	2-ELECTRIC HORNS DISC STYLE Disc Style
64	ELECTRICAL SYSTEMS	0008875	0008875	SEALED BATTERY TERMINALS Sealed

LOGS EXTERIOR RAINERS

65	FRONT END	<u>0009AAB</u>	<u>0009AAB</u>	Model Badges
66	FRONT END	<u>0009AAE</u>	<u>0009AAE</u>	LOGOS EXTERIOR ENGINE BADGES Badges
67	FRONT END	<u>0009HBM</u>	<u>0009HBM</u>	STATIONARY GRILLE CHROME Stationary, Chrome
68	FRONT END	<u>0009WAC</u>	<u>0009WAC</u>	BUG SCREEN Mounted Behind Grille
69	FRONT END	<u>0009WBC</u>	<u>0009WBC</u>	FIBERGLASS TILT FE 3 PIECE WORKSTAR/HV Tilting, Fiberglass, with Three Piece Construction; for WorkStar/HV
70	FRONT END	<u>0009585</u>	<u>0009585</u>	FENDER EXTENSIONS RUBBER Rubber
71	SPEEDOMETER, TOOLS, MISC	<u>0010BAE</u>	<u>0010BAE</u>	LABEL DEF ONLY "DEF ONLY"
72	SPEEDOMETER, TOOLS, MISC	<u>0010WCY</u>	<u>0010WCY</u>	SAFETY TRIANGLES
73	SPEEDOMETER, TOOLS, MISC	<u>0010WJH</u>	<u>0010WJH</u>	PROMOTIONAL PKG Government and Municipal Silver Package; Two Year Limited Subscription of On- Command Service Information (Formerly Fleet ISIS), and On- Command Parts Information (Formerly Fleet Parts Catalog), Requires Specific Feature Combinations
74	SPEEDOMETER, TOOLS, MISC	<u>0010060</u>	<u>0010060</u>	SINGLE COLOR 100 PT SCHEMATIC Single Color, Design 100
75	SPEEDOMETER, TOOLS, MISC	<u>0010210</u>	<u>0010210</u>	EMISSION LABELS (FUEL ECONOMY/NOISE) Emissions, Fuel Economy and Noise. DO NOT ORDER-FOR FACTORY USE ONLY
76	SPEEDOMETER, TOOLS, MISC	<u>0010761</u>	<u>0010761</u>	PAINT-BASE COAT/CLEAR COAT 1-2 TONE Base Coat/Clear Coat, 1-2 Tone
77	CLUTCH	<u>0011001</u>	<u>0011001</u>	OMIT CLUTCH & CONTROLS Omit Item (Clutch & Control)
78	ENGINE	<u>0012EHV</u>	<u>0012EHV</u>	CUM L9 330 330HP/2200 GOV EPA 2017, 330HP @ 2000 RPM, 1000 lb- ft Torque @ 1400 RPM, 2200 RPM Governed Speed, 330 Peak HP (Max)
				FAN DRIVE HORTON (DRIVEMASTER 2SPD) Direct

79	ENGINE	<u>0012THT</u>	<u>0012THT</u>	Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed
80	ENGINE	<u>0012UWZ</u>	<u>0012UWZ</u>	RAD 1228" CAC 1167" W/TRANS COOLER Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core with Internal Water to Oil Transmission Cooler and 1167 In Charge Air Cooler
81	ENGINE	<u>0012VAG</u>	<u>0012VAG</u>	SINGLE ELEMENT A/CLNR W/SNOW VALVE Single Element, with Integral Snow Valve and In-Cab Control
82	ENGINE	<u>0012VGN</u>	<u>0012VGN</u>	2018 FEDERAL EMISSIONS FOR L9 ENGINES EPA, OBD and GHG Certified for Calendar Year 2018
83	ENGINE	<u>0012VXT</u>	<u>0012VXT</u>	ENGINE SPEED CONTROL, STEER WHEEL MTD Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
84	ELECTRICAL SYSTEMS	<u>0012VYL</u>	<u>0012VYL</u>	ACC WIRING SPECIAL ROAD SPD WIRE for Road Speed Wire Coiled Under Instrument Panel for Customer Use
85	ENGINE	<u>0012WCG</u>	<u>0012WCG</u>	HOSE CLAMPS(MINI FLEX SEAL) TYPE Coil Spring/"T"-Bolt Type, for Radiator Hoses over 1" I.D.
86	ENGINE	<u>0012WZJ</u>	<u>0012WZJ</u>	LOW NOX IDLE ENG CA COMPLY W/DOOR DECAL Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door
87	ENGINE	<u>0012XAT</u>	<u>0012XAT</u>	REMOTE ENG CONTROL, ISB/B6.7/ISL/L9 Provision for; Includes Wiring for Body Builder Installation of PTO Controls; with Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines
88	ENGINE	<u>0012703</u>	<u>0012703</u>	ANTI FREEZE RED EXTENDED LIFE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
89	ENGINE	<u>0012849</u>	<u>0012849</u>	ENG BLOCK HTR 120V/1000W

90	TRANSMISSION	<u>0013AVR</u>	<u>0013AVR</u>	Cummins ISB/B6.7/ISL/L9 Engines ALLISON XMSN 3000 RDS 6-SP W/PTO 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway
91	TRANSMISSION	<u>0013WET</u>	<u>0013WET</u>	COLUMN MOUNTED STALK SHIFT CONTROL for Column Mounted Stalk Shifter
92	TRANSMISSION	<u>0013WGH</u>	<u>0013WGH</u>	RELOCATE TRANS DIPSTICK TO RT SIDE Relocated to Right Side of Transmission
93	TRANSMISSION	<u>0013WLP</u>	<u>0013WLP</u>	TRANS OIL--SYNTHETIC 29 THRU 42 PINTS Synthetic; 29 thru 42 Pints
94	TRANSMISSION	<u>0013WUC</u>	<u>0013WUC</u>	ALLISON RDS SPARE I/O for Rugged Duty Series (RDS); General Purpose Trucks, Construction
95	TRANSMISSION	<u>0013WYH</u>	<u>0013WYH</u>	TRANS TCM LOCATION INSIDE CAB Located Inside Cab
96	TRANSMISSION	<u>0013WYU</u>	<u>0013WYU</u>	SHIFT CONT PARAMETERS ALLISON 3000/4000 Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming
97	TRANSMISSION	<u>0013XAA</u>	<u>0013XAA</u>	PTO CONTROLS,DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring
98	TRANSMISSION	<u>0013XAL</u>	<u>0013XAL</u>	PTO LOCATION LEFT SIDE OF TRANSMISSION Left Side of Transmission
99	REAR AXLES, SUSPENSIONS	<u>0014SAL</u>	<u>0014SAL</u>	RR SPGS 31K V-RATE W/AUX 4.5K M-LEAF Vari-Rate; 31,000-lb Capacity, Includes 4500-lb Capacity Multileaf Auxiliary
100	REAR AXLES, SUSPENSIONS	<u>0014WMG</u>	<u>0014WMG</u>	REAR AXLE OIL-FE-75W-90 SYN EMGARD Synthetic Oil; 30 thru 39.99 Pints
101	REAR AXLES, SUSPENSIONS	<u>0014051</u>	<u>0014051</u>	SGL RA 23K 200 WE MTOR RS-23- 160 Single Reduction, 23,000-lb Capacity, 200 Wheel Ends
102	FUEL TANKS	<u>0015BAA</u>	<u>0015BAA</u>	DEF TANK COVER STAINLESS STEEL Stainless Steel

103	FUEL TANKS	<u>0015LMN</u>	<u>0015LMN</u>	FUEL/WATER SEPARATOR RACOR 400 SERIES 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in- Fuel Sensor
104	FUEL TANKS	<u>0015LMV</u>	<u>0015LMV</u>	FWS LOC LSM 24" BOC OUTSIDE RAIL Mounted Outside Left Rail, 24" Back of Cab
105	FUEL TANKS	<u>0015SWE</u>	<u>0015SWE</u>	1-FL TK UC AL 70G LT 26"DIA Top Draw, Non-Polished Aluminum, 26" Dia, 70 US Gal (265L), Mounted Left Side, Under Cab
106	FUEL TANKS	<u>0015WDG</u>	<u>0015WDG</u>	DEF TANK 7 GAL FRAME MTD LT/SIDE UC 7 U.S. Gal. 26.5L Capacity, Frame Mounted Outside Left Rail, Under Cab
107	FUEL TANKS	<u>0015924</u>	<u>0015924</u>	FUEL TANK STRAPS BRIGHT Bright Finish Stainless Steel
108	CABS, COWLS, BODIES	<u>0016BAM</u>	<u>0016BAM</u>	AIR CONDITIONER AND HEATER with Integral Heater & Defroster
109	CABS, COWLS, BODIES	<u>0016GDC</u>	<u>0016GDC</u>	ENGLISH GA CLUSTER BASE LEVEL Base Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display
110	CABS, COWLS, BODIES	<u>0016GHU</u>	<u>0016GHU</u>	TWO INTERIOR GRAB HANDLES SAFETY YELLOW (2) Safety Yellow
111	CABS, COWLS, BODIES	<u>0016HGH</u>	<u>0016HGH</u>	OIL TEMP GAUGE FOR AUTOMATIC TRANS for Allison Transmission
112	CABS, COWLS, BODIES	<u>0016HHE</u>	<u>0016HHE</u>	FILTER MINDER DASH MTD BLACK BEZEL with Black Bezel Mounted in Instrument Panel
113	CABS, COWLS, BODIES	<u>0016HKT</u>	<u>0016HKT</u>	IP CLUSTER DISPLAY DIAGNOSTICS On Board Diagnostics Display of Fault Codes in Gauge Cluster
114	CABS, COWLS, BODIES	<u>0016JNT</u>	<u>0016JNT</u>	DRIVER SEAT NAT'L Air Suspension, High Back with Integral Headrest Vinyl Isolator 1 Chamber

	BODIES			Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust
115	CABS, COWLS, BODIES	<u>0016SEE</u>	<u>0016SEE</u>	GRAB HANDLE LT ONLY CHROME Chrome; Towel Bar Type with Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar
116	CABS, COWLS, BODIES	<u>0016SMN</u>	<u>0016SMN</u>	PASSENGER SEAT NATIONAL FIXED BACK Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl
117	CABS, COWLS, BODIES	<u>0016SNU</u>	<u>0016SNU</u>	2-MIRRORS W/CONVEX HEATED BRIGHT HEADS Aero; Pedestal, Power Adjust, Heated Heads, Bright Finish Heads, Black Arms, 6.3" x 13.82" Flat Glass, 6.38" x 6.18" Convex Glass Both Sides
118	CABS, COWLS, BODIES	<u>0016VCC</u>	<u>0016VCC</u>	SEAT BELTS, ALL ORANGE 1-3 All Orange; 1 to 3
119	CABS, COWLS, BODIES	<u>0016VKB</u>	<u>0016VKB</u>	CAB INT TRIM CLASSIC DAY CAB Classic, for Day Cab
120	CABS, COWLS, BODIES	<u>0016WBY</u>	<u>0016WBY</u>	RIGHT ARM REST, DRIVER SEAT
121	CABS, COWLS, BODIES	<u>0016WHJ</u>	<u>0016WHJ</u>	HOSE CLAMPS(BREEZE) BELLEVILLE WSHR TYPE Belleville Washer Type
122	CABS, COWLS, BODIES	<u>0016WJU</u>	<u>0016WJU</u>	2-POWER WINDOWS/DOOR LOCKS and Power Door Locks, Left and Right Doors, Includes Express Down Feature
123	CABS, COWLS, BODIES	<u>0016WLS</u>	<u>0016WLS</u>	FRESH AIR FILTER AIR INTAKE UNDER HOOD Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood
124	CABS, COWLS, BODIES	<u>0016WSK</u>	<u>0016WSK</u>	CAB REAR AIR SUSPENSION Air Bag Type
125	CABS, COWLS, BODIES	<u>0016XJP</u>	<u>0016XJP</u>	INSTRUMENT PANEL WING Wing Panel
126	CABS, COWLS, BODIES	<u>0016XTK</u>	<u>0016XTK</u>	CAB ACCESS 2 STEPS PER DOOR REG/EXT CAB Driver & Passenger Sides, Two Bright Aluminum Steps Per Door, for Use with Regular & Extended Cabs

EXTERIOR SUNSHADE BRACKET

127	CABS, COWLS, BODIES	<u>0016XXWE</u>	<u>0016XXWE</u>	FINISH Bright Finish; Includes Integral Clearance/Marker Lights
128	CABS, COWLS, BODIES	<u>0016XWJ</u>	<u>0016XWJ</u>	SNOW WIPER BLADES Show Type
129	CABS, COWLS, BODIES	<u>0016XWY</u>	<u>0016XWY</u>	WINDSHIELD WASH RESERVOIR W/REMOTE FILL Mounted Under Cab with Remote Fill Mounted Behind Cab Drivers Side
130	CABS, COWLS, BODIES	<u>0016XXC</u>	<u>0016XXC</u>	SPECIAL COWL TRAY LID
131	CABS, COWLS, BODIES	<u>0016000</u>	<u>0016000</u>	TRANS COVER, FLOOR MATS, SEALS Transmission Cover, Floor Mats and Seal DO NOT ORDER- FOR FACTORY USE ONLY
132	CABS, COWLS, BODIES	<u>0016030</u>	<u>0016030</u>	CAB CONVENTIONAL Conventional
133	WHEELS, TIRES - FRONT	<u>0027DUR</u>	<u>0027DUR</u>	DISC FR WHL 22.5X9.00 STD P/AL DISC; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
134	WHEELS, TIRES - REAR	<u>0028DMB</u>	<u>0028DMB</u>	DUAL DISC RR WHL 22.5X8.25 AL DUAL DISC; 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
135	WHEELS MISC OPTIONS	<u>0029ACD</u>	<u>0029ACD</u>	FLO-THRU TIRE VALVE CAPS Flo-Thru Design
136	WARRANTY	<u>0040128</u>	<u>0040128</u>	WARRANTY STD CTS-2025A Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A
137	BODY INTEGRATION	<u>0060AAG</u>	<u>0060AAG</u>	BODY INTG, REMOTE POWER MODULE Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 1 Switch Pack with Latched Switches)
138	BODY INTEGRATION	<u>0060ACK</u>	<u>0060ACK</u>	BODY INTG, 6 LATCHED SWITCHES, 2 POS Rocker, Backlit, with "ON" Indicator Mounted on Dash, for 6; Auxiliary Load 20 amp. Maximum; Power Available Only in "Ignition" or "Accessory" Position (requires 6 Remote Power Module

			outputs) DO NOT ORDER-FOR FACTORY USE ONLY
139	<u>0427DTE</u>	<u>0427DTE</u>	
140	<u>0427DTK</u>	<u>0427DTK</u>	
141	SPEEDOMETER, TOOLS, MISC <u>0504104</u>	<u>0504104</u>	ENGINEERING ABS ID ABS-6 ABS-6
142	MISC <u>0504116</u>	<u>0504116</u>	AIR TANK VOLUME ID NOMINAL 6970 Nominal 6970 CuIn System Capacity
143	BRAKES <u>0504201</u>	<u>0504201</u>	DRAIN VALVE 1 W/PULL CHAIN 2 PETCOCK (1) with Pull Chain and (2) Petcocks, for Air Tanks
144	BRAKES <u>0504306</u>	<u>0504306</u>	R/S AUTO-SLACK ADJSTRS- FRONT Automatic
145	BRAKES <u>0504355</u>	<u>0504355</u>	R/S AUTO-SLACK ADJSTRS- REAR Automatic
146	BRAKES <u>0504433</u>	<u>0504433</u>	MERITOR R403 FRONT BRAKE LININGS Non-Asbestos for S-Cam Brake
147	BRAKES <u>0504435</u>	<u>0504435</u>	MERITOR R301 REAR BRAKE LININGS S-Cam Type; Non- Asbestos
148	BRAKES <u>0504441</u>	<u>0504441</u>	MERITOR Q-PLUS FRONT BRAKE
149	BRAKES <u>0504442</u>	<u>0504442</u>	MERITOR Q-PLUS REAR BRAKE
150	DRIVELINES <u>0506001</u>	<u>0506001</u>	TRANSMISSION OUTPUT YOKE
151	DRIVELINES <u>0506010</u>	<u>0506010</u>	REAR REAR AXLE INPUT YOKE or Single Rear Axle Input
152	DRIVELINES <u>0506100</u>	<u>0506100</u>	DRIVELINE LABOR for Driveline Labor
153	DRIVELINES <u>0506102</u>	<u>0506102</u>	FIRST CENTER BEARING
154	DRIVELINES <u>0506110</u>	<u>0506110</u>	CENTER BEARING MOUNTING PARTS
155	DRIVELINES <u>0506202</u>	<u>0506202</u>	DRIVELINE SPACER 2ND XMBR
156	ELECTRICAL SYSTEMS <u>0508010</u>	<u>0508010</u>	AIR SOLENOID 4-PAK NO ECU OR J1939 4-Pak, Electric Operated, Does Not Include an ECU or J1939 Communications
157	ELECTRICAL SYSTEMS <u>0508093</u>	<u>0508093</u>	MODULE, POWER DISTRIBUTION for Lift gate and RPM Post SCR Electrical Architecture
158	MISC <u>0508097</u>	<u>0508097</u>	ELEC SYS MUX COMMON ARCHITECTURE for Electrical

159	MISC	<u>0508099</u>	<u>0508099</u>	Common Architecture System SWITCH, ROCKER MUX FOR LCM C1 in Lighting Control Module C1
160	MISC	<u>0508100</u>	<u>0508100</u>	SWITCH, ROCKER MUX FOR LCM C2 in Lighting Control Module C2
161	SPEEDOMETER, TOOLS, MISC	<u>0510AAB</u>	<u>0510AAB</u>	IDENTITY CODE (ENGLISH) For English
162	SPEEDOMETER, TOOLS, MISC	<u>0510000</u>	<u>0510000</u>	BULK MATERIAL
163	MISC	<u>0510002</u>	<u>0510002</u>	SERVICE ASM; CAB, DCM, HARNESS, IP
164	SPEEDOMETER, TOOLS, MISC	<u>0510014</u>	<u>0510014</u>	VEPS IDENTITY FOR SW PACK MODULES for Switch Pack Modules
165	SPEEDOMETER, TOOLS, MISC	<u>0510015</u>	<u>0510015</u>	VEPS IDENTITY FOR LT CONT MODULES for Lighting Control Module
166	SPEEDOMETER, TOOLS, MISC	<u>0510016</u>	<u>0510016</u>	VEPS IDENTITY FOR DOOR POD MODULES for Door Pod Modules
167	SPEEDOMETER, TOOLS, MISC	<u>0510017</u>	<u>0510017</u>	VEPS IDENTITY FOR HVAC CONTROLLER for HVAC Controller
168	SPEEDOMETER, TOOLS, MISC	<u>0510104</u>	<u>0510104</u>	SPECIAL ROUTING CONTROL PDI AT TSC for Pre Delivery Inspection Completed at TSC
169	SPEEDOMETER, TOOLS, MISC	<u>0510856</u>	<u>0510856</u>	VEPS IDENTITY PWRTRN DATALINK 500K for Powertrain Datalink, 500K
170	SPEEDOMETER, TOOLS, MISC	<u>0510857</u>	<u>0510857</u>	VEPS IDENTITY FOR UNIV COLUMN SHIFTER for Universal Column Shifter
171	SPEEDOMETER, TOOLS, MISC	<u>0510859</u>	<u>0510859</u>	VEPS IDENTITY for Allison Gen 5 transmission
172	SPEEDOMETER, TOOLS, MISC	<u>0510882</u>	<u>0510882</u>	VEPS IDENTITY for Allison 3000 Series
173	SPEEDOMETER, TOOLS, MISC	<u>0510912</u>	<u>0510912</u>	VEPS ID 3 WAY WARNING LIGHT SYSTEM Includes Warning Lights for; Low Oil Pressure, High Coolant Temperature, Low Coolant Level
174	SPEEDOMETER, TOOLS, MISC	<u>0510926</u>	<u>0510926</u>	ENGINEERING PROG ID 76 WAY CONNECT 76 Way Connector in lieu of 48 Way
175	SPEEDOMETER, TOOLS, MISC	<u>0510936</u>	<u>0510936</u>	VEPS IDENTITY for EC-60 ABS

176	SPEEDOMETER, TOOLS, MISC	<u>0510944</u>	<u>0510944</u>	VEPS IDENTITY Shift Energy Management with Allison Transmissions
177	SPEEDOMETER, TOOLS, MISC	<u>0510993</u>	<u>0510993</u>	VEPS IDENTITY Electronic Diagnostics
178	ENGINE	<u>0512017</u>	<u>0512017</u>	COLD START EQUIP W/ENG ECM CTRL Intake Manifold Electric Grid Heater, with Engine ECM Control
179	REAR AXLES, SUSPENSIONS	<u>0514001</u>	<u>0514001</u>	REAR SUSPENSION PARTS
180	REAR AXLES, SUSPENSIONS	<u>0514012</u>	<u>0514012</u>	CONT LIFT AXLE CAB EFFECTS Cab Effects; When Controls Are Not Provided
181	CABS, COWLS, BODIES	<u>0516010</u>	<u>0516010</u>	CAB DRILLING FOR BATTERY DISCONNECT for Battery Disconnect
182	CABS, COWLS, BODIES	<u>0516081</u>	<u>0516081</u>	CAB DRILLING for Remote Power Module, Mounted Inside Cab Behind Driver Seat
183	CABS, COWLS, BODIES	<u>0516090</u>	<u>0516090</u>	CAB DRILLING for TCM, Mounted Inside Cab Behind Driver Seat
184	CABS, COWLS, BODIES	<u>0516101</u>	<u>0516101</u>	MIRROR, HEATED ALL HEADS All Heads, Both Sides, Thermostatically Controlled, with Switch Mounted in Wing Panel
185	CABS, COWLS, BODIES	<u>0516102</u>	<u>0516102</u>	MIRROR, POWERED Both Sides, Flat Glass Only
186	CABS, COWLS, BODIES	<u>0516105</u>	<u>0516105</u>	MIRROR, BRIGHT FINISHED Head and Brackets, Both Sides
187	CABS, COWLS, BODIES	<u>0516106</u>	<u>0516106</u>	MIRROR STYLE AERO Aerodynamic
188	WHEELS MISC OPTIONS	<u>0529001</u>	<u>0529001</u>	LUBE FRT WHL BEARINGS
189	WHEELS MISC OPTIONS	<u>0529002</u>	<u>0529002</u>	LUBE REAR WHL BEARINGS
190	MISC	<u>0530100</u>	<u>0530100</u>	TIRES
191	BODY & CHASSIS PAINT	<u>0535008</u>	<u>0535008</u>	PAINT CHASSIS COLOR GROUP NO. 08 No. 08
192	BODY & CHASSIS PAINT	<u>0535011</u>	<u>0535011</u>	IDENTITY CODE FOR STD PAINT COLORS ONLY for Internal Order Coding
193	BODY & CHASSIS	<u>0535911</u>	<u>0535911</u>	PAINT COLOR GROUP PT1 NO.1 No. 1; Identifies Material and Labor Cost for the 1st Paint Color of a 1.

	PAIN			Tone, 2-Tone, 3-Tone or 4-Tone Paint Schematic Design
194	MISC	<u>0597001</u>	<u>0597001</u>	BCM PROG, BODY CONTROLLER FOR TRUCK for Truck
195	MISC	<u>0597002</u>	<u>0597002</u>	BCM PROG, COMMON CONFIG DATA
196	MISC	<u>0597005</u>	<u>0597005</u>	BCM PROG, PARK LIGHT/MARKER LIGHTS 20 AMP
197	MISC	<u>0597006</u>	<u>0597006</u>	BCM PROG, HEATED MIRROR DOOR POD DOOR POD
198	MISC	<u>0597009</u>	<u>0597009</u>	BCM PROG, EXT LT CHECK
199	MISC	<u>0597020</u>	<u>0597020</u>	BCM PROG, PARK REGEN SWITCH FOR AFTER Aftertreatment
200	MISC	<u>0597026</u>	<u>0597026</u>	BCM PROG, TURN SIGNALS/BRAKE with Combined Stop and Turns
201	MISC	<u>0597027</u>	<u>0597027</u>	BCM PROG, PARK BRAKE INDICATOR
202	MISC	<u>0597028</u>	<u>0597028</u>	BCM PROG, AIR PRESSURE GAUGES Primary and Secondary
203	MISC	<u>0597030</u>	<u>0597030</u>	BCM PROG, ENGINE COOLANT TEMP GAUGE
204	MISC	<u>0597031</u>	<u>0597031</u>	BCM PROG, ENGINE OIL PRESSURE GAUGE
205	MISC	<u>0597035</u>	<u>0597035</u>	BCM PROG, BRAKE SWITCH
206	MISC	<u>0597036</u>	<u>0597036</u>	BCM PROG, ELECTRIC CITY HORN
207	MISC	<u>0597040</u>	<u>0597040</u>	BCM PROG, ENGINE FAN OVERRIDE#2 for Low Air Pressure, No Switch
208	MISC	<u>0597044</u>	<u>0597044</u>	BCM PROG, ENGINE IDLE SHUTDOWN Indicator Light in Cluster Warning that Engine Ready to Shutdown
209	MISC	<u>0597048</u>	<u>0597048</u>	BCM PROG, SEATBELT INDICATOR
210	MISC	<u>0597049</u>	<u>0597049</u>	BCM PROG, SPEEDOMETER
211	MISC	<u>0597051</u>	<u>0597051</u>	BCM PROG, TRAILER ABS INDICATOR
212	MISC	<u>0597053</u>	<u>0597053</u>	BCM PROG, WINDSHIELD WIPER
213	MISC	<u>0597054</u>	<u>0597054</u>	BCM PROG, TRAILER LIGHTING
				BCM PROG, ABS INDICATOR for

214	MISC	<u>0597056</u>	<u>0597056</u>	Hydraulic or Air Brake Systems, Not Including Trailer
215	MISC	<u>0597057</u>	<u>0597057</u>	BCM PROG, PARK BRAKE ALARM
216	MISC	<u>0597061</u>	<u>0597061</u>	BCM PROG, POWER WINDOW/DR LOCK 2 DOORS with 2 Doors
217	MISC	<u>0597064</u>	<u>0597064</u>	BCM PROG, ELECTRICAL GRID CONTROL
218	MISC	<u>0597065</u>	<u>0597065</u>	BCM PROG, KEY SWITCH
219	MISC	<u>0597066</u>	<u>0597066</u>	BCM PROG, CRANK INHIBIT
220	MISC	<u>0597072</u>	<u>0597072</u>	BCM PROG, DPF/EXH HIGH TEMP IND Indicators for Exhaust System Monitoring (Aftertreatment)
221	MISC	<u>0597076</u>	<u>0597076</u>	BCM PROG, DRL OMIT Omit
222	MISC	<u>0597079</u>	<u>0597079</u>	BCM PROG, HEADLIGHTS ON W/WIPERS on with Wipers
223	MISC	<u>0597080</u>	<u>0597080</u>	BCM PROG, STEER WHEEL SWITCHES LT POD , Left Hand Pod
224	MISC	<u>0597082</u>	<u>0597082</u>	BCM PROG, DEF GAUGE & INDICATOR Gauge & Warning Indicator
225	MISC	<u>0597085</u>	<u>0597085</u>	BCM PROG, WIPER W/SPD OVERRIDE Includes Hi, Lo and Intermittent Speeds Plus Washer Effects, Wiper Will be Forced to Slow Intermittent with Park Brake Set and Wiper Left On for a Pre-determined time
226	MISC	<u>0597092</u>	<u>0597092</u>	BCM PROG, STOP/TURN/PARK DIAG OMIT OMIT
227	MISC	<u>0597097</u>	<u>0597097</u>	BCM PROG, NEUTRAL CONFIRMATION
228	MISC	<u>0597108</u>	<u>0597108</u>	BCM PROG, ENGINE FAN REQUEST
229	MISC	<u>0597125</u>	<u>0597125</u>	BC PROG, TRANS OIL TEMP TCM; AUX GA , Through TCM; for Auxiliary Gauge
230	MISC	<u>0597130</u>	<u>0597130</u>	BCM PROG, FUEL HEATER
231	MISC	<u>0597135</u>	<u>0597135</u>	BCM PROG, ALLISON XMSN MODE SW
232	MISC	<u>0597147</u>	<u>0597147</u>	BCM PROG, POWER MIRRORS
233	MISC	<u>0597154</u>	<u>0597154</u>	BCM PROG, INTR DOME LIGHTS IN CAB W/O SW in Cab without

				Switch Control
234	MISC	<u>0597163</u>	<u>0597163</u>	BCM PROG, TACHOMETER 4000 RPM 4000 RPM
235	MISC	<u>0597164</u>	<u>0597164</u>	BCM PROG, IP CONFIG WING PANEL Wing Panel
236	MISC	<u>0597168</u>	<u>0597168</u>	BCM PROG, HVAC IN CAB W/SWITCH CONTROLS In Cab (Mahle) with Switch Controls (with High Side Pressure Transducer)
237	MISC	<u>0597169</u>	<u>0597169</u>	BCM PROG, RANGE INHIBITED WARNING LIGHT
238	MISC	<u>0597170</u>	<u>0597170</u>	BCM PROG, WAIT TO START INDICATOR Bulb Check Performed by Engine Control Module
239	MISC	<u>0597173</u>	<u>0597173</u>	BCM PROG, PRNDL W/5&6 SPEED TRANSMISSION with 3000/4000 5 & 6 Speed Transmission
240	MISC	<u>0597175</u>	<u>0597175</u>	BCM PROG, ENG PARAMETERS CUMMINS B6.7/L9 Cummins B6.7 and L9 Engines
241	MISC	<u>0597176</u>	<u>0597176</u>	BCM PROG, FUEL TK GAUGE SINGLE LT SIDE Single Left Side
242	MISC	<u>0597177</u>	<u>0597177</u>	BCM PROG, CRUISE CONT STEER WHEEL VER #2 Cluster Version #2
243	MISC	<u>0597180</u>	<u>0597180</u>	BCM PROG, VM FOR VIRTUAL GA VER #2 for Virtual Gauge, Cluster Version #2
244	MISC	<u>0597184</u>	<u>0597184</u>	BCM PROG, HEADLIGHT W/DRL IN LOW BEAM in Low Beam (Low Beam Head Lamps DO NOT Function with High Beam)
245	MISC	<u>0597193</u>	<u>0597193</u>	BCM PROG, ELECTRIC TRAILER BRAKE
246	MISC	<u>0597199</u>	<u>0597199</u>	BCM PROG, AUXILIARY LOAD 6 ROCKER SW for (6) Rocker Switches
247	MISC	<u>0597200</u>	<u>0597200</u>	BCM PROG, PTO CONTROL LOGIC DASH SWITCH for Dash Switch
248	MISC	<u>0597278</u>	<u>0597278</u>	BCM PROG, PTO SHIFT for Customer Provided PTO, Mounted on Dash, with Programmable Parameters for Engagement, Disengagement, and Reengagement

249	MISC	<u>0597300</u>	<u>0597300</u>	BCM PROG, AUX GA AIR CLNR RESTRICTION Center Panel Location AG1
250	MISC	<u>0597301</u>	<u>0597301</u>	BCM PROG, SNOW PLOW LIGHTS with Rocker Switch, with Single Output
251	MISC	<u>0597336</u>	<u>0597336</u>	BCM PROG, SNOW VALVE ENGINE INTAKE Engine Air Intake
252		<u>0738215</u>	<u>0738215</u>	
253		<u>0777254</u>	<u>0777254</u>	