



Your kitchen is a reflection of you.

Café offers a collection of modern kitchen appliances you can customize. Matte Black, Matte White or Stainless finishes set the canvas—and our distinct line of customizable hardware options completes the look to reflect your personal style.





Make appliances
personal.



Matte White

A timeless, clean aesthetic that
adds warmth and light.



Matte Black


A sleek, bold look that reflects
modern sensibilities.



Stainless

Classic, versatile and compatible
with a range of styles.





“Café allows us to bring high design into our kitchen appliances through matte finishes and beautiful metallic details, such as copper and bronze.”

GRETCHEN BLACK, DESIGNER



Appliances for individuals.

Equal parts personality and performance.

Culinary-inspired features straight from professional kitchens,
with a look that's all your own.

Custom without the luxury price tag.

One appliance shouldn't cost as much as an entire renovation.
Get the appliances you want, and a new kitchen, too.

Now you have creative control.

Design your kitchen around your style, not your appliances.

Your private sous-chef.

Create unique dishes and unforgettable moments with
Gourmet Guided Cooking powered by Hestan Cue technology.
It's like having an extra set of hands.

Change your mind and your hardware anytime.



Brushed Copper

An unexpected way to warm up the kitchen with bold and earthy tones.



Brushed Bronze

A new take on old-world charm, with warm, inviting hues.



Brushed Black

Subtle, nouveau, and a favorite in modern kitchen design.



Brushed Stainless

Clean, modern, and a staple finish in the kitchen.

The Copper Cuff.

Adorning every appliance in the Café customizable professional collection is the signature Copper Cuff, which reinforces our commitment to design, quality and performance in the kitchen and beyond.





Performance that
entertains.

The Café line was inspired by professional kitchens. Its superior performance and unique features make simple meals or large gatherings a culinary spectacle.



Gourmet Guided Cooking

Gourmet results without any guesswork

Take culinary skills to the next level with Gourmet Guided Cooking, which combines video-guided recipes from chefs with a system that automatically adjusts the time, temperature and cooking pace for perfect results.

Feature Highlights

Electric Slide-In



Take your culinary skills to the next level and utilize the latest European cooking trend with a faster, more precise **Induction Cooktop**.

Gas Slide-In



Cook five-course meals in a snap with Café's industry-exclusive **6-Burner Range and Double Oven**.



Control your oven with your smart device, or simply your voice, using **WiFi Connect**.



Always get sauces just right with a **Simmer Burner** that provides low, even heat.

Feature Highlights

Gas Cooktop



Sear, fry and sauté with precision heat from the **20,000 BTU Tri-Ring Burners**.

Wall Oven



French-Door Design offers one-handed accessibility and space for everything you need.

Pro Range



From ultra-low simmers to full boils, **Six Sealed 18,000 BTU Dual-Flame Stacked Burners** provide a full range of heat.

Hoods



Keep your kitchen smelling fresh with a **350 CFM Venting System with Boost** that removes smoke, grease, odors and moisture.

Refrigeration



Easily prepare hot food and beverages with a **Hot Water Dispenser** that lets you choose the temperature or select one of four pre-programmed settings.

Dishwasher




Clean a crowd's worth of flatware at once with a convenient **Third Rack** at the top.





Matte White & Brushed Bronze

The Matte White finish complements premium cabinetry and works well with warm-toned fixtures, resulting in a layered space that feels connected, clean and timeless.



Brushed Bronze Hardware Standard | Easy Clean | Fingerprint Resistant

REFRIGERATION



ENERGY STAR® 23.1 CU. FT. COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR

CWE23SP4MW2

- Counter-depth design
- Internal water dispenser
- Factory-installed icemaker
- Full-width, electronic temperature-controlled drawer with colored LED lights
- TwinChill™ evaporators
- Showcase LED lighting



ENERGY STAR® 22.2 CU. FT. COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR WITH HOT WATER DISPENSER

CYE22TP4MW2

- Counter-depth design
- Hot water dispenser
- Precise Fill setting
- TwinChill evaporators
- Full-width, electronic temperature-controlled drawer with colored LED lights
- Showcase LED lighting



ENERGY STAR® 27.8 CU. FT. FRENCH-DOOR REFRIGERATOR WITH HOT WATER DISPENSER

CFE28TP4MW2

- Hot water dispenser
- Precise Fill setting
- Full-width, electronic temperature-controlled drawer with colored LED lights
- TwinChill evaporators
- Showcase LED lighting

COOKING



36" DUAL-FUEL PROFESSIONAL RANGE WITH 6 BURNERS (NATURAL GAS)

C2Y366P4MW2

- Professional oven system with reverse-air convection technology, an infrared broil and gas burner
- Six sealed 18,000 BTU dual-stack burners
- Reversible burner grates
- 6.2 cu. ft. oven capacity
- Full-extension, heavy-duty roller rack
- Electronic ignition with automatic reignition



30" SLIDE-IN, FRONT-CONTROL GAS DOUBLE-OVEN RANGE WITH CONVECTION

CGS750P4MW2

- Six burner, edge-to-edge cooktop with cast-iron integrated griddle
- 21,000 BTU tri-ring burner and 15,000 BTU Power Boil burner
- 7.0 cu. ft. total double-oven capacity, and True European Convection with Precise Air in the lower oven
- Oven probe
- Backlit glass touch-control panel
- WiFi Connect



30" SLIDE-IN RANGE
CES750P4MW2

- Edge-to-edge glass cooktop
- 12"/9"/6" element with Power Boil
- 6.7 cu. ft. total double-oven capacity, and True European Convection with Precise Air in the lower oven
- Oven probe
- Backlit glass touch-control panel

UNDER-COUNTER REFRIGERATORS AND ICEMAKERS



5.7 CU. FT. BUILT-IN, DUAL-DRAWER REFRIGERATOR

CDE06RP4NW2

- Stainless steel interior
- Soft-close drawers
- Flexible storage capacity
- Temperature control
- LED lighting

Available May 2019.



MATTE WHITE DOOR PANEL KIT FOR 15" ICE MAKERS

CIP75W2

- Compatible with UNC15NJII and UCC15NJII ice makers
- Easy to install
- Brushed bronze handle included
- Custom handle kits available (sold separately)

Available May 2019.

COOKING



36" ALL-GAS PROFESSIONAL RANGE WITH 6 BURNERS (NATURAL GAS)

CGY366P4MW2

- Professional oven system with reverse-air convection technology, an infrared broil and gas burner
- Six sealed 18,000 BTU dual-stack burners
- Reversible burner grates
- 6.2 cu. ft. oven capacity
- Full-extension, heavy-duty roller rack
- Electronic ignition with automatic reignition



30" SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION DOUBLE-OVEN RANGE

CHS950P4MW2

- WiFi Connect
- Two 8", 2,500-watt synchronized elements
- Gourmet Guided Cooking powered by Hestan Cue Technology
- Backlit glass touch-control panel
- 11" 3,700-watt induction element
- Precision cooking probe (sold separately)



30" SLIDE-IN, FRONT-CONTROL, DUAL-FUEL DOUBLE-OVEN RANGE WITH CONVECTION

C2S950P4MW2

- Six burner, edge-to-edge cooktop with cast-iron integrated griddle
- 21,000 BTU tri-ring burner and 15,000 BTU Power Boil burner
- 6.7 cu. ft. total double-oven capacity, and True European Convection with Precise Air in the lower oven
- WiFi Connect
- Backlit glass touch-control panel
- Self-clean, heavy-duty roller rack



30" SLIDE-IN RANGE
CES700P4MW2

- Edge-to-edge glass cooktop
- 12"/9"/6" 3,600-watt Power Boil
- True European Convection with Precise Air
- Backlit glass touch-control panel
- Oven probe
- WiFi Connect

COOKING



30" SLIDE-IN FRONT CONTROL INDUCTION AND CONVECTION RANGE WITH WARMING DRAWER

- CHS900P4MW2**
- Gourmet Guided Cooking powered by Hestan Cue Technology
 - Backlit glass touch-control panel
 - 11" 3,700-watt induction element
 - Precision cooking probe (sold separately)
 - WiFi Connect
 - Two 8", 2,500-watt synchronized elements



30" SLIDE-IN FRONT CONTROL RANGE

- CGS700P4MW2**
- Six burner, edge-to-edge cooktop with cast-iron integrated griddle
 - 21,000 BTU tri-ring burner and 15,000 BTU Power Boil burner
 - True European Convection with Precise Air
 - Oven probe
 - WiFi Connect
 - Backlit glass touch-control panel



30" SLIDE-IN FRONT CONTROL DUAL-FUEL RANGE WITH WARMING DRAWER

- C2S900P4MW2**
- Six burner, edge-to-edge cooktop with cast-iron integrated griddle
 - 21,000 BTU tri-ring burner and 15,000 BTU Power Boil burner
 - Dual-fuel & True European Convection with Precise Air
 - WiFi Connect
 - Self-clean, heavy-duty roller rack
 - Backlit glass touch-control panel



36" TOUCH-CONTROL INDUCTION COOKTOP

- CHP95362MSS**
- Gourmet Guided Cooking powered by Hestan Cue Technology
 - Five induction elements
 - Glide touch controls
 - 11" 3,700-watt induction element
 - Syncburners
 - Multi-element timer



30" KNOB-CONTROL ELECTRIC COOKTOP

- CEP70303MS2**
- Five radiant cooking elements
 - 9"/7"/5" Power Boil element
 - White LED backlit knobs with beveled edge black glass surface
 - 8"/5" dual element
 - Syncburners
 - Keep Warm setting



36" KNOB-CONTROL ELECTRIC COOKTOP

- CEP70363MS2**
- Five radiant cooking elements
 - 12"/9"/6" burner with Power Boil
 - White LED backlit knobs with beveled edge black glass surface
 - 9"/7"/5" Power Boil element
 - Syncburners
 - Keep Warm setting



30" GAS COOKTOP

- CGP95303MS2**
- 20,000 BTU tri-ring burner
 - White LED backlit heavy-duty knobs
 - Extra-large, integrated cooktop griddle
 - 30" cooktop with 5 burners
 - Precise Simmer burner
 - Heavy-cast, edge-to-edge grates



36" GAS COOKTOP

- CGP95363MS2**
- 20,000 BTU tri-ring burner
 - White LED backlit heavy-duty knobs
 - Extra-large, integrated cooktop griddle
 - Precise Simmer burner
 - Heavy-cast, edge-to-edge grates
 - Sealed cooktop burners



30" TOUCH-CONTROL INDUCTION COOKTOP

- CHP95302MSS**
- Gourmet Guided Cooking powered by Hestan Cue Technology
 - Four induction elements
 - Glide touch controls
 - 11" 3,700-watt induction element
 - Syncburners
 - Multi-element timer



30" DOUBLE CONVECTION WALL OVEN

- CTD90DP4MW2**
- True European Convection with Direct Air (both ovens)
 - Notification lighting
 - WiFi Connect
 - Ten-pass bake element
 - Ten-pass dual broil element (both ovens)
 - Self-clean, heavy-duty roller rack



30" DOUBLE CONVECTION WALL OVEN

- CTD90FP4MW2**
- French-door design
 - True European Convection with Direct Air (both ovens)
 - WiFi Connect
 - Self-clean, heavy-duty roller racks (both ovens)
 - Halogen oven lighting
 - Double oven 10.0 cu. ft. total oven capacity (5.0 cu. ft. both ovens)



30" SINGLE CONVECTION WALL OVEN

- CTS90DP4WM2**
- True European Convection with Direct Air
 - WiFi Connect
 - Notification lighting
 - Ten-pass bake element
 - Ten-pass dual broil element
 - Self-clean, heavy-duty roller rack

COOKING



30" FRENCH-DOOR SINGLE CONVECTION WALL OVEN
CTS90FP4MW2

- French-door design
- True European Convection with Direct Air
- WiFi Connect
- Halogen oven lighting
- Self-clean with Steam Clean option
- Self-clean, heavy-duty roller rack



30" FIVE-IN-ONE WALL OVEN WITH 120V ADVANTIUM® TECHNOLOGY
CSB913P4NW2

- Precision Cooking
- Five cooking methods in one
- Multi-course guided cooking
- Crisp reheat
- Balance hinge door



30" FIVE-IN-ONE WALL OVEN WITH 240V ADVANTIUM TECHNOLOGY
CSB923P4NW2

- Five-in-one oven
- Precision cooking
- Crisp reheat
- 240V
- Multi-course guided cooking
- Steam cook



36" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD
CVW73614MWM

- 350-CFM venting system with boost
- Electronic backlit controls
- Dual halogen cooktop lighting
- Night light
- Convertible venting options
- Optional remote control (JXRC70)



30" COMMERCIAL HOOD
CVW93014MWM

- 590-CFM venting system
- Four-speed fan control
- Vertical exhaust
- Dual halogen cooktop lighting
- Night light
- Removable grease filter



36" COMMERCIAL HOOD
CVW93614MWM

- 590-CFM venting system
- Four-speed fan control
- Vertical exhaust
- Dual halogen cooktop lighting
- Night light
- Removable grease filter

HOODS



1.7 CU. FT. CONVECTION OVER-THE-RANGE MICROWAVE OVEN
CVM517P4MW2

- Convection cooking
- Steam Cook button
- Fast Cook
- Sensor cooking controls
- Chef Connect
- LED cooktop lighting



1.5 CU. FT. COUNTERTOP CONVECTION/ MICROWAVE OVEN
CEB515P4NWM

- WiFi Connect
- Scan-to-cook technology
- Convection cooking
- Auto Bake/Auto Roast
- Warming oven
- Sensor cooking controls



30" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD
CVW73014MWM

- 350-CFM venting system with boost
- Electronic backlit controls
- Dual halogen cooktop lighting
- Night light
- Convertible venting options
- Optional remote control (JXRC70)



KITCHEN HUB
UVH13014MWM

- Guided Cooking app
- Entertainment
- Dual camera system
- U+ Connect Smart Home app
- Google Assistant
- Google apps
- Range venting system and lighting



STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS
CDT845P4NW2

- Ultra Wash with 100+ cleaning jets
- Ultra Dry
- Bottle Jets
- Deep Clean Silverware Jets
- Reversing quad-blade wash arm
- Third Rack




STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS
CDT866P4MW2

- Advanced wash system with more than 140 cleaning jets
- Deep Clean Silverware Jets
- Third Rack
- Bottle Jets
- Reversing quad-blade wash arm
- Hidden vent with fan dry, hidden heater and hardware



Matte Black & Brushed Stainless

The Matte Black finish is inspired by the natural deep tones of wood and stone. Create a crisp, bold statement with room for thoughtfully added details.



REFRIGERATION



ENERGY STAR® 23.1 CU. FT. COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR
CWE23SP3MD1

- Counter-depth design
- Internal water dispenser
- Factory-installed icemaker
- Full-width, electronic temperature-controlled drawer with colored LED lights
- TwinChill™ evaporators
- Showcase LED lighting



ENERGY STAR® 22.2 CU. FT. COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR WITH HOT WATER DISPENSER
CYE22TP3MD1

- Counter-depth design
- Hot water dispenser
- Precise Fill setting
- TwinChill evaporators
- Full-width, electronic temperature-controlled drawer with colored LED lights
- Showcase LED lighting



ENERGY STAR® 27.8 CU. FT. FRENCH-DOOR REFRIGERATOR WITH HOT WATER DISPENSER
CFE28TP3MD1

- Hot water dispenser
- Precise Fill setting
- Full-width, electronic temperature-controlled drawer with colored LED lights
- TwinChill evaporators
- Showcase LED lighting

COOKING



30" FREE-STANDING GAS CONVECTION RANGE
CGB500P3MD1

- Edge-to-edge cooktop
- 18,000 BTU burner and center oval burner
- Extra-large, integrated reversible cast-iron griddle/grill
- True European Convection with Precise Air
- WiFi Connect
- Self-clean with Steam Clean option



30" FREE-STANDING GAS DOUBLE OVEN CONVECTION RANGE
CGB550P3MD1

- Edge-to-edge cooktop
- 18,000 BTU burner and center oval burner
- Extra-large, integrated reversible cast-iron griddle/grill
- 7.0 cu. ft. total oven capacity
- WiFi Connect
- Self-clean with Steam Clean option



36" ALL-GAS PROFESSIONAL RANGE WITH 6 BURNERS (NATURAL GAS)
CGY366P3MD1

- Professional oven system with reverse-air convection technology, an infrared broil and gas burner
- Six sealed 18,000 BTU dual-stack burners
- Reversible burner grates
- 6.2 cu. ft. oven capacity
- Full-extension, heavy-duty roller rack
- Electronic ignition with automatic reignition

UNDER-COUNTER REFRIGERATORS AND ICEMAKERS



ENERGY STAR® 18.6 CU. FT. COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR
CWE19SP3ND1

- Fits in a 33" opening
- Counter-depth design
- Internal water dispenser
- Showcase LED lighting
- Humidity-controlled doors
- Turbo Cool



5.7 CU. FT. BUILT-IN, DUAL-DRAWER REFRIGERATOR
CDE06RP3ND1

- Stainless steel interior
- Soft-close drawers
- Flexible storage capacity
- Temperature control
- LED lighting



MATTE BLACK DOOR PANEL KIT FOR 15" ICE MAKERS
CIP75D1

- Compatible with UNC15NJII and UCC15NJII ice makers
- Easy to install
- Brushed stainless handle included
- Custom handle kits available (sold separately)



36" DUAL-FUEL PROFESSIONAL RANGE WITH 6 BURNERS (NATURAL GAS)
C2Y366P3MD1

- Professional oven system with reverse-air convection technology, an infrared broil and gas burner
- Six sealed 18,000 BTU dual-stack burners
- Reversible burner grates
- 5.75 cu. ft. oven capacity
- Full-extension, heavy-duty roller rack
- Electronic ignition with automatic reignition



30" SLIDE-IN, FRONT-CONTROL RANGE
CGS700P3MD1

- Six burner, edge-to-edge cooktop with cast-iron integrated griddle
- 21,000 BTU tri-ring burner and 15,000 BTU Power Boil burner
- True European Convection with Precise Air
- Oven probe
- WiFi Connect
- Backlit glass touch-control panel



30" SLIDE-IN, FRONT-CONTROL GAS DOUBLE-OVEN RANGE WITH CONVECTION
CGS750P3MD1

- Six burner, edge-to-edge cooktop with cast-iron integrated griddle
- 21,000 BTU tri-ring burner and 15,000 BTU Power Boil burner
- 7.0 cu. ft. total oven capacity, with True European Convection with Precise Air (lower oven only)
- Oven probe
- Backlit glass touch-control panel
- WiFi Connect



30" SLIDE-IN, FRONT-CONTROL, DUAL-FUEL RANGE WITH WARMING DRAWER

C2S900P3MD1

- Six burner, edge-to-edge cooktop with cast-iron integrated griddle
- 21,000 BTU tri-ring burner and 15,000 BTU Power Boil burner
- Dual-fuel & True European Convection with Precise Air
- WiFi Connect
- Self-clean, heavy-duty roller rack
- Backlit glass touch-control panel



30" SLIDE-IN, FRONT-CONTROL, DUAL-FUEL DOUBLE-OVEN RANGE WITH CONVECTION

C2S950P3MD1

- Six burner, edge-to-edge cooktop with cast-iron integrated griddle
- 21,000 BTU tri-ring burner and 15,000 BTU Power Boil burner
- 6.7 cu ft. total oven capacity, and True European Convection with Precise Air (lower oven only)
- WiFi Connect
- Backlit glass touch-control panel
- Self-clean, heavy-duty roller rack



30" SLIDE-IN RANGE

CES700P3MD1

- Edge-to-edge glass cooktop
- 12"/9"/6" 3,600-watt Power Boil
- True European Convection with Precise Air
- Backlit glass touch-control panel
- Oven probe
- WiFi Connect



30" GAS COOKTOP

CGP95302MS1

- 20,000 BTU tri-ring burner
- White LED backlit heavy-duty knobs
- Extra-large, integrated cooktop griddle
- 30" cooktop with 5 burners
- Precise Simmer burner
- Heavy-cast, edge-to-edge grates



36" GAS COOKTOP

CGP95362MS1

- 20,000 BTU tri-ring burner
- White LED backlit heavy-duty knobs
- Extra-large, integrated cooktop griddle
- Precise Simmer burner
- Heavy-cast, edge-to-edge grates
- Sealed cooktop burners



30" TOUCH-CONTROL INDUCTION COOKTOP

CHP95302MSS

- Gourmet Guided Cooking powered by Hestan Cue Technology
- Four induction elements
- Glide touch controls
- 11" 3,700-watt induction element
- Syncburners
- Multi-element timer



30" SLIDE-IN RANGE

CES750P3MD1

- Edge-to-edge glass cooktop
- 12"/9"/6" 3,600-watt Power Boil
- 6.7 cu. ft. total oven capacity, and True European Convection with Precise Air in the lower oven
- Oven probe
- Backlit glass touch-control panel
- WiFi Connect



30" SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION RANGE WITH WARMING DRAWER

CHS900P3MD1

- Gourmet Guided Cooking powered by Hestan Cue Technology
- Backlit glass touch-control panel
- 11" 3,700-watt induction element
- Precision cooking probe (sold separately)
- WiFi Connect
- Two 8", 2,500-watt synchronized elements



30" SLIDE-IN FRONT CONTROL INDUCTION AND CONVECTION DOUBLE OVEN RANGE

CHS950P3MD1

- WiFi Connect
- Two 8", 2,500-watt synchronized elements
- Gourmet Guided Cooking powered by Hestan Cue Technology
- 6.7 cu. ft. total double oven capacity, and True European Convection with Precise Air in the lower oven
- Backlit glass touch-control panel
- 11" 3,700-watt induction element



36" TOUCH-CONTROL INDUCTION COOKTOP

CHP95362MSS

- Gourmet Guided Cooking powered by Hestan Cue Technology
- Five induction elements
- Glide touch controls
- 11" 3,700-watt induction element
- Syncburners
- Multi-element timer



30" KNOB-CONTROL ELECTRIC COOKTOP

CEP70302MS1

- Five radiant cooking elements
- 9"/7"/5" Power Boil element
- White LED backlit knobs with beveled-edge black glass surface
- 8"/5" dual element
- Syncburners
- Keep Warm setting



36" KNOB-CONTROL ELECTRIC COOKTOP

CEP70362MS1

- Five radiant cooking elements
- 12"/9"/6" burner with Power Boil
- White LED backlit knobs with beveled-edge black glass surface
- 9"/7"/5" Power Boil element
- Syncburners
- Keep Warm setting

COOKING



- 30" DOUBLE CONVECTION WALL OVEN**
CTD90DP3MD1
- True European Convection with Direct Air (both ovens)
 - Notification lighting
 - WiFi Connect
 - Ten-pass bake element
 - Ten-pass dual broil element (both ovens)
 - Self-clean, heavy-duty roller rack



- 30" DOUBLE CONVECTION WALL OVEN**
CTD90FP3MD1
- French-door design
 - True European Convection with Direct Air (both ovens)
 - WiFi Connect
 - Café Fits Guarantee*
 - Self-clean, heavy-duty roller racks (both ovens)
 - Halogen oven lighting



- 30" SINGLE CONVECTION WALL OVEN**
CTS90DP3MD1
- True European Convection with Direct Air
 - WiFi Connect
 - Notification lighting
 - Ten-pass bake element
 - Ten-pass dual broil element
 - Self-clean, heavy-duty roller rack



- 1.7 CU. FT. CONVECTION OVER-THE-RANGE MICROWAVE OVEN**
CVM517P3MD1
- Convection cooking
 - Steam cook button
 - Fast Cook
 - Sensor cooking controls
 - Chef Connect
 - LED cooktop lighting



- 1.5 CU. FT. COUNTERTOP CONVECTION/ MICROWAVE OVEN**
CEB515P3NDS
- WiFi Connect
 - Scan-To-Cook technology
 - Convection cooking
 - Auto Bake/Auto Roast
 - Warming oven
 - Sensor cooking controls



- 30" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD**
CVW73013MDS
- 350-CFM venting system with boost
 - Electronic backlit controls
 - Dual halogen cooktop lighting
 - Night light
 - Convertible venting options
 - Optional remote control (JXRC70)



- 30" FRENCH-DOOR SINGLE CONVECTION WALL OVEN**
CTS90FP3MD1
- French-door design
 - True European Convection with Direct Air
 - WiFi Connect
 - Halogen oven lighting
 - Self-clean with Steam Clean option
 - Self-clean, heavy-duty roller rack



- 30" FIVE-IN-ONE WALL OVEN WITH 120V ADVANTIUM® TECHNOLOGY**
CSB913P3ND1
- Precision Cooking
 - Five cooking methods in one
 - Multi-course guided cooking
 - Crisp reheat
 - Balance hinge door



- 30" FIVE-IN-ONE WALL OVEN WITH 240V ADVANTIUM TECHNOLOGY**
CSB923P3ND1
- Five-in-one oven
 - Precision cooking
 - Crisp reheat
 - 240V
 - Multi-course guided cooking
 - Steam cook



- 36" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD**
CVW73613MDS
- 350-CFM venting system with boost
 - Electronic backlit controls
 - Dual halogen cooktop lighting
 - Night light
 - Convertible venting options
 - Optional remote control (JXRC70)



- 30" COMMERCIAL HOOD**
CVW93013MDS
- 590-CFM venting system
 - Four-speed fan control
 - Vertical exhaust
 - Dual halogen cooktop lighting
 - Night light
 - Removable grease filter



- 36" COMMERCIAL HOOD**
CVW93613MDS
- 590-CFM venting system
 - Four-speed fan control
 - Vertical exhaust
 - Dual halogen cooktop lighting
 - Night light
 - Removable grease filter

KITCHEN HUB



- KITCHEN HUB**
UVH13013MDS
- Guided Cooking app
 - Entertainment
 - Dual camera system
 - U+ Connect Smart Home app
 - Google Assistant
 - Google apps
 - Range venting system and lighting

DISHWASHERS



- STAINLESS INTERIOR DISHWASHER**
WITH HIDDEN CONTROLS
CDT845P3ND1
- Ultra Wash with 100+ cleaning jets
 - Ultra Dry
 - Bottle Jets
 - Deep Clean Silverware Jets
 - Reversing quad-blade wash arm
 - Third Rack



- STAINLESS INTERIOR DISHWASHER**
WITH HIDDEN CONTROLS
CDT866P3MD1
- Advanced wash system with more than 140 cleaning jets
 - Deep Clean Silverware Jets
 - Third Rack
 - Bottle Jets
 - Reversing quad-blade wash arm
 - Hidden vent with fan dry and hidden heater





Stainless & Brushed Stainless

Brilliant Stainless invites a new approach to the classic appliance finish. Now you have the opportunity to mix metals, beginning with your hardware selection, to create an updated, layered look.



Brushed Stainless Hardware Standard | Easy Clean | Fingerprint Resistant

REFRIGERATION



ENERGY STAR® 27.8 CU. FT. FRENCH-DOOR REFRIGERATOR WITH HOT WATER DISPENSER CFE28TP2MS1

- Hot water dispenser
- Precise Fill setting
- Full-width, electronic temperature-controlled drawer with colored LED lights
- TwinChill™ evaporators
- Showcase LED lighting
- Stainless steel dispenser



ENERGY STAR® 27.8 CU. FT. FRENCH-DOOR REFRIGERATOR WITH KEURIG® K-CUP® BREWING SYSTEM CFE28UP2MS1

- Keurig® K-cup® brewing system
- Hot water dispenser
- Preheat water via smart device
- Precise Fill setting
- Full-width, electronic temperature-controlled drawer with colored LED lights
- TwinChill™ evaporators



ENERGY STAR® 25.6 CU. FT. FRENCH-DOOR REFRIGERATOR CFE26KP2NS1

- In-the-door icemaker
- Showcase LED Lighting
- Spillproof shelves
- Full-width, electronic, temperature-controlled drawer
- Quick Space shelf
- Advanced water filtration uses XWF replacement filter



ENERGY STAR® 22.2 CU. FT. COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR WITH KEURIG® K-CUP® BREWING SYSTEM CYE22UP2MS1

- Keurig® K-cup® brewing system
- Hot water dispenser
- WiFi Connect
- Counter-depth design
- Precise Fill setting
- TwinChill™ evaporators



42" BUILT-IN, SIDE-BY-SIDE REFRIGERATOR CSB42WP2NS1

- Showcase LED lighting
- Advanced temperature management system
- Upfront temperature controls
- Advanced water filtration system uses MWF replacement filter
- Humidity-controlled drawers
- Spillproof glass shelves



48" BUILT-IN, SIDE-BY-SIDE REFRIGERATOR CSB48WP2NS1

- Showcase LED lighting
- Advanced temperature management system
- Upfront temperature controls
- Advanced water filtration system uses MWF replacement filter
- Humidity-controlled drawers
- Spillproof glass shelves



ENERGY STAR® 23.1 CU. FT. COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR CWE23SP2MS1

- Counter-depth design
- Internal water dispenser
- Factory-installed icemaker
- Full-width, electronic, temperature-controlled drawer with colored LED lights
- TwinChill™ evaporators
- Showcase LED lighting



ENERGY STAR® 18.6 CU. FT. COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR CWE19SP2NS1

- Fits in a 33" opening
- Counter-depth design
- Internal water dispenser
- Showcase LED lighting
- Humidity-controlled drawers
- Turbo Cool



ENERGY STAR® 22.2 CU. FT. COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR WITH HOT WATER DISPENSER CYE22TP2MS1

- Quick ice setting
- Advanced water filtration system uses MWF replacement filter
- Spillproof glass shelves
- Clear door bins
- Humidity-controlled drawers
- Glass freezer shelves



21.9 CU. FT. COUNTER-DEPTH, SIDE-BY-SIDE REFRIGERATOR CZS22MP2NS1

- Counter-depth design
- Showcase LED lighting
- Quick ice setting
- Turbo cool
- Advanced water filtration system uses MWF replacement filter
- Spillproof glass shelves

UNDER-COUNTER REFRIGERATORS AND ICEMAKERS



5.7 CU. FT. BUILT-IN, DUAL-DRAWER REFRIGERATOR CDE06RP2NS1

- Stainless steel interior
- Soft-close drawers
- Flexible storage capacity
- Temperature control
- LED lighting



STAINLESS DOOR PANEL KIT FOR 15" ICE MAKERS CIP75S1

- Compatible with UNC15NJII and UCC15NJII ice makers
- Easy to install
- Brushed stainless handle included
- Custom handle kits available (sold separately)

COOKING



30" FREE-STANDING GAS RANGE WITH CONVECTION

CGB500P2MS1

- Edge-to-edge cooktop
- WiFi Connect
- Self-clean with Steam Clean option
- 18,000-BTU burner with center oval burner
- Extra-large, integrated reversible cast-iron griddle/grill
- True European Convection with Direct Air



30" FREE-STANDING GAS DOUBLE-OVEN RANGE WITH CONVECTION

CGB550P2MS1

- Edge-to-edge cooktop
- WiFi Connect
- Self-clean with Steam Clean option
- 18,000-BTU burner with center oval burner
- Extra-large, integrated reversible cast-iron griddle/grill
- 7.0 cu. ft. total oven capacity



36" ALL-GAS PROFESSIONAL RANGE WITH 6 BURNERS (NATURAL GAS)

CGY366P2MS1

- Professional oven system with reverse-air convection technology, an infrared broil and gas burner
- Six sealed 18,000-BTU dual-flame stacked burners
- Reversible burner grates
- 6.2 cu. ft. oven capacity
- Full-extension, heavy-duty roller rack
- Electronic ignition with automatic reignition



30" SLIDE-IN, FRONT-CONTROL GAS DOUBLE-OVEN RANGE WITH CONVECTION

CGS750P2MS1

- Six burner, edge-to-edge cooktop with cast-iron integrated griddle
- 21,000-BTU tri-ring burner and 15,000-BTU Power Boil burner
- 7.0 cu. ft. total oven capacity, and True European Convection with Precise Air (lower oven only)
- Oven probe
- WiFi Connect
- Backlit glass touch-control panel



30" SLIDE-IN, FRONT-CONTROL, DUAL-FUEL RANGE WITH WARMING DRAWER

C2S900P2MS1

- Six burner, edge-to-edge cooktop with cast-iron integrated griddle
- 21,000-BTU tri-ring burner and 15,000-BTU Power Boil burner
- Dual-fuel and True European Convection with Precise Air
- WiFi Connect
- Self-clean, heavy-duty roller rack
- Backlit glass touch-control panel



30" SLIDE-IN, FRONT-CONTROL, DUAL-FUEL DOUBLE-OVEN RANGE WITH CONVECTION

C2S950P2MS1

- Six burner, edge-to-edge cooktop with cast-iron integrated griddle
- 21,000-BTU tri-ring burner and 15,000-BTU Power Boil burner
- 6.7 cu. ft. total oven capacity, and True European Convection with Precise Air
- WiFi Connect
- Self-clean, heavy-duty roller rack
- Backlit glass touch-control panel



36" DUAL-FUEL PROFESSIONAL RANGE WITH 6 BURNERS (NATURAL GAS)

C2Y366P2MS1

- Professional oven system with reverse-air convection technology, an infrared broil and gas burner
- Six sealed 18,000-BTU dual-flame stacked burners
- Reversible burner grates
- 6.2 cu. ft. oven capacity
- Full-extension, heavy-duty roller rack
- Electronic ignition with automatic reignition



48" DUAL-FUEL PROFESSIONAL RANGE WITH 6 BURNERS AND GRIDDLE (NATURAL GAS)

C2Y486P2MS1

- Professional oven system with reverse-air convection technology, an infrared broil and gas burner
- Six sealed 18,000-BTU dual-flame stacked burners
- Stainless steel and aluminum-clad griddle
- 8.25 cu. ft. total oven capacity
- Reversible burner grates
- Full-extension, heavy-duty roller rack



30" SLIDE-IN, FRONT-CONTROL GAS RANGE WITH CONVECTION OVEN AND WARMING DRAWER

CGS700P2MS1

- Six burner, edge-to-edge cooktop
- Cast-iron integrated griddle
- 21,000-BTU tri-ring burner
- 15,000-BTU Power Boil burner
- True European Convection with Precise Air
- Temperature probe



30" SLIDE-IN, FRONT-CONTROL RANGE

CES700P2MS1

- Edge-to-edge glass cooktop
- 12"/9"/6" 3,600-watt Power Boil
- True European Convection with Precise Air
- Oven probe
- WiFi Connect
- Backlit glass touch-control panel



30" SLIDE-IN, FRONT-CONTROL DOUBLE-OVEN RANGE

CES750P2MS1

- Edge-to-edge glass cooktop
- 12"/9"/6" 3,600-watt Power Boil
- 6.7 cu. ft. total oven capacity, and True European Convection with Precise Air (lower oven only)
- Oven probe
- Backlit glass touch-control panel



30" SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION RANGE WITH WARMING DRAWER

CHS900P2MS1

- Gourmet guided cooking powered by Hestan Cue Technology
- Backlit glass touch-control panel
- 11" 3,700-watt induction element
- Precision cooking probe (sold separately)
- Two 8" synchronized elements
- Chef Connect



30" SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION DOUBLE-OVEN RANGE

- CHS950P2MS1**
- Gourmet guided cooking powered by Hestan Cue Technology
 - 6.7 cu. ft. total oven capacity, and True European Convection with Precise Air in the lower oven
 - Backlit glass touch-control panel
 - 11" 3,700-watt induction element
 - Precision cooking probe (sold separately)
 - Two 8" synchronized elements



36" GAS RANGETOP

- CGU366P2MS1**
- Sealed cooktop burners
 - Six 18,000 BTU dual-flame stacked burners
 - Reversible burner grates
 - Heavy-cast, edge-to-edge grates
 - Electronic ignition with automatic reignition



48" GAS RANGETOP

- CGU486P2MS1**
- Stainless steel aluminum-clad griddle
 - Sealed cooktop burners
 - Six sealed 18,000-BTU dual stack burners
 - Reversible burner grates
 - Continuous, cast-iron burners



36" GAS COOKTOP

- CGP70362NS1**
- 18,000-BTU tri-ring burner
 - Sealed cooktop burners
 - White LED backlit, heavy-duty knobs
 - Extra-large, integrated cooktop griddle
 - Precise simmer burner
 - Continuous cast-iron grates



30" KNOB-CONTROL ELECTRIC COOKTOP

- CEP70302MS1**
- Five radiant cooking elements
 - 9"/7"/5" Power Boil element
 - White LED backlit knobs with beveled-edge black glass surface
 - 8"/5" dual element
 - Syncburners
 - Keep Warm setting



36" KNOB-CONTROL ELECTRIC COOKTOP

- CEP70362MS1**
- Five radiant cooking elements
 - 12"/9"/6" burner with Power Boil
 - White LED backlit knobs with beveled-edge black glass surface
 - 9"/7"/5" Power Boil element
 - Syncburners
 - Keep Warm setting



30" GAS COOKTOP

- CGP95302MS1**
- 20,000 BTU tri-ring burner
 - White LED backlit heavy-duty knobs
 - Extra-large, integrated cooktop griddle
 - 30" cooktop with 5 burners
 - Precise Simmer burner
 - Heavy-cast, edge-to-edge grates



36" GAS COOKTOP

- CGP95362MS1**
- 20,000 BTU tri-ring burner
 - White LED backlit heavy-duty knobs
 - Extra-large, integrated cooktop griddle
 - Precise Simmer burner
 - Heavy-cast, edge-to-edge grates
 - Sealed cooktop burners



30" GAS COOKTOP

- CGP70302NS1**
- 18,000-BTU tri-ring burner
 - Extra-large, integrated cooktop griddle
 - White LED backlit, heavy-duty knobs
 - 30" cooktop with 5 burners
 - Precise simmer burner
 - Continuous cast-iron grates



30" TOUCH-CONTROL ELECTRIC COOKTOP

- CEP90302NSS**
- Five radiant cooking elements
 - Two 7" synchronized elements
 - White LED backlit knobs
 - 9"/7"/5" element
 - 8"/5" dual element
 - Keep Warm setting



30" TOUCH-CONTROL ELECTRIC COOKTOP

- CEP90362NSS**
- 12"/9"/6" burner
 - Two 7" synchronized elements
 - White LED backlit knobs
 - 9"/7"/5" element
 - Five radiant cooking elements
 - Keep Warm setting



27" CONVECTION DOUBLE WALL OVEN

- CKD70DP2NS1**
- Precision Cooking modes
 - 7" full-color LCD touch control
 - True European Convection with Direct Air
 - No Preheat option
 - Hot Air Frying
 - Anywhere Control with Remote Notifications

COOKING



30" CONVECTION DOUBLE WALL OVEN
CTD70DP2NS1

- Precision Cooking modes
- 7" full-color LCD touch control
- True European Convection with Direct Air
- No Preheat option
- Hot Air Frying
- Anywhere Control with Remote Notifications



27" CONVECTION SINGLE WALL OVEN
CKS70DP2NS1

- Precision Cooking modes
- 7" full-color LCD touch control
- True European Convection with Direct Air
- No Preheat option
- Hot Air Frying
- Anywhere Control with Remote Notifications



30" CONVECTION SINGLE WALL OVEN
CTS70DP2NS1

- Precision Cooking modes
- 7" full-color LCD touch control
- True European Convection with Direct Air
- No Preheat option
- Hot Air Frying
- Anywhere Control with Remote Notifications



30" BUILT-IN MICROWAVE/CONVECTION OVEN
CWB713P2NS1

- 1.7 cu. ft. capacity
- Convection cooking
- Combination Fast Cook setting
- Steam cook
- Glass touch controls
- My Cycle



2.1 CU. FT. CONVECTION OVER-THE-RANGE
MICROWAVE OVEN

- CVM521P2MS1
- Chef Connect
 - Steam cook
 - Sensor cooking controls
 - LED cooktop lighting
 - Easy-clean enamel interior
 - 400-CFM venting system



1.7 CU. FT. CONVECTION OVER-THE-RANGE
MICROWAVE OVEN

- CVM517P2MS1
- Chef Connect
 - Steam cook
 - Sensor cooking controls
 - Fast Cook setting
 - Convection cooking
 - LED cooktop lighting



27" FIVE-IN-ONE WALL OVEN
WITH 120V ADVANTIUM® TECHNOLOGY
CSB912P2NS1

- Precision cooking
- Five cooking methods in one
- Multi-course guided cooking
- Crisp reheat
- Balance hinge door



30" FIVE-IN-ONE WALL OVEN
WITH 120V ADVANTIUM TECHNOLOGY
CSB913P2NS1

- Precision cooking
- Five cooking methods in one
- Multi-course guided cooking
- Crisp reheat
- Balance hinge door



30" FIVE-IN-ONE WALL OVEN
WITH 240V ADVANTIUM TECHNOLOGY
CSB923P2NS1

- Five-in-one oven
- Precision cooking
- Crisp reheat
- 240V
- Multi-course guided cooking
- Steam cook



1.5 CU. FT. COUNTERTOP CONVECTION/
MICROWAVE OVEN
CEB515P2NSS

- WiFi Connect
- Scan-to-cook technology
- Convection cooking
- Sensor cooking controls
- Warming oven
- Auto bake/auto roast


HOODS



- 30" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD**
CVW73012MSS
- 350-CFM venting system with boost
 - Electronic backlit controls
 - Dual halogen cooktop lighting
 - Night light
 - Convertible venting options
 - Optional remote control (JXRC70)



- 36" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD**
CVW73612MSS
- 350-CFM venting system with boost
 - Electronic backlit controls
 - Dual halogen cooktop lighting
 - Night light
 - Convertible venting options
 - Optional remote control (JXRC70)



- 30" COMMERCIAL HOOD**
CVW93012MSS
- 590-CFM venting system
 - Four-speed fan control
 - Vertical exhaust
 - Dual halogen cooktop lighting
 - Night light
 - Removable grease filter

KITCHEN HUB



- KITCHEN HUB**
UVH13012MSS
- Guided Cooking app
 - Entertainment
 - Dual camera system
 - U+ Connect Smart Home app
 - Google Assistant
 - Google apps
 - Range venting system and lighting



- 36" COMMERCIAL HOOD**
CVW93612MSS
- 590-CFM venting system
 - Four-speed fan control
 - Vertical exhaust
 - Dual halogen cooktop lighting
 - Night light
 - Removable grease filter



- GE CAFÉ™ SERIES 48" STAINLESS STEEL PROFESSIONAL HOOD**
CV48SSLSS
- 940-CFM vertical exhaust with dual blowers
 - 3 halogen lamps with 4 lighting levels
 - Removable grease trays
 - Dishwasher-safe, removable-baffle stainless steel filters
 - Variable-speed fan control

DISHWASHERS



- STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS**
CDT805P2NS1
- Ultra Wash
 - Ultra Dry
 - Bottle Jets
 - Reversing quad-blade wash arm
 - Third Rack
 - Fold-down tines



- STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS**
CDT845P2NS1
- Ultra Wash with 100+ Cleaning Jets
 - Ultra Dry
 - Bottle Jets
 - Deep Clean Silverware Jets
 - Reversing quad-blade wash arm
 - Third Rack



- GE CAFÉ SERIES STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS***
CDT866P2MS1
- Advanced wash system with more than 140 cleaning jets
 - Deep Clean Silverware Jets
 - Third Rack
 - Bottle Jets
 - Reversing quad-blade wash arm
 - Hidden vent with fan dry and hidden heater

*Model is not customizable

SUITE OPTIONS

FREE-STANDING

Chic

Elegant and stylish. Unlimited performance for everyday cooking.



ENERGY STAR® 27.8 CU. FT. FRENCH-DOOR REFRIGERATOR WITH HOT WATER DISPENSER

- CFE28TP2MS1
- CFE28TP3MD1
- CFE28TP4MW2



ENERGY STAR® 25.6 CU. FT. FRENCH-DOOR REFRIGERATOR

- CFE26KP2NS1



30" SLIDE-IN FRONT CONTROL RANGE

- CES750P2MS1
- CES750P3MD1
- CES750P4MW2



30" SLIDE-IN FRONT CONTROL RANGE

- CES700P2MS1
- CES700P3MD1
- CES700P4MW2



30" FREE-STANDING GAS DOUBLE OVEN CONVECTION RANGE

- CGB550P2MS1
- CGB550P3MD1



30" FREE-STANDING GAS CONVECTION RANGE

- CGB500P2MS1
- CGB500P3MD1



1.7 CU. FT CONVECTION OVER-THE-RANGE MICROWAVE OVEN

- CVM517P2MS1
- CVM517P3MD1
- CVM517P4MW2



STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS

- CDT805P2NS1



STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS

- CDT845P2NS1
- CDT845P3ND1
- CDT845P4NW2

SUITE OPTIONS

FREE-STANDING

Cosmo

Worldly and sophisticated.
Curated pairings for any lifestyle.



ENERGY STAR® 22.2 CU. FT. COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR WITH KEURIG® K-CUP® BREWING SYSTEM

- CYE22UP2MS1



ENERGY STAR® 27.8 CU. FT. FRENCH-DOOR REFRIGERATOR WITH HOT WATER DISPENSER

- CFE28TP2MS1
- CFE28TP3MD1
- CFE28TP4MW2



30" SLIDE-IN, FRONT-CONTROL GAS DOUBLE OVEN WITH CONVECTION RANGE

- CGS750P2MS1
- CGS750P3MD1
- CGS750P4MW2



30" SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION DOUBLE-OVEN RANGE

- CHS950P2MS1
- CHS950P3MD1
- CHS950P4MW2



1.7 CU. FT CONVECTION OVER-THE-RANGE MICROWAVE OVEN

- CVM517P2MS1
- CVM517P3MD1
- CVM517P4MW2



KITCHEN HUB®

- UVH13012MSS
- UVH13013MDS
- UVH13014MWM



STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS

- CDT845P2NS1
- CDT845P3ND1
- CDT845P4NW2



5.7 CU. FT. BUILT-IN, DUAL-DRAWER REFRIGERATOR

- CDE06RP2NS1
- CDE06RP3ND1
- CDE06RP4NW2



ICE MAKER PANEL KIT** (DOOR PANEL & HANDLE ONLY)

- CIP75S1
- CIP75D1
- CIP75W2

*This is not a microwave oven.
**Pairs with UNC15NJII or UCC15NJII

SUITE OPTIONS

FREE-STANDING

Couture

High-end, tailored. Top-of-the-line features and capabilities.



42" BUILT-IN, SIDE-BY-SIDE REFRIGERATOR
CSB42WP2NS1



48" BUILT-IN, SIDE-BY-SIDE REFRIGERATOR
CSB48WP2NS1



36" DUAL-FUEL PROFESSIONAL RANGE WITH 6 BURNERS (NATURAL GAS)
C2Y366P2MS1
C2Y366P3MD1
C2Y366P4MW2



48" DUAL-FUEL PROFESSIONAL RANGE WITH 6 BURNERS AND GRIDDLE (NATURAL GAS)
C2Y486P2MS1



36" COMMERCIAL HOOD
CVW93612MSS
CVW93613MDS
CVW93614MWM



1.5 CU. FT. COUNTERTOP CONVECTION/MICROWAVE OVEN**
CEB515P2NSS
CEB515P3MDS
CEB515P4NWM



STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS
CDT845P2NS1
CDT845P3ND1
CDT845P4NW2



STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS***
CDT866P2MS1***
CST866P3MD1
CDT866P4MW2



5.7 CU. FT. BUILT-IN, DUAL-DRAWER REFRIGERATOR
CDE06RP2NS1
CDE06RP3ND1
CDE06RP4NW2



ICE MAKER ICE MAKER PANEL KIT* (DOOR PANEL & HANDLE ONLY)
CIP75S1
CIP75D1
CIP75W2

*Pairs with UNC15NJII or UCC15NJII
**Trim kit available
***Not customizable

SUITE OPTIONS

BUILT-IN

Posh

Superior aesthetics for inspired cooking experiences.



ENERGY STAR® 23.1 CU. FT. COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR

■ CWE23SP2MS1
■ CWE23SP3MD1
□ CWE23SP4MW2



ENERGY STAR® 22.2 CU. FT. COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR WITH KEURIG® K-CUP® BREWING SYSTEM

■ CYE22UP2MS1



30" CONVECTION DOUBLE WALL OVEN

■ CTD70DP2NS1
■ CTD90DP3MD1
□ CTD90DP4MW2



30" CONVECTION SINGLE WALL OVEN

■ CTS70DP2NS1
■ CTS90DP3ND1
□ CTS90DP4MW2



30" TOUCH-CONTROL ELECTRIC COOKTOP

■ CEP70302MS1



36" TOUCH-CONTROL ELECTRIC COOKTOP

■ CEP70362MS1



30" GAS COOKTOP

■ CGP70302NS1



36" GAS COOKTOP

■ CGP70362NS1



30" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD

■ CVW73012MSS
■ CVW73013MDS
□ CVW73014MWM



36" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD

■ CVW73612MSS
■ CVW73613MDS
□ CVW73614MWM



30" COMMERCIAL HOOD

■ CVW93012MSS
■ CVW93013MDS
□ CVW93014MWM



36" COMMERCIAL HOOD

■ CVW93612MSS
■ CVW93613MDS
□ CVW93614MWM



STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS

■ CDT805P2NS1



1.5 CU. FT. COUNTERTOP CONVECTION/MICROWAVE OVEN*

■ CEB515P2NSS
■ CEB515P3MDS
□ CEB515P4NWM

*Trim kit available

SUITE OPTIONS

BUILT-IN

Vogue

Cultivated and refined.
Expanded, feature-rich offerings.



ENERGY STAR® 22.2 CU. FT. COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR WITH HOT WATER DISPENSER

■ CYE22TP2MS1
■ CYE22TP3MD1
■ CYE22TP4MW2



30" CONVECTION DOUBLE WALL OVEN

■ CTD70DP2NS1

FRENCH-DOOR OPTIONS

■ CTD90FP3MD1
■ CTD90FP3MD1



30" FRENCH-DOOR CONVECTION DOUBLE WALL OVEN

■ CTD90FP3MD1
■ CTD90FP3MD1



30" CONVECTION SINGLE WALL OVEN

■ CTS70DP2NS1

FRENCH-DOOR OPTIONS

■ CTS90FP3MD1
■ CTS90FP3MD1



30" FRENCH-DOOR CONVECTION SINGLE WALL OVEN

■ CTS90FP3MD1
■ CTS90FP3MD1



30" FIVE-IN-ONE WALL OVEN WITH 240V ADVANTIUM® TECHNOLOGY

■ CSB923P2NS1
■ CSB923P3ND1
■ CSB923P4NW2



36" TOUCH-CONTROL INDUCTION COOKTOP

■ CHP95362MSS



36" TOUCH-CONTROL ELECTRIC COOKTOP

■ CEP90362NSS



36" GAS COOKTOP

■ CGP95362MS1



36" COMMERCIAL HOOD

■ CVW93612MSS
■ CVW93613MDS
■ CVW93614MWM



1.5 CU. FT. COUNTERTOP CONVECTION/MICROWAVE OVEN**

■ CEB515P2NSS
■ CEB515P3MDS
■ CEB515P4NWM



STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS

■ CDT845P2NS1
■ CDT845P3ND1
■ CDT845P4NW2



5.7 CU. FT. BUILT-IN, DUAL-DRAWER REFRIGERATOR

■ CDE06RP2NS1
■ CDE06RP3ND1
■ CDE06RP4NW2



ICE MAKER PANEL KIT* (DOOR PANEL & HANDLE ONLY)

■ CIP75S1
■ CIP75D1
■ CIP75W2

*Pairs with UNC15NJII or UCC15NJII
**Trim kit available

SUITE OPTIONS

BUILT-IN

Bespoke

Premium selections
for demanding tastes.



42" BUILT-IN, SIDE-BY-SIDE REFRIGERATOR
■ CSB42WP2NS1

48" BUILT-IN, SIDE-BY-SIDE REFRIGERATOR (SHOWN AT LEFT)
■ CSB48WP2NS1



30" CONVECTION DOUBLE WALL OVEN
■ CTD70DP2NS1



30" FRENCH-DOOR CONVECTION DOUBLE WALL OVEN
■ CTD90FP3MD1
□ CTD90FP3MD1



30" CONVECTION SINGLE WALL OVEN
■ CTS70DP2NS1



30" FRENCH-DOOR CONVECTION SINGLE WALL OVEN
■ CTS90FP3MD1
□ CTS90FP3MD1



36" GAS RANGETOP
■ CGU366P2MS1



48" GAS RANGETOP
■ CGU486P2MS1



36" TOUCH-CONTROL INDUCTION COOKTOP
■ CHP95362MSS



36" COMMERCIAL HOOD
■ CVW93612MSS
■ CVW93613MDS
□ CVW93614MWM



GE CAFÉ SERIES 48" STAINLESS STEEL PROFESSIONAL HOOD
■ CV48SSLSS



1.5 CU. FT. COUNTERTOP CONVECTION/MICROWAVE OVEN**
■ CEB515P2NSS
■ CEB515P3MDS
□ CEB515P4NWM



STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS
■ CDT845P2NS1
■ CDT845P3ND1
□ CDT845P4NWM



STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS
■ CDT866P2MS1***
■ CST866P3MD1
□ CDT866P4MWM



5.7 CU. FT. BUILT-IN DUAL-DRAWER REFRIGERATOR
■ CDE06RP2NS1
■ CDE06RP3ND1
□ CDE06RP4NWM



ICE MAKER PANEL KIT* (DOOR PANEL & HANDLE ONLY)
■ CIP75S1
■ CIP75D1
□ CIP75W2

**Pairs with UNC15NJII or UCC15NJII*
***Trim kit available*
****Not customizable*

REFRIGERATION

Refrigerators

	CFE26KP2NS1	CFE28UP2MS1 CFE28UP3MD1	CFE28TP2MS1 CFE28TP3MD1 CFE28TP4MW2	CSB48WP2NS1 CSB42WP2NS1	CWE19SP2NS1 CWE19SP3ND1	CWE23SP2MS1 CWE23SP3MD1 CWE23SP4MW2	CYE22UP2MS1 CYE22UP3MD1	CYE22TP2MS1 CYE22TP3MD1 CYE22TP4MW2	CZS22MP2NS1
ENERGY STAR® certified	•	•	•		•	•	•	•	
WiFi Connect	•	•	•	•	•	•	•	•	
Sabbath mode capable	•	•	•			•	•	•	
ADA compliant	•	•	•			•	•	•	
CAPACITY									
Total (cu. ft.)	25.6	27.8		29.6 / 25.2	18.6	23.1	22.2	22.2	21.9
Fresh food (cu. ft.)	17.45	18.67		17.2 / 5.8	13.57	15.93	15.06	15.06	14.24
Freezer (cu. ft.)	8.18	9.17		12.4 / 9.4	5.01	7.16	7.16	7.16	7.7
FRESH-FOOD FEATURES									
TwinChill™ evaporators		•	•			•	•	•	
External controls with temperature display and child lock	•			•	•	•	Color LCD	Color LCD	•
Door alarm	•	•	•	•	•	•	•	•	•
Turbo Cool setting	•	•	•	•	•	•	•	•	
Cabinet shelves	5 glass	5 glass	5 glass	5 glass	5 glass	5 glass	5 glass	5 glass	4 glass
Adjustable	4 split	4 split	4 split	5 split / 4 split	4 split	4 split	4 split	4 split	3 split / 2 adj.
Full-width	1	1	1	1	1	1	1	1	
Spillproof		3	3	4 spillproof / 1		3	3	3	3
Quick-space shelf	•	1	1		1	1	1	1	1
External dispenser	Ice & water	Ice & water	Ice & water				Ice & water		Ice & water
Keurig® K-Cup® Brewing System		•					•		
Hot Water		•	•				•	•	
Precise Fill		•	•				•	•	
Internal water dispenser						•			
Advanced filtration system	XWF	RPWFE	RPWFE	•	XWF	RPWFE	RPWFE	RPWFE	MWF & XWF
Water filter indicator light	•	•	•	•	•	•	•	•	•
Humidity-controlled drawers	2				•	2	2	2	•
Full-width drawer	1				1	1	1	1	
	7 bins (3 adj. with gallon storage, 4 fixed)	6 bins (4 stainless steel, 2 adj., 3 with gallon storage)	6 bins (2 adj. with gallon storage)	5 bins (adjustable, 1 with gallon storage)	1 bin full-width, adj. temp. drawer, 2 bins humidity controlled drawers, multi-level drawers	6 bins (4 adj. with gallon storage)	6 bins (2 adj., 3 with gallon storage)	6 bins (2 adj. with gallon storage)	4 bins Clear Look (2 adj. with gallon storage, 1 fixed, 1 adj.)
Fresh-food door bins									
Drop-down tray		•	•			•	•	•	
Dairy compartment		•	•			•	•	•	•
Showcase LED lighting	•	7				•	7	7	•
FREEZER FEATURES									
Space-saving icemaker		•	•				•	•	
Factory-installed icemaker & bin	•			•	•	•			•
Turbo Freeze setting		•	•				•	•	
Frost Guard technology	•	•	•		•	•	•	•	•
Full-width, full-extension plastic freezer bins	1	2	2	4 adj. / 2	1	2	2	2	
Showcase LED lighting	•	•	•		•	•	•	•	•
EXTERIOR									
Color(s) available					Stainless / Matte Black				
Handle color	Brushed stainless	Stainless	Stainless	Stainless	Brushed Stainless	Stainless			Stainless
Handle design	Café	Café	Café	Café	Café		Cafe	Cafe	Café
Door design		Flat with hidden hinges	Flat with hidden hinges	Flat with hidden hinges	Contoured crown; hidden hinges	Contoured crown; hidden hinges	Flat with hidden hinges	Flat with hidden hinges	Contoured crown; hidden hinges
Textured steel case color		Case Only—Dark Gray							Case Only—Dark Gray
Door	Stainless	Stainless	Stainless	Stainless		Stainless	Stainless	Stainless	
Door stops	•	•	•	•	•	•	•	•	•
WEIGHTS & DIMENSIONS									
Height to top of door (in.)		69-7/8	69-7/8	84-0/1					69-7/8
Height to top of hinge (in.)	69-3/4				69-3/4	69-7/8			
Height to top of case (in.)	68-5/8	69	69		68-5/8	69	69	69	69
Case depth without door (in.)	29	29-3/8	29-3/8	22-3/8	24-1/8	24-3/8			24-1/8
Case depth less door handle (in.)				25-3/4	29	28-3/4			
Case depth with door handle (in.)		36-1/4	36-1/4						
Depth w/fresh-food door open 90° (in.)	48-3/8			50-1/4	42	43-3/8	43-3/8	43-3/8	46-1/4
Width (in.)	35-3/4	35-3/4	35-3/4		48-0/1 42	32-3/4	35-3/4	35-3/4	35-3/4
Width with door handle open 90° (in.)	43-3/4	44-3/4	44-3/4	53-3/4 48-5/8	40-1/2	44-3/4	44-3/4	44-3/4	43-1/8
Air clearances—each side (in.)	1/8	1/8	1/8		1/8	1/8	1/8	1/8	1/8
Air clearances—top (in.)	1	1	1		1	1	1	1	1
Air clearances—back (in.)	2	2	2		2	2	2	2	2
Approximate shipping wt. (lbs.)	303	423	423	775 0/1 725	252	363	398	398	360
Power/Rating	120v/60Hz/15A	120V/60Hz/ 15A	120V/60Hz/ 15A	115V/60Hz/20A	120V/60Hz/15A	120V/60Hz/15A	120V/60Hz/15A	120V/60Hz/15A	120v/60Hz/15A
ACCESSORIES									
Optional kits	CXMB3H3PNBT (Brushed Black) CXMB3H3PNBZ (Brushed Bronze) CXMB3H3PNCU (Brushed Copper) CXMB3H3PNSS (Brushed Stainless)	CXLB3H3PMBT (Brushed Black) CXLB3H3PMBZ (Brushed Bronze) CXLB3H3PMCU (Brushed Copper) CXLB3H3PMSS (Brushed Stainless)	CXLB3H3PMBT (Brushed Black) CXLB3H3PMBZ (Brushed Bronze) CXLB3H3PMCU (Brushed Copper) CXLB3H3PMSS (Brushed Stainless)	CXSS2H2PMBT (Brushed Black) CXSS2H2PMBZ (Brushed Bronze) CXSS2H2PMCU (Brushed Copper) CXSS2H2PMSS (Brushed Copper)	CXMA3H3PNBT (Brushed Black) CXMA3H3PNBZ (Brushed Bronze) CXMA3H3PNCU (Brushed Copper) CXMA3H3PNSS (Brushed Stainless)	CXLB3H3PMBT (Brushed Black) CXLB3H3PMBZ (Brushed Bronze) CXLB3H3PMCU (Brushed Copper) CXLB3H3PMSS (Brushed Stainless)	CXLB3H3PMBT (Brushed Black) CXLB3H3PMBZ (Brushed Bronze) CXLB3H3PMCU (Brushed Copper) CXLB3H3PMSS (Brushed Stainless)	CXLB3H3PMBT (Brushed Black) CXLB3H3PMBZ (Brushed Bronze) CXLB3H3PMCU (Brushed Copper) CXLB3H3PMSS (Brushed Stainless)	CXMS2H2PNBT (Brushed Black) CXMS2H2PNBZ (Brushed Bronze) CXMS2H2PNCU (Brushed Copper)

Built-in Refrigerator Drawers

Sabbath mode capable	•
CAPACITY	
Total (cu. ft.)	5.7
FRESH FOOD FEATURES	
Electronic controls with temperature display	•
Soft-close drawers	•
Drawer interior	Stainless
Drawer dividers	Upper Adjustable Lower Adjustable / removable
Door alarm	•
Showcase LED lighting	•
FREEZER FEATURES	
Interior lighting	White LED
EXTERIOR	
Color(s) available	Stainless Matte Black Matte White
Handle color	Brushed Stainless Brushed Stainless Brushed Bronze
Handle design	Café
WEIGHTS & DIMENSIONS	
Height to top of case (in.)	33-7/8
Width (in.)	23-7/8
Case depth without door (in.)	
Case depth less door handle (in.)	23-3/4
Case depth with door handle (in.)	26
Approximate shipping wt. (lbs.)	135
Power/Rating	115V/ 60Hz
ACCESSORIES	
Optional kits	CXQD2H2PNBT (Brushed Black) CXQD2H2PNBZ (Brushed Bronze) CXQD2H2PNCU (Brushed Copper) CXQD2H2PNSS (Brushed Stainless)

ICEMAKERS

Icemakers

	GOURMET ICE UCC15NJII	NUGGET ICE UNC15NJII
CAPACITY		
Daily ice production (lbs)	48.0	56.0
Storage bin capacity (lbs)	26.0	26.0
FEATURES		
Interior lighting	LED	LED
Clean light	Yes	Yes
Control type	Electronic LED	Electronic LED
Ice scoop	Yes	Yes
EXTERIOR		
Handle	Custom panel/handle or Cafe door panel kit required.	Custom panel/handle or Cafe door panel kit required.
Panel capability	3/4" custom panel or Accessory door kit	3/4" custom panel or Accessory door kit
Color appearance	Cafe door panel kits available in Brushed Stainless, Matte Black and Matte White (each sold separately)	Cafe door panel kits available in Brushed Stainless, Matte Black and Matte White (each sold separately)
Door swing	Reversible hinges	Reversible hinges
Installation	Built-In or free-standing indoor or outdoor	Built-In or free-standing indoor or outdoor
Leveling system	4 leveling legs	4 leveling legs
WEIGHTS & DIMENSIONS		
Width (in.)	14-7/8	14-7/8
Height (in.)	33-7/8	33-7/8
Depth (in.)	22-3/4	22-3/4
Depth excluding panel (in.)	22	22
Net weight (lbs.)	107	112
Approx. shipping weight (lbs.)	115	124
Power/Ratings	110V/ 60Hz/ 6.5A	110V/ 60Hz/ 6.5A
ACCESSORIES		
Door Panel Kits	CIP75S1 (Stainless) CIP75D1 (Matte Black) CIP75W2 (Matte White)	CIP75S1 (Stainless) CIP75D1 (Matte Black) CIP75W2 (Matte White)
Optional drain pump kit	UPK3	UPK3

COOKING

Gas Ranges

	CGB500P2MS1	CGB500P3MD1	CGB550P2MS1	CGB550P3MD1	C2S900P2MS1	C2S900P3MD1	C2S900P4MW2	C2S950P2MS1		C2S950P3MD1	C2S950P4MW2	CGS700P2MS1	CGS700P3MD1	CGS700P4MW2	CGS750P2MS1	CGS750P3MD1	CGS750P4MW2
Claims & Certification	CSA Star-K	CSA Star-K California Prop 65	CSA Star-K	CSA Star-K California Prop 65	ADA Compliant CSA Star-K	ADA Compliant CSA Star-K California Prop 65	ADA Compliant CSA Star-K California Prop 65	ADA Compliant CSA Star-K		ADA Compliant CSA Star-K California Prop 65	ADA Compliant CSA Star-K California Prop 65	ADA Compliant CSA Star-K	ADA Compliant CSA Star-K California Prop 65	ADA Compliant CSA Star-K California Prop 65	ADA Compliant CSA Star-K	ADA Compliant CSA Star-K California Prop 65	ADA Compliant CSA Star-K California Prop 65
FEATURES																	
Capacity (cu. ft.) upper/lower	5.6	5.6	2.7/4.3	2.7/4.3	5.7	5.7	5.7	2.4/4.3		2.4/4.3	2.4/4.3	5.6	5.6	5.6	2.4/4.3	2.4/4.3	2.4/4.3
Cleaning system	Self-clean with Steam Clean option	Self-clean with Steam Clean option	Self-clean with Steam Clean option	Self-clean with Steam Clean option	Self-clean with Steam Clean option	Self-clean with Steam Clean option	Self-clean with Steam Clean option	Self-clean with Steam Clean option		Self-clean with Steam Clean option	Self-clean with Steam Clean option	Self-clean with Steam Clean option	Self-clean with Steam Clean option	Self-clean with Steam Clean option	Self-clean with Steam Clean option	Self-clean with Steam Clean option	Self-clean with Steam Clean option
Cooking Technology	Convection	Convection	Convection	Convection	Convection	Convection	Convection	Upper: Traditional Lower: Convection		Upper: Traditional Lower: Convection	Upper: Traditional Lower: Convection	Convection	Convection	Convection	Upper: Traditional Lower: Convection	Upper: Traditional Lower: Convection	Upper: Traditional Lower: Convection
CONTROLS																	
Certified Sabbath Mode	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
Control lock capability	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
Electronic oven controls	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
Delay bake	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
Digital temperature display	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
Electronic clock and timer	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
Ignition	Electronic	Electronic	Electronic	Electronic				Electronic w/Auto Reignition		Electronic w/Auto Reignition	Electronic w/Auto Reignition	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
Self-clean latch					Automatic	Automatic	Automatic	Automatic		Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
WiFi Connect	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
Chef Connect	•	•	•	•		•	•	•		•	•	•	•	•	•	•	•
COOKTOP																	
Burner—left front	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU	21,000 BTU Tri-ring burner	21,000 BTU Tri-ring burner	21,000 BTU Tri-ring burner	21,000 BTU Tri-ring burner		21,000 BTU Tri-ring burner	21,000 BTU Tri-ring burner	21,000 BTU Tri-ring burner	21,000 BTU Tri-ring burner	21,000 BTU Tri-ring burner	21,000 BTU Tri-ring burner	21,000 BTU Tri-ring burner	21,000 BTU Tri-ring burner
Burner—left rear	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer		5,000 BTU Precise Simmer	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer
Burner—right front	15,000 BTU	15,000 BTU	15,000 BTU	15,000 BTU	15,000 BTU	15,000 BTU	15,000 BTU	15,000 BTU		15,000 BTU	15,000 BTU	15,000 BTU	15,000 BTU	15,000 BTU	15,000 BTU	15,000 BTU	15,000 BTU
Burner—right rear	9,500 BTU	9,500 BTU	9,500 BTU	9,500 BTU	12,000 BTU	12,000 BTU	12,000 BTU	12,000 BTU		12,000 BTU	12,000 BTU	12,000 BTU	12,000 BTU	12,000 BTU	12,000 BTU	12,000 BTU	12,000 BTU
Burner—center	10,000 BTU oval	10,000 BTU oval	10,000 BTU oval	10,000 BTU oval	9,500 BTU front/ 9,500 BTU rear	9,500 BTU front/ 9,500 BTU rear	9,500 BTU front/ 9,500 BTU rear	9,500 BTU front/ 9,500 BTU rear		9,500 BTU front/ 9,500 BTU rear	9,500 BTU front/ 9,500 BTU rear	9,500 BTU front/ 9,500 BTU rear	9,500 BTU front/ 9,500 BTU rear	9,500 BTU front/ 9,500 BTU rear	9,500 BTU front/ 9,500 BTU rear	9,500 BTU front/ 9,500 BTU rear	9,500 BTU front/ 9,500 BTU rear
Cooktop burners	Sealed	Sealed	Sealed	Sealed	Sealed	Sealed	Sealed	Sealed		Sealed	Sealed	Sealed	Sealed	Sealed	Sealed	Sealed	Sealed
Deep-recessed cooktop					•	•	•	•		•	•	•	•	•	•	•	•
Grill/Giddle	Included, integrated, cast-iron reversible grill/giddle	Included, integrated, cast-iron reversible grill/giddle	Included, integrated, cast-iron reversible grill/giddle	Included, integrated, cast-iron reversible grill/giddle	Included, integrated cast-iron griddle	Included, integrated cast-iron griddle	Included, integrated cast-iron griddle	Included, integrated cast-iron griddle		Included, integrated cast-iron griddle	Included, integrated cast-iron griddle	Included, integrated cast-iron griddle	Included, integrated cast-iron griddle	Included, integrated cast-iron griddle	Included, integrated cast-iron griddle	Included, integrated cast-iron griddle	Included, integrated cast-iron griddle
Simmer	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
OVEN																	
Audible preheat signal	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
Convection	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
Convection bake	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
Convection roast	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
Drawer	Storage	Storage			Warming	Warming	Warming					Storage	Storage	Storage			
In-oven broiling	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
Interior oven light	1 incandescent	1 incandescent			1 incandescent	1 incandescent	1 incandescent										
Temperature probe	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
Self-clean oven racks					•	•	•	•		•	•	•	•	•	•	•	•
Oven racks	3 racks	3 racks	3 racks	3 racks	2 racks, 1 roller rack	2 racks, 1 roller rack	2 racks, 1 roller rack	2 racks, 1 roller rack		2 racks, 1 roller rack	2 racks, 1 roller rack	3 racks	3 racks	3 racks	3 racks	3 racks	3 racks
APPEARANCE																	
Color Appearance	SS	Matte Black	SS	Matte Black	SS	Matte Black	Matte White	SS		Matte Black	Matte White	SS	Matte Black	Matte White	SS	Matte Black	Matte White
Grates	Matte Black	Matte Black	Matte Black	Matte Black	Matte Black	Matte Black	Matte Black	Matte Black		Matte Black	Matte Black	Matte Black	Matte Black	Matte Black	Matte Black	Matte Black	Matte Black
Grate material	Cast-iron	Heavy Cast	Cast-iron	Heavy Cast	Cast-iron	Cast-iron	Cast-iron	Cast-iron		Cast-iron	Cast-iron	Cast-iron	Cast-iron	Cast-iron	Cast-iron	Cast-iron	Cast-iron
Handle Color	Brushed Stainless	Brushed Stainless	Brushed Stainless	Brushed Stainless	Brushed Stainless	Stainless Steel	Brushed Bronze	Brushed Stainless		Brushed Steel	Brushed Bronze	Brushed Stainless	Brushed Stainless	Brushed Bronze	Brushed Stainless	Brushed Stainless	Brushed Bronze
Handle Design	Café Pro	Café Pro	Café Pro	Café Pro	Café Pro	Café Pro	Café Pro	Café Pro		Café Pro	Café Pro	Café Pro	Café Pro	Café Pro	Café Pro	Café Pro	Café Pro
Knobs	Brushed Stainless	Brushed Stainless	Brushed Stainless	Brushed Stainless	Brushed Stainless	Stainless Steel	Brushed Bronze	Brushed Stainless		Stainless Steel	Brushed Bronze	Brushed Stainless	Brushed Stainless	Brushed Bronze	Brushed Stainless	Brushed Stainless	Brushed Bronze
Oven interior	Black	Black	Black	Black	Black	Black	Black	Black		Black	Black	Black	Black	Black	Black	Black	Black
WEIGHTS & DIMENSIONS																	
Approx. shipping weight (lbs.)	248	248	280	280	244	291	291	291		291	291	244	291	291	256	291	256
Oven Interior Dimensions (W x H x D) (in.)	24 x 19-1/2 x 20-5/8	24 x 19-1/2 x 20-5/8	Upper: 24 x 9-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8	Upper: 24 x 9-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8	24 x 19-7/8 x 20-5/8	24 x 19-7/8 x 20-5/8	24 x 19-7/8 x 20-5/8	Upper: 24 x 10-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8		Upper: 24 x 10-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8	Upper: 24 x 10-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8	24 x 19-1/2 x 20-5/8	24 x 19-1/2 x 20-5/8	24 x 19-1/2 x 20-5/8	Upper: 24 x 9-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8	Upper: 24 x 9-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8	Upper: 24 x 9-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8
POWER / RATINGS																	
Bake wattage	2,850W	2,850W	2,850W	2,850W	2,850W	2,850W	2,850W	Upper: 2,650W Lower: 2,650W		Upper: 2,650W Lower: 2,650W	Upper: 2,650W Lower: 2,650W	2,850W	2,850W	2,850W	Upper: 2,650W Lower: 2,650W	Upper: 2,650W Lower: 2,650W	Upper: 2,650W Lower: 2,650W
Broil wattage	4,000W	4,000W	4,000W	4,000W	4,000W	4,000W	4,000W	Upper: 3,000W Lower: 3,600W		Upper: 3,000W Lower: 3,600W	Upper: 3,000W Lower: 3,600W	4,000W	4,000W	4,000W	Upper: 3,000W Lower: 3,600W	Upper: 3,000W Lower: 3,600W	Upper: 3,000W Lower: 3,600W
Burners (000's BTU) LP	(1) 18.0; (1) 15.0; (1) 8.0; (1) 9.5; (1) 5.0	(1) 18.0; (1) 15.0; (1) 8.0; (1) 9.5; (1) 5.0	(1) 18.0; (1) 15.0; (1) 8.0; (1) 9.5; (1) 5.0	(1) 18.0; (1) 15.0; (1) 8.0; (1) 9.5; (1) 5.0	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0		(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0
Gas range electrical rating	120V; 60Hz; 15A	120V; 60Hz; 15A	120V; 60Hz; 15A	120V; 60Hz; 15A	208/240V; 60Hz; 30A	208/240V; 60Hz; 30A	208/240V; 60Hz; 30A	208/240V; 60Hz; 30A		208/240V; 60Hz; 30A	208/240V; 60Hz; 30A	120V; 60Hz; 15A	120V; 60Hz; 15A	120V; 60Hz; 15A	120V; 60Hz; 15A	120V; 60Hz; 15A	120V; 60Hz; 15A
LP conversion kit (included)	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
ACCESSORIES																	
Optional kits	CXFSGCHKPMBT (Brushed Black) CXFSGCHKPMBZ (Brushed Bronze) CXFSGHKPMCU (Brushed Copper)	CXFSGCHKPMBT (Brushed Black) CXFSGCHKPMBZ (Brushed Bronze) CXFSGHKPMCU (Brushed Copper)	CXFSGCHKPMBT (Brushed Black) CXFSGCHKPMBZ (Brushed Bronze) CXFSGHKPMCU (Brushed Copper)	CXFSGCHKPMBT (Brushed Black) CXFSGCHKPMBZ (Brushed Bronze) CXFSGHKPMCU (Brushed Copper)	CXFCGCHKPMBT (Brushed Black) CXFCGCHKPMBZ (Brushed Bronze) CXFCGHKPMCU (Brushed Copper)	CXFCGCHKPMBT (Brushed Black) CXFCGCHKPMBZ (Brushed Bronze) CXFCGHKPMCU (Brushed Copper)	CXFCGCHKPMBT (Brushed Black) CXFCGCHKPMBZ (Brushed Bronze) CXFCGHKPMCU (Brushed Copper)	CXFCGCHKPMBT (Brushed Black) CXFCGCHKPMBZ (Brushed Bronze) CXFCGHKPMCU (Brushed Copper)		CXFCGCHKPMBT (Brushed Black) CXFCGCHKPMBZ (Brushed Bronze) CXFCGHKPMCU (Brushed Copper)	CXFCGCHKPMBT (Brushed Black) CXFCGCHKPMBZ (Brushed Bronze) CXFCGHKPMCU (Brushed Copper)	CXFCGCHKPMBT (Brushed Black) CXFCGCHKPMBZ (Brushed Bronze) CXFCGHKPMCU (Brushed Copper)	CXFCGCHKPMBT (Brushed Black) CXFCGCHKPMBZ (Brushed Bronze) CXFCGHKPMCU (Brushed Copper)	CXFCGCHKPMBT (Brushed Black) CXFCGCHKPMBZ (Brushed Bronze) CXFCGHKPMCU (Brushed Copper)	CXFCGCHKPMBT (Brushed Black) CXFCGCHKPMBZ (Brushed Bronze) CXFCGHKPMCU (Brushed Copper)	CXFCGCHKPMBT (Brushed Black) CXFCGCHKPMBZ (Brushed Bronze) CXFCGHKPMCU (Brushed Copper)	CXFCGCHKPMBT (Brushed Black) CXFCGCHKPMBZ (Brushed Bronze) CXFCGHKPMCU (Brushed Copper)
Trim kit					Optional; JXFILLRISS	Optional; JXFILLRIDD	Optional; JXFILLRIDD	Optional; JXFILLRISS		Optional; JXFILLRIDD	Optional—JXFILLRISS	Optional—JXFILLRIDD	Optional—JXFILLRIDD	Optional—JXFILLRIDD	Optional—JXFILLRISS	Optional—JXFILLRIDD	Optional—JXFILLRISS
Center grate	Optional—JXGRATE1	Optional—JXGRATE1	Optional—JXGRATE1	Optional—JXGRATE1													

COOKING

Electric Ranges

	CES700P2MS1	CES700P3MD1	CES700P4WM2	CES750P2MS1	CES750P3MD1	CES750P4MW2		CHS900P2MS1	CHS900P3MD1	CHS900P4MW2	CHS950P2MS1	CHS950P3MD1	CHS950P4MW2
Claims & Certification	ADA Compliant Star-K UL	ADA Compliant Star-K UL California Prop 65	ADA Compliant Star-K UL California Prop 65	ADA Compliant Star-K UL	ADA Compliant Star-K UL California Prop 65	ADA Compliant Star-K UL California Prop 65		ADA Compliant Star-K UL	ADA Compliant Star-K UL California Prop 65	ADA Compliant Star-K UL California Prop 65	ADA Compliant Star-K UL	ADA Compliant Star-K UL California Prop 65	ADA Compliant Star-K UL California Prop 65
FEATURES													
Capacity (cu. ft.) upper/lower	5.7	5.7	5.7	2.4/4.3	2.4/4.3	2.4/4.3		5.7	5.7	5.7	2.4/4.3	2.4/4.3	2.4/4.3
Cleaning system	Self-Clean Steam Clean	Self-Clean Steam Clean	Self-Clean Steam Clean	Self-Clean Steam Clean	Self-Clean Steam Clean	Self-Clean Steam Clean		Self-Clean Steam Clean	Self-Clean Steam Clean	Self-Clean Steam Clean	Self-Clean Steam Clean	Self-Clean Steam Clean	Self-Clean Steam Clean
Cooking technology	True European Convection with Precise Air	True European Convection with Precise Air	True European Convection with Precise Air	Upper: Traditional; Lower: True European Convection with Precise Air	Upper: Traditional; Lower: True European Convection with Precise Air	Upper: Traditional; Lower: True European Convection with Precise Air		True European Convection with Precise Air	True European Convection with Precise Air	True European Convection with Precise Air	Upper: Traditional; Lower: True European Convection with Precise Air	Upper: Traditional; Lower: True European Convection with Precise Air	Upper: Traditional; Lower: True European Convection with Precise Air
CONTROLS													
Certified Sabbath Mode	•	•	•	•	•	•		•	•	•	•	•	•
Control lock capability	•	•	•	•	•	•		•	•	•	•	•	•
Electronic oven controls	•	•	•	•	•	•		•	•	•	•	•	•
Delay bake	•	•	•	•	•	•		•	•	•	•	•	•
Digital temperature display	•	•	•	•	•	•		•	•	•	•	•	•
Hot surface lights	•	•	•	•	•	•		•	•	•	•	•	•
WiFi Connect	•	•	•	•	•	•		•	•	•	•	•	•
Chef Connect	•	•	•	•	•	•		•	•	•	•	•	•
COOKTOP													
Element—left front	8 7/5" 1900W	8 7/5" 1900W	8 7/5" 1900W	8 7/5" 1900W	8 7/5" 1900W	8 7/5" 1900W		8" 2500W Sync Element	8" 2500W Sync Element	8" 2500W Sync Element	8" 2500W Sync Element	8" 2500W Sync Element	8" 2500W Sync Element
Element—left rear	8" 2000W	8" 2000W	8" 2000W	8" 2000W	8" 2000W	8" 2000W		8" 2500W Sync Element	8" 2500W Sync Element	8" 2500W Sync Element	8" 2500W Sync Element	8" 2500W Sync Element	8" 2500W Sync Element
Element—right front	12 7/9 7/6" 3600W Power Boil	12 7/9 7/6" 3600W Power Boil	12 7/9 7/6" 3600W Power Boil	12 7/9 7/6" 3600W Power Boil	12 7/9 7/6" 3600W Power Boil	12 7/9 7/6" 3600W Power Boil		11" 3700W Power Boil	11" 3700W Power Boil	11" 3700W Power Boil	11" 3700W Power Boil	11" 3700W Power Boil	11" 3700W Power Boil
Element—right rear	6" 1200W	6" 1200W	6" 1200W	6" 1200W	6" 1500W	6" 1500W		6" 1800W	6" 1800W	6" 1800W	6" 1800W	6" 1800W	6" 1800W
Element—center	6" 80W Warming Zone	6" 80W Warming Zone	6" 80W Warming Zone	6" 80W Warming Zone	6" 80W Warming Zone	6" 80W Warming Zone		6" 100W Warming Zone	6" 100W Warming Zone	6" 100W Warming Zone	6" 100W Warming Zone	6" 100W Warming Zone	6" 100W Warming Zone
Melt								•	•	•			
OVEN													
Audible preheat signal	•	•	•	•	•	•		•	•	•	•	•	•
Auto Recipe Conversion	•	•	•	•	•	•		•	•	•	•	•	•
True European Convection with Precise Air	•	•	•	•	•	•		•	•	•	•	•	•
Convection bake	•	•	•	•	•	•		•	•	•	•	•	•
Convection roast	•	•	•	•	•	•		•	•	•	•	•	•
Bake element								Hidden	Hidden	Hidden	Hidden	Hidden	Hidden
Broil element	8-pass	8-pass	8-pass	Upper: 6-pass Lower: 8-pass	Upper: 6-pass Lower: 8-pass	Upper: 6-pass Lower: 8-pass		8-pass	8-pass	8-pass	Upper: 6-pass Lower: 8-pass	Upper: 6-pass Lower: 8-pass	Upper: 6-pass Lower: 8-pass
Drawer	Storage	Storage	Storage					Warming	Warming	Warming			
Fast preheat	•	•	•	•	•	•		•	•	•	•	•	•
Interior oven light								1 Incandescent	1 Incandescent	1 Incandescent	2 Incandescent	2 Incandescent	2 Incandescent
Temperature probe	•	•	•	•	•	•		•	•	•	•	•	•
Self-clean oven racks	•	•	•	•	•	•		•	•	•	•	•	•
Oven racks	1 roller rack, 2 heavy-duty	1 roller rack, 2 heavy-duty	1 roller rack, 2 heavy-duty	1 roller rack, 2 heavy-duty	1 roller rack, 2 heavy-duty	1 roller rack, 2 heavy-duty		1 roller rack, 2 heavy-duty	1 roller rack, 2 heavy-duty	1 roller rack, 2 heavy-duty	1 roller rack, 2 heavy-duty	1 roller rack, 2 heavy-duty	1 roller rack, 2 heavy-duty
APPEARANCE													
Ceramic-glass cooktop	•	•	•	•	•	•		•	•	•	•	•	•
Color appearance	SS	Matte Black	Matte White	SS	Matte Black	Matte White		SS	Matte Black	Matte White	SS	Matte Black	Matte White
Handle color	Brushed Stainless	Brushed Stainless	Brushed Bronze	Brushed Stainless	Brushed Stainless	Brushed Bronze		Brushed Stainless	Brushed Stainless	Brushed Bronze	Brushed Stainless	Brushed Stainless	Brushed Bronze
Knobs—weighted	•	•	•	•	•	•		•	•	•	•	•	•
Knobs—color	Brushed Stainless	Brushed Stainless	Brushed Bronze	Brushed Stainless	Brushed Stainless	Brushed Bronze		Brushed Stainless	Brushed Stainless	Brushed Bronze	Brushed Stainless	Brushed Stainless	Brushed Bronze
Oven interior	Black	Black	Black	Black	Black	Black		Black	Black	Black	Black	Black	Black
WEIGHTS & DIMENSIONS													
Approx. shipping weight (lbs.)	226	291	291	267	291	291		256	256	256	256	291	256
Overall oven interior dimensions (WxHxD in inches)	24 x 19-7/8 x 20-5/8	24 x 19-7/8 x 20-5/8	24 x 19-7/8 x 20-5/8	Upper: 24 x 10-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8	Upper: 24 x 10-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8	Upper: 24 x 10-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8		24 x 19-7/8 x 20-5/8	24 x 19-7/8 x 20-5/8	24 x 19-7/8 x 20-5/8	Upper: 24 x 10-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8	Upper: 24 x 10-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8	Upper: 24 x 10-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8
POWER / RATINGS													
Bake wattage	2,850W	2,850W	2,850W	Upper: 2,650W Lower: 2,650W	Upper: 2,650W Lower: 2,650W	Upper: 2,650W Lower: 2,650W		2,850W	2,850W	2,850W	Upper: 2,650W Lower: 2,650W	Upper: 2,650W Lower: 2,650W	Upper: 2,650W Lower: 2,650W
Broil wattage	4,000W	4,000W	4,000W	Upper: 3,000W Lower: 3,600W	Upper: 3,000W Lower: 3,600W	Upper: 3,000W Lower: 3,600W		4,000W	4,000W	4,000W	Upper: 3,000W Lower: 3,600W	Upper: 3,000W Lower: 3,600W	Upper: 3,000W Lower: 3,600W
Convection wattage	2,500W	2,500W	2,500W	2,500W	2,500W	2,500W		2,500W	2,500W	2,500W	2,500W	2,500W	2,500W
Amp rating 240V/208V	40	40	40	40	40	40		40	40	40	40	40	40
KW rating 240V/208V	13.8/10.4	13.8/10.4	13.8/10.4	15.5/11.6	15.5/11.6	15.5/11.6		13.6/11.3	13.6/11.3	13.6/11.3	15.2/12.6	15.2/12.6	15.2/12.6
ACCESSORIES													
Optional kits	CXFCEHKPMBT Brushed Black CXFCEHKPMBZ Brushed Bronze CXFCEHKPMCUCU Brushed Copper	CXFCEHKPMBT Brushed Black CXFCEHKPMBZ Brushed Bronze CXFCEHKPMCUCU Brushed Copper	CXFCEHKPMBT Brushed Black CXFCEHKPMCUCU Brushed Copper CXFCEHKPMSS Brushed Stainless	CXFCEHKPMBT Brushed Black CXFCEHKPMBZ Brushed Bronze CXFCEHKPMCUCU Brushed Copper	CXFCEHKPMBT Brushed Black CXFCEHKPMBZ Brushed Bronze CXFCEHKPMCUCU Brushed Copper	CXFCEHKPMBT Brushed Black CXFCEHKPMBZ Brushed Bronze CXFCEHKPMSS Brushed Stainless		CXFCHHKPMBT Brushed Black CXFCHHKPMBZ Brushed Bronze CXFCHHKPMCUCU Brushed Copper	CXFCHHKPMBT Brushed Black CXFCHHKPMBZ Brushed Bronze CXFCHHKPMCUCU Brushed Copper	CXFCHHKPMSS Brushed Stainless CXFCHHKPMCUCU Brushed Copper CXFCHHKPMBT Brushed Black		CXFCHHKPMSS Brushed Stainless CXFCHHKPMBZ Brushed Bronze CXFCHHKPMCUCU Brushed Copper	CXFCHHKPMSS Brushed Stainless CXFCHHKPMCUCU Brushed Copper CXFCHHKPMBT Brushed Black
Trim kit	JXFILLR1SS	JXFILLR1BB	JXFILLR1BB	JXFILLR1SS	JXFILLR1BB	JXFILLR1BB		JXFILLR1SS	JXFILLR1BB	JXFILLR1BB	JXFILLR1SS	JXFILLR1DD	JXFILLR1BB
Precision cooking probe								Optional	Optional	Optional	Optional	Optional	Optional
Hestan Cue Smart Pan								Optional	Optional	Optional	Optional	Optional	Optional

Pro Ranges

	C2Y486P2MS1	C2Y366P2MS1	C2Y366P3MD1	C2Y366P4MW2	CGY366P2MS1	CGY366P3MD1	CGY366P4MW2
	ADA Compliant CSA Star-K California Prop 65	ADA Compliant CSA Star-K California Prop 65	ADA Compliant CSA Star-K California Prop 65	ADA Compliant CSA Star-K California Prop 65	ADA Compliant CSA Star-K California Prop 65	ADA Compliant CSA Star-K California Prop 65	ADA Compliant CSA Star-K California Prop 65
Claims & Certification							
FEATURES							
Capacity (cu. ft.) upper/lower	5.75 Caterer/ 2.5 Everyday	5.75	5.75	5.75	6.2	6.2	6.2
CONTROLS							
Certified Sabbath Mode	•	•	•	•	•	•	•
Control lock capability	•	•	•	•	•	•	•
Electronic oven controls	•	•	•	•	•	•	•
Delay bake	•	•	•	•	•	•	•
Digital temperature display	•	•	•	•	•	•	•
Electronic clock and timer	•	•	•	•	•	•	•
Ignition	Electronic w/Auto Reignition	Electronic w/Auto Reignition	Electronic w/Auto Reignition	Electronic w/Auto Reignition	Electronic w/Auto Reignition	Electronic w/Auto Reignition	Electronic w/Auto Reignition
Self-clean latch	Auto	Auto	Auto	Auto			
COOKTOP							
Burner—left front	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU
Burner—left rear	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU
Burner—right front	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU
Burner—right rear	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU
Burner—center	18,000 BTU front / 18,000 BTU rear	18,000 BTU front / 18,000 BTU rear	18,000 BTU front / 18,000 BTU rear	18,000 BTU front / 18,000 BTU rear	18,000 BTU front / 18,000 BTU rear	18,000 BTU front / 18,000 BTU rear	18,000 BTU front / 18,000 BTU rear
Cooktop burners	Sealed	Sealed	Sealed	Sealed	Sealed	Sealed	Sealed
Griddle	Stainless steel and aluminum clad						
OVEN							
Audible preheat signal	•	•	•	•	•	•	•
Convection	•	•	•	•	•	•	•
Convection bake	•	•	•	•	•	•	•
Convection roast	•	•	•	•	•	•	•
In-oven broiling	•	•	•	•	•	•	•
Interior oven light	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen
Temperature probe	•	•	•	•	•	•	•
Self-clean oven racks	•	•	•	•	•	•	•
Oven racks	1 self-clean roller rack (Caterer oven) 2 self-clean flat oven racks (Caterer oven) 5 rack positions (Caterer oven) 2 self-clean roller racks (Everyday oven) 4 rack positions (Everyday oven)	1 self-clean roller rack 2 self-clean flat oven racks 5 rack positions	1 self-clean roller rack 2 self-clean flat oven racks 5 rack positions	1 self-clean roller rack 2 self-clean flat oven racks 5 rack positions	1 self-clean roller rack 2 self-clean flat oven racks 5 rack positions	1 self-clean roller rack 2 self-clean flat oven racks 5 rack positions	1 self-clean roller rack 2 self-clean flat oven racks 5 rack positions
APPEARANCE							
Color appearance	SS	SS	Matte Black	Matte White	SS	Matte Black	Matte White
Cooktop	Porcelain-enamel	Porcelain-enamel	Porcelain-enamel	Porcelain-enamel	Porcelain-enamel	Porcelain-enamel	Porcelain-enamel
Grates	6 with integrated griddle	6 separate	6 separate	6 separate	6 separate	6 separate	6 separate
Grate material	Heavy cast	Heavy cast	Heavy cast	Heavy cast	Heavy cast	Heavy cast	Heavy cast
Handle color	Brushed Stainless	Brushed Stainless	Brushed Stainless	Brushed Bronze	Brushed Stainless	Brushed Stainless	Brushed Bronze
Handle design	Café Pro	Café Pro	Café Pro	Café Pro	Café Pro	Café Pro	Café Pro
Knobs	Brushed Stainless	Brushed Stainless	Brushed Stainless	Brushed Bronze	Brushed Stainless	Brushed Stainless	Brushed Bronze
Oven interior	Blue	Blue	Blue	Blue	Blue	Blue	Blue
WEIGHTS & DIMENSIONS							
Approx. shipping weight (lbs.)	672	462	462	462	462	462	462
Overall oven interior dimensions (WxHxD in inches)	28-1/4 x 16-3/8 x 21-3/8 (Caterer's oven) 12-1/4 x 16-3/8 x 21-3/8 (Everyday oven)	28-1/4 x 16-3/8 x 21-3/8	28-1/4 x 16-3/8 x 21-3/8	28-1/4 x 16-3/8 x 21-3/8	28-1/4 x 16-3/8 x 19	28-1/4 x 16-3/8 x 19	28-1/4 x 16-3/8 x 19
POWER / RATINGS							
Bake (000's BTU) Nat./LP	2,700W	2,650W	2,650W	2,650W	2,650W	2,650W	2,650W
Broil (000's BTU) Nat./LP	4,000W	3,000W	3,000W	3,000W	3,000W	3,000W	3,000W
Burners (000's BTU) Nat./LP	(6) 18.0/15.0	(6) 18.0/15.0	(6) 18.0/15.0	(6) 18.0/15.0	(6) 18.0/15.0	(6) 18.0/15.0	(6) 18.0/15.0
Gas range electrical rating	240V, 50A	240V, 30A	240V, 30A	240V, 30A	120V, 60Hz, 15A	120V, 60Hz, 15A	120V, 60Hz, 15A
LP Conversion Kit	Included	Included	Included	Included	Included	Included	Included
ACCESSORIES							
Optional kits	CXPR8HKPMBZ (Brushed Bronze) CXPR8HKPMBT (Brushed Black) CXPR8HKPMCU (Brushed Copper) CXPR8TKPMSS (Brushed Stainless)	CXPR6HKPMBT (Brushed Black) CXPR6HKPMBZ (Brushed Bronze) CXPR6HKPMCU (Brushed Copper) CXPR6TKPMDS Toe Kick	CXPR6HKPMBT (Brushed Black) CXPR6HKPMBZ (Brushed Bronze) CXPR6HKPMCU (Brushed Copper) CXPR6TKPMDS Toe Kick	CXPR6TKPMSS (Brushed Stainless) CXPR6HKPMBT (Brushed Black) CXPR6HKPMBZ (Brushed Bronze) CXPR6HKPMCU (Brushed Copper) CXPR6TKPMWS Toe Kick	CXPR6HKPMBT (Brushed Black) CXPR6HKPMBZ (Brushed Bronze) CXPR6HKPMCU (Brushed Copper) CXPR6TKPMSS (Brushed Stainless)	CXPR6HKPMBT (Brushed Black) CXPR6HKPMBZ (Brushed Bronze) CXPR6HKPMCU (Brushed Copper) CXPR6TKPMSS (Brushed Stainless)	CXPR6HKPMBT (Brushed Black) CXPR6HKPMBZ (Brushed Bronze) CXPR6HKPMCU (Brushed Copper) CXPR6TKPMSS (Brushed Stainless)

Pro Rangetops

	CGU486P2MS1	CGU366P2MS1
Claims & Certification	ADA Compliant California Prop 65	ADA Compliant California Prop 65
FEATURES & CONTROLS		
Number of burners	6	6
Burner type	Dual flame	Dual flame
Control type	Knob	Knob
Control location	Front	Front
Ignition	Electronic	Electronic
COOKTOP		
Burner—left front	18,000 BTU	18,000 BTU
Burner—left rear	18,000 BTU	18,000 BTU
Burner—center front	18,000 BTU	18,000 BTU
Burner—center rear	18,000 BTU	18,000 BTU
Burner—right front	18,000 BTU	18,000 BTU
Burner—right rear	18,000 BTU	18,000 BTU
Griddle	18,000 BTU oval	
Cooktop burners	Sealed	Sealed
Deep-recessed	•	•
APPEARANCE		
Color appearance	SS	SS
Cooktop	Porcelain enamel	Porcelain enamel
Grates	6 with integrated griddle	6 separate
Grates material	Heavy-cast	Heavy-cast
Knob color	SS	SS
WEIGHTS & DIMENSIONS		
Approx. shipping weight (lbs.)	227	163
Cabinet width (in.)	48	36
Overall dimensions (w x h x d) (in.)	47-7/8 x 8-1/2 x 27-1/2	35-7/8 x 8-1/2 x 27-1/2
POWER / RATINGS		
Voltage	120V	120V
ACCESSORIES		
Optional kits	CXPR8HKPMBT (Brushed Black) CXPR8HKPMBZ (Brushed Bronze) CXPR8HKPMCU (Brushed Copper)	CXPR6HKPMBT (Brushed Black) CXPR6HKPMBZ (Brushed Bronze) CXPR6HKPMCU (Brushed Copper)
Griddle	18,000-BTU Stainless steel and aluminum clad	

Warming Drawers

	CTW900P2NS1	CTW900P3ND1	CTW900P4NW2
Claims & Certification	ADA Compliant California Prop 65 UL	ADA Compliant California Prop 65 UL	ADA Compliant California Prop 65 UL
FEATURES & CONTROLS			
Capacity (cubic feet)	1.9 cu ft	1.9 cu ft	1.9 cu ft
Control location	Hidden	Hidden	Hidden
Operation	On/Off rocker switch	On/Off rocker switch	On/Off rocker switch
Indicator light	“On”	“On”	“On”
Variable temperature control	Proof(80) / Low(140) / Med(170) / High(210)	Proof(80) / Low(140) / Med(170) / High(210)	Proof(80) / Low(140) / Med(170) / High(210)
Variable humidity control	Crisp—moist	Crisp—moist	Crisp—moist
Rack configuration	Half rack	Half rack	Half rack
Drawer glide	Full-extension, ball-bearing glides	Full-extension, ball-bearing glides	Full-extension, ball-bearing glides
APPEARANCE			
Color appearance	SS	Matte Black	Matte White
Handle color	SS	SS	Brushed Bronze
Handle design	Café Pro	Café Pro	Café Pro
WEIGHTS & DIMENSIONS			
Approx. shipping weight (lbs.)	65	65	65
Net weight (lbs.)	59	59	59
Cabinet width compatibility (in.)	30	30	30
Interior dimensions (w x h x d) (in.)	23-7/8 x 6-1/4 x 22-1/16	23-7/8 x 6-1/4 x 22-1/16	23-7/8 x 6-1/4 x 22-1/16
Exterior dimensions (w x h x d) (in.)			
Cutout dimensions (w x h x d) (in.)	28-1/2 x 9-1/4 x 23-1/2	28-1/2 x 9-1/4 x 23-1/2	28-1/2 x 9-1/4 x 23-1/2
POWER / RATINGS			
Volts/Hertz/Amps	120V/60Hz/15Amps	120V/60Hz/15Amps	120V/60Hz/15Amps
Element power (watts)	450	450	450
Power cord length	4' 8"	4' 8"	4' 8"
Outlet type	3-prong grounding	3-prong grounding	3-prong grounding

COOKING

Gas Cooktops

	CGP70302NS1	CGP70362NS1	CGP95302MS1	CGP95303MS2	CGP95362MS1	CGP95363MS2
Claims & Certification	ADA Compliant	ADA Compliant	ADA Compliant California Prop 65	ADA Compliant California Prop 65	ADA Compliant California Prop 65	ADA Compliant California Prop 65
FEATURES & CONTROLS						
Number of burners	5	5	5	5	5	5
Control location	Front	Front	Front	Front	Front	Front
Control lock	•	•	•	•	•	•
Heavy-duty knobs	•	•	•	•	•	•
Backlit knobs	•	•	•	•	•	•
BURNER CONFIGURATION						
Burner type	Sealed	Sealed	Sealed	Sealed	Sealed	Sealed
Ignition type	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
Burner - left front	9,500 BTU	9,500 BTU	9,500 BTU	9,500 BTU	9,500 BTU	9,500 BTU
Burner - left rear	9,500 BTU	9,500 BTU	9,500 BTU	9,500 BTU	9,500 BTU	9,500 BTU
Burner - right front	12,000 BTU	15,000 BTU	12,000 BTU	12,000 BTU	15,000 BTU Power Boil	15,000 BTU Power Boil
Burner - right rear	5,000 BTU	5,000 BTU	5,000 BTU	5,000 BTU	5,000 BTU	5,000 BTU
Burner - center	18,000 BTU	18,000 BTU	20,000 BTU Tri-ring Power Boil	20,000 BTU Tri-ring Power Boil	20,000 BTU Tri-ring Power Boil	20,000 BTU Tri-ring Power Boil
GRATES						
Number of grates	1	1	1	1	1	1
Grate construction	Matte black, porcelain	Matte black, porcelain	Matte black, heavy-cast	Matte black, heavy-cast	Matte black, heavy-cast	Matte black, heavy-cast
Grate configuration	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous
Cast-iron griddle	Included	Included	Included	Included	Included	Included
APPEARANCE						
Color appearance	SS	SS	SS	SS	SS	SS
Cooktop color	SS	SS	SS	SS	SS	SS
Cooktop surface	Deep-recessed	Deep-recessed	Deep-recessed	Deep-recessed	Deep-recessed	Deep-recessed
Knob color	SS appearance	SS appearance	SS appearance	Brushed Bronze	SS appearance	Brushed Bronze
WEIGHTS & DIMENSIONS						
Approx. shipping weight (lbs.)	50	57	51	51	57	57
Net weight (lbs.)	44	51	45	45	51	51
Cabinet width compatibility (in.)	30	36	30	30	36	36
Overall dimensions (WxHxD in inches)	30-0/1 x 3-1/4 x 21-0/1	36-0/1 x 5-1/2 x 21-0/1	30 x 5-1/2 x 21	30 x 5-1/2 x 21	36 x 5-1/2 x 21	36 x 5-1/2 x 21
Cutout dimensions (W x D in inches)	28-1/2 x 19-5/8	33-7/8 x 19-1/8	28-1/2 x 19-5/8	28-1/2 x 19-5/8	33-7/8 x 19-1/8	33-7/8 x 19-1/8
POWER / RATINGS						
Amps Rating @ 120V, 60 Hz	5	5	5	5	5	5
ACCESSORIES						
	CXCG1K0PMSS (Brushed Stainless) CXCG1K0PMBT (Brushed Black) CXCG1K0PMBZ (Brushed Bronze) CXCG1K0PMCU (Brushed Copper)	CXCG1K0PMSS (Brushed Stainless) CXCG1K0PMBT (Brushed Black) CXCG1K0PMBZ (Brushed Bronze) CXCG1K0PMCU (Brushed Copper)	CXCG1K0PMBT (Brushed Black) CXCG1K0PMBZ (Brushed Bronze) CXCG1K0PMCU (Brushed Copper)	CXCG1K0PMBZ (Brushed Bronze) CXCG1K0PMBT (Brushed Black) CXCG1K0PMCU (Brushed Copper)	CXCG1K0PMBT (Brushed Black) CXCG1K0PMBZ (Brushed Bronze) CXCG1K0PMCU (Brushed Copper)	CXCG1K0PMBT (Brushed Black) CXCG1K0PMCU (Brushed Copper) CXCG1K0PMSS (Brushed Stainless)
Optional kits						
LP conversion kit	Included	Included	Included	Included	Included	Included

Electric Cooktops

	CHP95302MSS	CHP95362MSS	CEP70302MS1	CEP70303MS2	CEP70362MS1	CEP70363MS2	CEP90301NBB	CEP90302NSS	CEP90361NBB	CEP90362NSS
Claims & Certification	ADA Compliant UL California Prop 65	ADA Compliant UL California Prop 65	ADA Compliant UL California Prop 65	ADA Compliant UL California Prop 65	ADA Compliant UL California Prop 65	ADA Compliant UL California Prop 65	ADA Compliant UL	ADA Compliant UL	ADA Compliant	ADA Compliant UL
FEATURES										
Element type	Induction	Induction	Ribbon	Ribbon	Ribbon	Ribbon	Ribbon	Ribbon	Ribbon	Ribbon
Number of elements	4	5	5	5	5	5	5	5	5	5
SyncBurners	•	•	•	•	•	•	•	•	•	•
Hot surface indicators	•	•	•	•	•	•	•	•	•	•
Cooktop "On" indicators	•	•	•	•	•	•	•	•	•	•
Pan presence & size sensor	•	•	•	•	•	•	•	•	•	•
Custom Settings	•	•								
Multi-element timer	•	•								
Kitchen timer	•	•								
Keep Warm Setting			•	•	•	•	•	•	•	•
Melt setting	•	•	•	•	•	•	•	•	•	•
CONTROLS										
Type	Glide Touch	Glide Touch	Knob	Knob	Knob	Knob	Glass touch	Glass touch	Glass touch	Glass touch
Location	Front	Front	Front	Front	Front	Front	Front	Front	Front	Front
Control lock	•	•	•	•	•	•	•	•	•	•
Knob cleaning			Dishwasher-safe	Dishwasher-safe	Dishwasher-safe	Dishwasher-safe				
All-Off										
COOKTOP										
Element—left front	7" 2500W	7" 2500W	7" 1500W	7" 1500W	7" 1500W	7" 1500W	7" 1500W	7" 1500W	7" 1500W	7" 1500W
Element—left rear	7" 2500W	7" 2500W	7" 1500W	7" 1500W	7" 1500W	7" 1500W	7" 1500W	7" 1500W	7" 1500W	7" 1500W
Element—right front	11" 3700W	8" 3200W	8"5" 2200W Dual	8"5" 2200W Dual	9"7"5" 3000W Power Boil	9"7"5" 3000W Power Boil	8"5" 2200W Dual	8"5" 2200W Dual	9"7"5" 3000W Power Boil	9"7"5" 3000W Power Boil
Element—right rear	6" 1800W	6" 1800W	6" 1200W	6" 1200W	6" 1200W	6" 1200W	6" 1200W	6" 1200W	6" 1200W	6" 1200W
Element - Center		11" 3700W	9"7"5" 3000W Power Boil	9"7"5" 3000W Power Boil	12"9"6" 3600W Power Boil	12"9"6" 3600W Power Boil	9"7"5" 3000W Power Boil	9"7"5" 3000W Power Boil	12"9"6" 3600W Power Boil	12"9"6" 3600W Power Boil
Griddle	Optional	Optional	Optional	Optional	Optional	Optional	Included	Included	Included	Included
APPEARANCE										
Color appearance	SS	SS	SS	SS	SS	SS	Black	SS	Black	SS
Cooktop color	Flagstone Gray	Flagstone Gray	Black	Black	Black	Black	Black Ceramic Glass	Black Ceramic Glass	Black Ceramic Glass	Black Ceramic Glass
Cooktop surface	Gray ceramic glass with beveled-edge	Gray ceramic glass with beveled-edge	Gray ceramic glass with beveled-edge	Gray ceramic glass with beveled-edge	Gray ceramic glass with beveled-edge	Gray ceramic glass with beveled-edge	Gray ceramic glass with beveled-edge	Gray ceramic glass with beveled-edge	Gray ceramic glass with beveled-edge	Gray ceramic glass with beveled-edge
Cooktop frame							Black	SS	Black	SS
Knob color			SS	Brushed Bronze	SS	Brushed Bronze	Black	SS	Black	SS
WEIGHTS & DIMENSIONS										
Approx. shipping weight (lbs.)	45	57	48	48	55	55	46	46	58	58
Overall dimensions (WxHxD in inches)	29-3/4 x 4-5/8 x 20-7/8	36 x 4-5/8 x 20-3/8	29-3/4 x 5-9/16 x 20-7/8	29-3/4 x 5-9/16 x 20-7/8	36 x 5-9/16 x 20-3/8	36 x 5-9/16 x 20-3/8	29-7/8 x 3-3/8 x 21-1/2	29-7/8 x 3-3/8 x 21-1/2	36-1/8 x 3-3/8 x 21-0/1	36-1/8 x 3-3/8 x 21-0/1
Cutout Dimensions (Width x Depth) (In.)	28-1/2 x 19-5/8	33-7/8 x 19-1/8	28-1/2 x 19-5/8	28-1/2 x 19-5/8	33-7/8 x 19-1/8	33-7/8 x 19-1/8	28-1/2 x 19-5/8	28-1/2 x 19-5/8	33-7/8 x 19-1/8	33-7/8 x 19-1/8
POWER / RATINGS										
Amps @ 240V/ 208V	40/40	50/50	39.2/40	39.2/40	45/40	45/40	40/40	40/40	45/50	45/50
KW Rating @ 240V/208V	7.4/6.4	11.1/9.6	9.4/7.1	9.4/7.1	10.8/8.1	10.8/8.1	9.4/7.1	9.4/7.1	10.8/8.1	10.8/8.1
ACCESSORIES										
			CXCE1HKPMBT (Brushed Black) CXCE1HKPMBZ (Brushed Bronze) CXCE1HKPMCU (Brushed Copper)	CXCE1HKPMBT (Brushed Black) CXCE1HKPMCU (Brushed Copper) CXCE1HKPMSS (Brushed Stainless)	CXCE1HKPMBT (Brushed Black) CXCE1HKPMBZ (Brushed Bronze) CXCE1HKPMCU (Brushed Copper)	CXCE1HKPMBT (Brushed Black) CXCE1HKPMBZ (Brushed Bronze) CXCE1HKPMCU (Brushed Copper) CXCE1HKPMSS (Brushed Stainless)				
Optional kits										

COOKING

Wall Ovens

	CKS70DP2NS1	CTS70DP2NS1	CTS90DP3MD1	CTS90DP4MW2	CTS90FP3MD1	CKD70DP2NS1	CTS90FP4MW2		CTD70DP2NS1	CTD90DP3MD1	CTD90DP4MW2	CTD90FP3MD1	CTD90FP4MW2
	ADA Compliant Star-K California Prop 65 UL MADE IN AMERICA: 70 to 90% U.S. Content	ADA Compliant Star-K California Prop 65 UL MADE IN AMERICA: 70 to 90% U.S. Content	ADA Compliant Star-K California Prop 65 UL MADE IN AMERICA: 70 to 90% U.S. Content	ADA Compliant Star-K California Prop 65 UL MADE IN AMERICA: 70 to 90% U.S. Content	ADA Compliant Star-K California Prop 65 UL MADE IN AMERICA: 70 to 90% U.S. Content	Star-K California Prop 65 UL MADE IN AMERICA: 70 to 90% U.S. Content	ADA Compliant Star-K California Prop 65 UL MADE IN AMERICA: 70 to 90% U.S. Content		Star-K California Prop 65 UL MADE IN AMERICA: 70 to 90% U.S. Content	Star-K California Prop 65 UL MADE IN AMERICA: 70 to 90% U.S. Content	Star-K California Prop 65 UL MADE IN AMERICA: 70 to 90% U.S. Content	Star-K California Prop 65 UL MADE IN AMERICA: 70 to 90% U.S. Content	Star-K California Prop 65 UL MADE IN AMERICA: 70 to 90% U.S. Content
Claims & Certification													
CAPACITY													
Capacity (Cu. Ft.)	4.3	5.0	5.0	5.0	5.0	4.3 upper / 4.3 lower	5.0		5.0 upper / 5.0 lower	5.0 upper / 5.0 lower	5.0 upper / 5.0 lower	5.0 upper / 5.0 lower	5.0 upper / 5.0 lower
FEATURES													
Control Type	7" full-color touch LCD screen	7" full-color touch LCD screen	Glass touch; LED; Notification lighting	Glass touch; LED; Notification lighting	Dial; Glass touch; LED	7" full-color touch LCD screen	Dial; Glass touch; LED		Glass touch; LED; Notification lighting	Glass touch; LED; Notification lighting	Glass touch; LED; Notification lighting	Dial; Glass Touch; LCD	Dial; Glass Touch; LCD
Cooking system	True European Convection	True European Convection with Direct Air	True European Convection with Direct Air	True European Convection with Direct Air	True European Convection with Direct Air	True European Convection with Direct Air (Upper)	True European Convection with Direct Air		True European Convection with Direct Air (Upper) True European Convection (Lower)	True European Convection with Direct Air (Both Ovens)	True European Convection with Direct Air (Both Ovens)	True European Convection with Direct Air (Both Ovens)	True European Convection with Direct Air (Both Ovens)
Self-clean oven with Steam Clean option	•	•	•	•	•	•	•		•	•	•	•	•
Delay clean option	Variable	Variable	Variable	Variable	Variable	Variable	Variable		Variable	Variable	Variable	Variable	Variable
Automatic self-clean oven door lock	•	•	•	•	•	•	•		•	•	•	•	•
Scan-to-cook technology	•					•			•				
Ten-pass bake element		•	•	•	•	•	•		•	•	•	•	•
Eight-pass broil element	•	•	•	•	•	•	•		•	•	•	•	•
Hidden bake oven interior	•	•	•	•	•	•	•		•	•	•	•	•
WiFi Connect	•	•	•	•	•	•	•		•	•	•	•	•
Auto Recipe Conversion	•	•	•	•	•	•	•		•	•	•	•	•
Proof mode	•	•	•	•	•	Both ovens	•		Both ovens	Both ovens	Both ovens	Both ovens	Both ovens
Precision temperature probe	•	•	•	•	•	•	•		•	•	•	•	•
Warm mode	•	•	•	•	•	Both ovens	•		Both ovens	Both ovens	Both ovens	Both ovens	Both ovens
C° or F° programmable	•	•	•	•	•	•	•		•	•	•	•	•
Audible preheat signal	•	•	•	•	•	•	•		•	•	•	•	•
Electronic clock & kitchen timer	•	•	•	•	•	•	•		•	•	•	•	•
Control lock capability	•	•	•	•	•	•	•		•	•	•	•	•
Halogen interior oven lighting	•	•	•	•	•	•	•		•	•	•	•	•
Certified Sabbath Mode	•	•	•	•	•	•	•		•	•	•	•	•
Never-scrub oven racks	•	•	•	•	•	•	•		•	•	•	•	•
Heavy-duty oven racks	1	1	2	2	1	1 upper/1 lower	1		1 upper/1 lower	1 upper/1 lower	1 upper/1 lower	1 upper/1 lower	1 upper/1 lower
Rack positions	6 embossed	6 embossed	6-ladder	6-ladder	6-ladder	6 embossed (both ovens)	6-ladder		6 embossed (both ovens)	6-ladder rack positions (both ovens)	6-ladder rack positions (both ovens)	6-ladder rack positions (both ovens)	6-ladder rack positions (both ovens)
Oven interior	2 halogen interior oven Lights Black Gloss Finish Hidden Bake	2 halogen interior oven Lights Black Gloss Finish Hidden Bake	3 halogen interior oven Lights Black Gloss Finish Hidden Bake	3 halogen interior oven Lights Black Gloss Finish Hidden Bake	3 halogen interior oven Lights Black Gloss Finish Hidden Bake	2 halogen interior oven Lights (Both Ovens) Black Gloss Finish Hidden Bake	3 halogen interior oven Lights Black Gloss Finish Hidden Bake		2 halogen interior oven Lights (Both Ovens) Black Gloss Finish Hidden Bake	3 halogen interior oven Lights (Both Ovens) Black Gloss Finish Hidden Bake (Both Ovens)	3 halogen interior oven Lights (Both Ovens) Black Gloss Finish Hidden Bake (Both Ovens)	3 halogen interior oven Lights (Both Ovens) Black Gloss Finish Hidden Bake (Both Ovens)	3 halogen interior oven Lights (Both Ovens) Black Gloss Finish Hidden Bake (Both Ovens)
APPEARANCE													
Color appearance	Stainless Steel	Stainless Steel	Matte Black	Matte White	Matte Black	Stainless steel	Matte White		Stainless Steel	Black Slate	Matte White	Matte Black	Matte White
Frameless oven door(s)			Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless Steel					Stainless Steel	Stainless Steel
Oven door with window	Big View Soft-close hinges	Big View Soft-close hinges	Big View Drop-down	Big View Drop-down	Dual window French-Door	Big View Soft-close hinges	Dual window French-Door		Big View Soft-close hinges	Big View Drop-down	Big View Drop-down	Dual window French-Door (upper) Big View Drop-down (lower)	Dual window French-Door (upper) Big View Drop-down (lower)
Handle	Café Pro Style Brushed Stainless Customizable	Café Pro Style Brushed Stainless Customizable	Designer Style Stainless Steel	Designer Style Brushed Bronze	Designer Style Stainless Steel Café	Café Pro Style Brushed Stainless Customizable	Designer Style Brushed Bronze Café		Café Pro Style Brushed Stainless Customizable	Designer Style Stainless Steel Café	Designer Style Brushed Bronze Café	Stainless Steel Designer Style Café	Brushed Bronze Designer Style Café
WEIGHTS & DIMENSIONS													
Approx. shipping wt. (lbs.)	135	177	177	177	208	245	208		278	308	308	398	398
Oven cabinet width required (in.)	27	30	30	30	30	27	30		30	30	30	30	30
Overall dimensions (WxHxD) (in.)	25-1/4 x 27-5/8 x 23-1/2	28-5/8 x 27-5/16 x 23-1/2	28-5/8 x 27-5/16 x 23-1/2	28-5/8 x 27-5/16 x 23-1/2	28-5/8 x 27-5/16 x 23-1/2	25-1/4 x 50-1/8 x 23-1/2 (both ovens)	28-5/8 x 27-5/16 x 23-1/2		28-1/2 x 51-13/16 x 23-1/2 (both ovens)	28-5/8 x 51 15/16 x 23-1/2 (both ovens)	28-5/8 x 51 15/16 x 23-1/2 (both ovens)	28-5/8 x 51 15/16 x 23-1/2 (both ovens)	28-5/8 x 51 15/16 x 23-1/2 (both ovens)
Overall oven interior dimensions (WxHxD) (in.)	21-1/2 x 17-1/4 x 20	25 x 17-3/8 x 20-1/4	25 x 17-3/8 x 20-1/4	25 x 17-3/8 x 20-1/4	25 x 17-3/8 x 20-1/4	21-1/2 x 17-1/4 x 20 (both ovens)	25 x 17-3/8 x 20-1/4		25 x 17-3/8 x 20-1/4 (both ovens)	25 x 17-3/8 x 20-1/4 (both ovens)	25 x 17-3/8 x 20-1/4 (both ovens)	25 x 17-3/8 x 20-1/4 (both ovens)	25 x 17-3/8 x 20-1/4 (both ovens)
POWER / RATINGS													
KW rating @ 240V/208V	3/6/2.7	4/2/3.2	4/5/3.4	4/5/3.4	4/5/3.4	7/2/5.4	4/5/3.4		9/6.8	9/6.8	9/6.8	9/6.8	9/6.8
Amps @ 240V/208V	20/20	20/20	20/20	20/20	20/20	40/40	20/20		40/40	40/40	40/40	40/40	40/40
Convection Wattage	2400W	2400W	2400W	2400W	2400W	2400W	2400W		2400W	2400W	2400W	2400W	2400W
Bake Wattage	2600W	2850W	2850W	2850W	2850W	2600W	2850W		2850W	2850W	2850W	2850W	2850W
Broiler Wattage	3400W	4300W	4300W dual element	4300W dual element	4300W dual element	3400W	4300W dual element		4300W dual element	4300W dual element	4300W dual element	4300W dual element	4300W dual element
ACCESSORIES													
Optional kits	CXWS7H0PNBT (Brushed Black) CXWS7H0PNBZ (Brushed Bronze) CXWS7H0PNCU (Brushed Copper)	CXWS0H0PMBT (Brushed Black) CXWS0H0PMBZ (Brushed Bronze) CXWS0H0PMSS (Brushed Stainless) CXWS0H0PMCU (Brushed Copper)	CXWS0H0PMBT (Brushed Black) CXWS0H0PMBZ (Brushed Bronze) CXWS0H0PMCU (Brushed Copper)	CXWS0H0PMBT (Brushed Black) CXWS0H0PMSS (Brushed Stainless) CXWS0H0PMCU (Brushed Copper)	CXWSFH0PMBT (Brushed Black) CXWSFH0PMBZ (Brushed Bronze) CXWSFH0PMCU (Brushed Copper)	CXWD7H0PNBT (Brushed Black) CXWD7H0PNBZ (Brushed Bronze) CXWD7H0PNCU (Brushed Copper)	CXWSFH0PMBT (Brushed Black) CXWSFH0PMCU (Brushed Copper) CXWSFH0PMSS (Brushed Stainless)		CXWD0H0PMBT (Brushed Black) CXWD0H0PMBZ (Brushed Bronze) CXWD0H0PMCU (Brushed Copper)	CXWD0H0PMBT (Brushed Black) CXWD0H0PMBZ (Brushed Bronze) CXWD0H0PMCU (Brushed Copper)	CXWD0H0PMBT (Brushed Black) CXWD0H0PMSS (Brushed Stainless) CXWD0H0PMCU (Brushed Copper)	CXWDFH0PMBT (Brushed Black) CXWDFH0PMBZ (Brushed Bronze) CXWDFH0PMCU (Brushed Copper)	CXWDFH0PMBT (Brushed Black) CXWDFH0PMCU (Brushed Stainless) CXWDFH0PMSS (Brushed Copper)

Advantium Ovens

	CSB912P2NS1	CSB913P2NS1	CSB913P3ND1	CSB913P4NW2	CSB923P2NS1	CSB923P3ND1	CSB923P4NW2
Claims & Certifications	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65
FEATURES & CONTROLS							
Family-size oven	1.7 cu. ft.	1.7 cu. ft.	1.7 cu. ft.	1.7 cu. ft.	1.7 cu. ft.	1.7 cu. ft.	1.7 cu. ft.
Stainless steel oven interior	•	•	•	•	•	•	•
Cooking modes	Broil	•	•	•	•	•	•
	Convection	•	•	•	•	•	•
	Microwave	•	•	•	•	•	•
	Proof	•	•	•	•	•	•
	Speedcook	•	•	•	•	•	•
	Warm	•	•	•	•	•	•
Oven controls	Glass Touch & LCD	•	•	•	•	•	•
	Preprogrammed menu items	175+	175+	175+	175+	175+	175+
	Help pad	•	•	•	•	•	•
	Interior oven light	•	•	•	•	•	•
Custom recipe saver	•	•	•	•	•	•	•
Microwave sensor cooking controls	Cook	•	•	•	•	•	•
	Crisp Reheat	•	•	•	•	•	•
	Defrost	•	•	•	•	•	•
	Express	•	•	•	•	•	•
	Reheat	•	•	•	•	•	•
Microwave power output watts	950	950	950	950	950	950	950
27"/30" appearance	27"	30"	30"	30"	30"	30"	30"
APPEARANCE							
Color appearance	Stainless	Stainless	Matte Black	Matte White	Stainless	Matte Black	Matte White
Handle color	Brushed Stainless	Brushed Stainless	Brushed Stainless	Brushed Bronze	Brushed Stainless	Brushed Stainless	Brushed Bronze
Handle design	Café Pro Style	Café Pro Style	Café Pro Style	Café Pro Style	Café Pro Style	Café Pro Style	Café Pro Style
WEIGHTS & DIMENSIONS							
Overall oven interior dimensions (WxHxD in inches)	20-1/16 x 8-1/2 x 17	20-1/16 x 8-1/2 x 17	20-1/16 x 8-1/2 x 17	20-1/16 x 8-1/2 x 17	20-1/16 x 8-1/2 x 17	20-1/16 x 8-1/2 x 17	20-1/16 x 8-1/2 x 17
Overall dimensions (WxHxD in inches)	29-3/4 x 20-1/8 x 21-1/2	29-3/4 x 20-1/8 x 21-1/2	29-3/4 x 20-1/8 x 21-1/2	29-3/4 x 20-1/8 x 21-1/2	29-3/4 x 20-1/8 x 21-1/2	29-3/4 x 20-1/8 x 21-1/2	29-3/4 x 20-1/8 x 21-1/2
Oven cabinet width required (in.)	30	30	30	30	30	30	30
Approx. shipping weight (lbs.)	92	92	92	92	92	92	92
POWER/RATINGS							
Input Volts/Hertz	120V/60Hz	120V/60Hz	120V/60Hz	120V/60Hz	240V/208V/60Hz	240V/208V/60Hz	240V/208V/60Hz

Built-in Microwave Oven

	CWB713P2NS1
FEATURES & CONTROLS	
Family-size oven	1.7 cu ft
Control type	Glass Touch
Cooking technology	Convection
Microwave Watts (IEC-705)	975 W
Power levels	10
Combination Fast Cook	•
Convection Bake/Broil	•
Warm/Proof	•
Sensor cooking controls	Auto Cook
	Popcorn
Convenience cooking controls	Time Cook
	Defrost
Add 30 seconds	•
Control lockout	•
Timer on/off	•
Cooking complete reminder	•
Demo mode	•
Microwave oven interior	Stainless steel
Electronic digital display with clock	•
Interior lighting	Halogen
Oven racks	Pedestal
Turntable	•
Turntable diameter (in.)	16
APPEARANCE	
Color appearance	SS
Handle	•
WEIGHTS & DIMENSIONS	
Approx. shipping wt. (lbs.)	92
Overall oven interior dimensions (WxHxD in inches)	20-1/16 x 8-1/2 x 17
POWER / RATINGS	
Input Amps/Watts (max.)	14.0/1600
Input Volts/Hertz	120V/60Hz

Countertop Microwave Ovens

	CEB515P2NSS	CEB515P3NDS	CEB515P4NWM
Claims & Certification	ADA Compliant	ADA Compliant	ADA Compliant
CAPACITY			
Capacity (cu. ft.)	1.5	1.5	1.5
FEATURES			
Watts (IEC-705 test procedure)	1,000	1,000	1,000
WiFi Connect	•	•	•
Scan-to-cook technology	•	•	•
Electronic touch controls	•	•	•
Scrolling display with help	•	•	•
Demo mode			
Electronic digital display with clock	•	•	•
Display On/Off	•	•	•
Convection/ Bake	•	•	•
Microwave	Roast	•	•
	Combination	•	•
Sensor cooking controls	Popcorn	•	•
	Beverage	•	•
	Reheat	•	•
	Cook	•	•
Express Cook	1-6 min.	1-6 min.	1-6 min.
Warming control	•	•	•
Instant On controls	•	•	•
Time Cook	I & II	I & II	I & II
Auto/Time Defrost	•	•	•
Power levels	10	10	10
Turntable	Recessed	Recessed	Recessed
Turntable diameter (in.)	13.5	13.5	13.5
Timer On/Off	•	•	•
Cooking complete reminder	•	•	•
Control lockout	•	•	•
CONTROLS TOUCHPAD			
Add 30 seconds	•	•	•
Auto Bake	•	•	•
Auto Toast	•	•	•
Broil	•	•	•
Convection Bake	•	•	•
Convection Roast	•	•	•
Cook time	•	•	•
Mute On/Off	•	•	•
Warm	•	•	•
APPEARANCE			
Color appearance	Stainless steel	Matte Black	Matte White
Case color	Black	Black	Black
WEIGHTS & DIMENSIONS			
Approx. shipping weight	44	44	44
Overall oven exterior dimensions (WxHxD in inches)	21-3/4 x 13 x 20	21-3/4 x 13 x 20	21-3/4 x 13 x 20
Overall oven interior dimensions (WxHxD in inches)	15-1/2 x 10-7/8 x 15-1/2	15-1/2 x 10-7/8 x 15-1/2	15-1/2 x 10-7/8 x 15-1/2
POWER / RATINGS			
Input Volts/Hertz	120V/60Hz	120V/60Hz	120V/60Hz
Electrical Input—120V Amps	13	13	13
Electrical Input—120V Watts	1,500	1,500	1,500

Over-the-Range Microwave Ovens

	CVM517P2MS1	CVM517P3MD1	CVM517P4MW2	CVM521P2MS1
FEATURES				
Capacity (cu. ft.)	1.7	1.7	1.7	2.1
Watts-microwave (IEC-705 test procedure)	950 W	950 W	950 W	1,000 W
Factory-set recirculation				
CONTROLS				
Cook	•	•	•	•
Reheat	•	•	•	•
Popcorn	•	•	•	•
Steam Cook	•	•	•	•
Defrost	•	•	•	•
CONTROLS TOUCHPAD				
Add 30 seconds	•	•	•	•
Control lockout	•	•	•	•
Electronic touch controls				•
Mute On/Off	•	•	•	•
OVEN				
Interior/cooktop lighting	Halogen	Halogen	Halogen	Halogen
Turntable	•	•	•	•
Turntable diameter (in.)	13.5	13.5	13.5	14.25
APPEARANCE				
Color appearance	SS	Matte Black	Matte White	SS
Case color	Graphite Gray	Graphite Gray	Graphite Gray	Gray
Handle color	SS	Brushed Stainless	Brushed Bronze	SS
Handle design	Café Pro	Café Pro	Café Pro	Café Pro
Oven interior	Black	Black	Black	Black
Touchpad	Dorian Grey	Dorian Grey	Dorian Grey	Dorian Grey
WEIGHTS & DIMENSIONS				
Approx. shipping weight	95	95	95	74
Overall oven interior dimensions (WxHxD in inches)	21-5/9 x 9-6/15 x 14-1/4	21-5/9 x 9-6/15 x 14-1/4	21-5/9 x 9-6/15 x 14-1/4	21 x 10-7/8 x 14-1/2
POWER / RATINGS				
Exhaust vent fan	300-CFM	300-CFM	300-CFM	400-CFM
Input Volts/Hertz	120V/60Hz	120V/60Hz	120V/60Hz	120V/60Hz
Electrical input 120V Amperage	13	13	13	15
Electrical input 120V Watts	1,500	1,500	1,500	1,700
ACCESSORIES				
	CXOTRHKPMBZ (Brushed Bronze) CXOTRHKPMBT (Brushed Black) CXOTRHKPMCU (Brushed Copper)	CXOTRHKPMBZ (Brushed Bronze) CXOTRHKPMBT (Brushed Black) CXOTRHKPMCU (Brushed Copper)	CXOTRHKPMBT (Brushed Black) CXOTRHKPMCU (Brushed Copper) CXOTRHKPMSS (Brushed Stainless)	CXOTRHKPMBZ (Brushed Bronze) CXOTRHKPMBT (Brushed Black) CXOTRHKPMCU (Brushed Copper)
Optional kits				
Optional side filler panel kit	JX36DDS	JX36DDS	JX36DDS	JX36DSS
Recirculating charcoal filter kit	JX81H	JX81H	JX81H	JX81H

HOODS

Hoods

CVW73012MSS CVW73013MDS CVW73014MWM CVW73612MSS CVW73613MDS CVW73614MWM CVW93012MSS CVW93013MDS CVW93014MWM CVW93612MSS CVW93613MDS CVW93614MWM CV48SSLSS													
										CUL HVI UL California Prop 65	CUL HVI UL California Prop 65	CUL HVI UL	HVI California Prop 65
Claims & Certification	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65					
FEATURES & CONTROLS													
Control type	Backlit	Backlit	Backlit	Backlit	Backlit	Backlit				Rotary knobs	Rotary knobs	Rotary knobs	Rotary knobs
Control location	Front	Front	Front	Front	Front	Front	Hidden	Hidden	Hidden	Hidden	Hidden	Hidden	Front
Chef Connect	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Number of fan speeds	4	4	4	4	4	4	4	4	4	4	4	4	4
Number of blowers	1	1	1	1	1	1	1	1	1	1	1	1	2
FILTERS													
Filter cleaning	Dishwasher safe	Dishwasher safe	Dishwasher safe	Dishwasher safe	Dishwasher safe	Dishwasher safe	Dishwasher safe	Dishwasher safe	Dishwasher safe	Dishwasher safe	Dishwasher safe	Dishwasher safe	Dishwasher safe
LIGHTING													
Number of cooktop lights	2	2	2	2	2	2	2	2	2	2	2	2	3
Lighting control	On/Off/Night	On/Off/Night	On/Off/Night	On/Off/Night	On/Off/Night	On/Off/Night	Off/High/Night	Off/High/Night	Off/High/Night	Off/High/Night	Off/High/Night	Off/High/Night	Off/High/Night
Type of lighting	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen
Light bulbs	Included	Included	Included	Included	Included	Included	Included	Included	Included	Included	Included	Included	Included
INSTALLATION													
Mounting	Wall	Wall	Wall	Wall	Wall	Wall	Wall	Wall	Wall	Wall	Wall	Wall	Wall
Venting type	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Vented
Exhaust direction	Top	Top	Top	Top	Top	Top	Top	Top	Top	Top	Top	Top	Top
Round duct diam. (in.)	6	6	6	6	6	6							6
CFM/SONES RATING													
Top round (boost speed)	350/61	350/61	350/61	350/61	350/61	350/61							
Top round (high speed)	330/5.4	330/5.4	330/5.4	330/5.4	330/5.4	330/5.4	590/7.5	590/7.5	590/7.5	590/7.5	590/7.5	590/7.5	940/10.5
Top round (working speed)	160/0.9	160/0.9	160/0.9	160/0.9	160/0.9	160/0.9	160/0.4	160/0.4	160/0.4	160/0.4	160/0.4	160/0.4	410/4
APPEARANCE													
Color appearance	Stainless	Matte Black	Matte White	Stainless	Matte Black	Matte White	Stainless	Matte Black	Matte White	Stainless	Matte Black	Matte White	Stainless
WEIGHTS & DIMENSIONS													
Approx. shipping weight (lbs.)	60	60	60	60	60	60	68	68	68	77	77	77	130
Net weight (lbs.)	43	43	43	46	46	46	54	54	54	54	60	60	120
Cabinet width compatibility (in.)	30	30	30	36	36	36	30	30	30	36	36	36	48
Overall dimensions (WxHxD in inches)	30 x 1-3/4 x 18-1/2	30 x 1-3/4 x 18-1/2	30 x 1-3/4 x 18-1/2	36 x 1-3/4 x 18-1/2	36 x 1-3/4 x 18-1/2	36 x 1-3/4 x 18-1/2	30 x 18 x 21	30 x 18 x 21	30 x 18 x 21	36 x 18 x 21	36 x 18 x 21	36 x 18 x 21	48 x 18 x 25
POWER / RATINGS													
Amp rating @ 120V	5.3	5.3	5.3	5.3	5.3	5.3	3.9	3.9	3.9	3.9	3.9	3.9	12.5
OPTIONAL ACCESSORIES													
Duct cover	UX10DC73SS 10' high ceiling	UX10DC73DS 10' high ceiling	UX10DC73WM 10' high ceiling	UX10DC73SS 10' high ceiling	UX10DC73DS 10' high ceiling	UX10DC73WM 10' high ceiling							UX48DC6J UX48DC12J
Charcoal filter	JXCF71	JXCF71	JXCF71	JXCF71	JXCF71	JXCF71							
Remote control	JXRC70	JXRC70	JXRC70	JXRC70	JXRC70	JXRC70							

KITCHEN HUB

Kitchen Hub

	UVH13012MSS UVH13013MDS UVH13014MWM
Claims & Certification	ADA Compliant UL
FEATURES & CONTROL	
Control type	27" touchscreen
Control location	Front
Number of fan speeds	4
Number of blowers	1
Platform	Android 8.1
Featured integrations	Nest, Phillips Hue, The Google Assistant
Google Voice Assistant	Yes
Cameras	Front and overhead
Flavorly Recipe App	Included
U+ Connect Smart Home App	Yes
Video & music streaming*	Yes
FILTERS	
Number of filters	2
Included grease filter type	Aluminum mesh
Filter cleaning	Dishwasher safe
LIGHTING	
Number of cooktop lights	3
Lighting control	On/Off/Night
Type of lighting	LED
INSTALLATION	
Mounting	Wall
Venting type	Convertible
Exhaust direction	Vertical (top), horizontal (rear), recirculation
Rectangular duct dimensions (in.)	3-1/4 x 10
CFM/SONES RATINGS	
Top round (blower boost speed)	610/5.5
Top round (high speed)	380/4.0
APPEARANCE	
Color appearance*	Stainless Matte Black Matte White
WEIGHT & DIMENSIONS	
Approx. shipping wt. (lbs.)	65
Net weight (lbs.)	58
Cabinet width compatibility (in.)	30
Overall dimensions (WxHxD in inches)	29-3/4 x 16-1/2 x 16
POWER/RATINGS	
Amp rating @120V	3.9
OPTIONAL ACCESSORIES	
Makeup air accessory kit—8", 6" duct	JXMUA8
Charcoal filter	UXCF91

*Requires compatible music or video streaming app downloaded from the Google Play Store and subscription may be required.

DISHWASHERS

Dishwashers

	CDT866P2MS1*** CDT866P4MW2 CDT866P3MD1	CDT845P2NS1 CDT845P4NW2 CDT845P3ND1	CDT805P2NS1
ENERGY STAR® certified	•	•	•
NSF® certified	•	•	•
FEATURES			
Interior	Stainless steel	Stainless steel	Stainless steel
Tube and door liner	Stainless steel	Stainless steel	Stainless steel
Place settings	Up to 16	Up to 16	Up to 16
Front appearance	Top control	Top control	Top control
Wash system	3-level; 800 Series	3-level; 800 Series	3-level; 800 Series
Cleaning jet wash system	140+ jets	100+ jets	
Water filtration	100% filtration with hard-food disposer and removable filter	100% filtration with hard-food disposer and removable filter	100% filtration with removable filter
Hard-food disposer	Hard-food disposer	Hard-food disposer	Hard-food disposer
Wash levels	Lower—Reversing quad-blade; Middle—quad-blade	Lower—Reversing quad-blade; Middle—quad-blade	Lower—Reversing quad-blade; Middle—quad-blade
Bottle Jets	•	•	•
Side jets	•		
Jets	Variable pressure	Deep Clean Silverware Jets	
Automatic temperature control	•	•	•
Sensor	Clean Sensor	Clean Sensor	Clean Sensor
Rinse aid dispenser	With indicator and adjustment	With indicator and adjustment	With indicator and adjustment
Electronic controls	•	•	•
Exterior status LED	Bi-color	Bi-color	Bi-color
LCD	•		
WiFi Connect	Built-in	Optional (Requires part no. PBX23W00Y0)	Optional (Requires part no. PBX23W00Y0)
Touchpads		12	12
Cycles and options	7	5	5
3-digit countdown display	Countdown display	Countdown display	Countdown display
Last cycle memory	•	•	•
Audible end-of-cycle	•	•	•
Cycles	Auto Sense/Express/Heavy Wash/Light Wash/Normal Wash/Rinse/eWash	Auto/China/Express/ Normal/Pots	Auto/China/Express/ Normal/Pots
OPTIONS			
Bottle Jets	4	4	4
Wash zones	•	•	•
Steam PreWash/PreSoak	PreSoak	Steam	Steam
Delay Start	1- to 12-hr.	1- to 12-hr.	1- to 12-hr.
Wash Temp-Boost	•	•	
Wash Temp-Sanitize (NSF*)	•	•	•
Heated dry	•	Ultra Dry	Ultra Dry
Lock controls		•	•
Third Rack	•	•	•
Rack finish	Black Pearl	Black Pearl	Black Pearl
Ball-tip tines	•	•	•
Upper rack	Premium height adjustable	Premium height adjustable	Premium height adjustable
Fold-down-tine flexibility	1/2 fold-down tines, upper; 1/2 fold-down tines, lower	1/2 fold-down tines, upper; 1/2 fold-down tines, lower	1/2 fold-down tines, upper; 1/2 fold-down tines, lower
Utility shelves	2 Stem Safe	2 Stem Safe	2 Stem Safe
Lower rack	Multi-position fold-down tines	1/2 fixed tines, 1/2 fold-down tines	1/2 fixed tines, 1/2 fold-down tines
Silverware basket	3-pc.	3-pc.	3-pc.
Handle design	Café	Café	Café
DRY			
Hidden heater	•		
SOUND INSULATION PACKAGE**			
	40 dBA	45 dBA	45 dBA
INSTALLATION			
Flush cabinet	Flush cabinet	Flush cabinet	Flush cabinet
Built-up-floor capable	•	•	•
Side trim installation strips	•	•	•
FLOOR PROTECTION			
Floor protect with alert	Floor protect with alert		
DIMENSIONS HxWxD (IN.)			
	34 x 24 x 24	34 x 24 x 24	34 x 24 x 24
Approx. shipping weight	137	137	118
ACCESSORIES			
Optional kits	CXADTHIPMBT (Brushed Black) CXADTHIPMBZ (Brushed Bronze) CXADTHIPMCU (Brushed Copper) CXADTHIPMSS (Brushed Stainless)	CXADTHIPMBT (Brushed Black) CXADTHIPMBZ (Brushed Bronze) CXADTHIPMCU (Brushed Copper) CXADTHIPMSS (Brushed Stainless)	CXADTHIPMBT (Brushed Black) CXADTHIPMBZ (Brushed Bronze) CXADTHIPMCU (Brushed Copper) CXADTHIPMSS (Brushed Stainless)

*Certified by National Sanitation Foundation.
**dBA levels based on Owens-Corning IEC-60704 lab testing.
***Handle not customizable

Nomenclatures

Refrigeration

C	F	E	2	8	T	P	3	M	D	1
Brand C=Café	Energy E=ENERGY STAR	Feature pack U=K-Cup	Appearance P=Professional	Capacity Cu. Ft.	Finish Type 2=Stainless 3=Matte Black 4=Matte White	Model year	Door Finish S=Stainless D=Matte Black W=Matte White	Handle Color 1=Brushed Stainless 2=Brushed Bronze		
Configuration/Depth F=French-Door W=French-Door, Counter-Depth, Non-Dispenser Y=French-Door, Counter-Depth with External Dispenser										

Icemakers

U	N	C	1	5	N	J	I	I
Configuration U=Universal	Ice N=Nugget Ice C=Clear Ice	C=Panel Ready	Size (width) Inches	N=No Shelf	Model year	Product Color II=Panel Ready		

Under-Counter Refrigerators

C	D	E	0	6	R	P	4	N	W	2
Brand C=Café	C=Panel Ready E= ENERGY STAR P=Pro Handle R=Recessed handle S=Full-Size Handle	Feature Pack U=K-Cup	Appearance C=Professional with Custom Handles P=Professional with Standard Handles	Model year	Door Finish D=Black Slate S=Stainless T=Black Stainless W=White Slate	Handle Color 1=Stainless 2=Blush Bronze 3=Copper 4=Black Stainless 5=Glass integrated	Finish Type 1=Standard 2=Stainless 3=Premium Black Slate 4=Premium White Slate 5=Premium Glass			
Configuration C=Built-in Capable/Clear Ice D=Double Door or Drawer F=All Refrigerator H=Derivative SKU M=Manual Defrost N=Nugget Ice T=Thermoelectric Wine V=Wine & Bev Centers W=Wine Center		Capacity Cu. Ft.								

Wall Ovens

C	T	T	7	0	D	M	2	N	S	1
Brand C=Café	Cavity Configuration S=Single D=Double C=Combination	Series	Door Access D=Drop-Down F=French-Door	Base Color 2=Stainless 3=Matte Black 4=Matte White	Finish S=Stainless D=Matte Black W=Matte White	Model Year	Default Handle Kit 1=Brushed Stainless (Professional) 2=Brushed Bronze (Professional)			
Width K=27" T=30"			Appearance P=Professional							

Advantium® Ovens

C	S	B	9	2	3	M	2	N	S	1
Brand C=Café	Installation A=Above-the-Range B=Built-In	1=120V 2=240V	Series	Width 2=27" 3=30"	Appearance P=Professional	Base Color 2=Stainless 3=Matte Black 4=Matte White	Model year	Finish S=Stainless D=Matte Black W=Matte White	Default Handle Kit 1=Brushed Stainless (Professional) 2=Brushed Bronze (Professional)	
Cooking Type W=Conv. Micro S=Speedcook Advantium										

Microwave Ovens

C	E	B	5	1	5	P	2	M	S	S
Brand C=Café	Installation B=Built-In Capable M=Mounts Under Cabinet	Capacity 15=1.5 cu. ft. 17=1.7 cu. ft. 21=2.1 cu. ft.	Appearance P=Professional	Model year	Base Color 2=Stainless 3=Matte Black 4=Matte White	Finish S=Stainless D=Matte Black W=Matte White				
Type E=Countertop V=Externally Vented N=Non-vented W=Microwave Wall Oven		Series 5=9 Series								

Pro Ranges and Rangetops

C	G	U	3	6	6	P	2	M	S	1
Brand C=Café	Fuel G=Gas 2=Dual Fuel	Platform U=Pro Rangetop Y=Pro Range	Width 36=36" 48=48"	Burners 6=6 Burners	Appearance P=Professional	Finish 2=Stainless	Model year	Finish S=Stainless D=Matte Black W=Matte White	Default Handle Kit 1=Brushed Stainless 2=Brushed Bronze	

Ranges

C	H	S	9	5	0	P	2	M	S	1
Brand C=Café	Configuration B=30" Freestanding S=30" Slide-In/ Front-Control	Oven Type 00=Single Oven 50=Double Oven 0X=Hero Model	Series 5-9 Series	Appearance P=Professional	Base Color 2=Stainless 3=Matte Black 4=Matte White	Model year	Door Finish S=Stainless D=Matte Black W=Matte White	Default Handle Kit 1=Brushed Stainless 2=Brushed Bronze		
Fuel Type E=Electric H=Induction G=Gas 2=Dual Fuel										

Cooktops

C	H	P	9	5	3	6	2	M	S	S
Brand C=Café	Configuration P= Cooktop	Series/Feature Pack 70 or 95	Width 30" or 36"	Style 1=Color 2=Stainless 3=Premium Knobs	Color Radiant S1=SS Knobs S2=BZ Knobs and Black Cooktop	Gas S1=SS Knobs S2=BZ Knobs and Stainless Cooktop	Induction SS=Flagstone Gray	Model year		
Fuel Type E=Electric G=Gas H=Induction										

Ventilation

C	V	W	9	3	6	1	2	L	S	S
Brand C=Café	Feature Pack W=Wall mount C=Custom insert B=Downdraft	Width 30=30" 36=36" 42=42" 48=48"	Series 1-9=Series	Differentiating Character	Base Color 2=Stainless 3=Matte Black 4=Matte White	Model year	Finish SS=Stainless DS=Matte Black WM=Matte White			
Configuration V=Vented/ Convertible N=Non vented										

Kitchen Hub

U	V	H	1	3	0	1	2	M	S	S
Brand U=Universal	V=Vented/Convertible	H=Hub	Series 1-9 Series	Width 30=30"	Differentiating Character	Base Color 2=Stainless 3=Matte Black 4=Matte White	Model year	Product Color SS=Stainless TS=Black Stainless WM=Matte White DS=Matte Black		

Dishwashers

C	D	T	8	6	6	P	4	M	W	2
Brand C=Café	Configuration DT=Dishwasher, Top Control	Feature Pack	Appearance P=Professional	Base Color 2=Stainless 3=Matte Black 4=Matte White	Model year	Door Finish D=Matte Black M=Matte White S=Stainless	Handle Color 1=Brushed Stainless 2=Brushed Bronze			

Limited Warranty Information

(See written warranty for complete details)

The condensed list below is a convenient overview of the written warranties offered on various Café Appliances described in this catalog for products manufactured on or after January 1, 2006. For complete warranty details on a specific Café Appliances model, contact your nearest Café Appliances supplier, or call Café Appliances Factory Service, toll-free, 800.GE.CARES (800-432-2737).

Refrigerators, Wine and Beverage Centers, Ice Makers

ALL CAFÉ MODELS	
For the period of	Café Appliances will replace
One year From the date of the original purchase	Any part in the refrigerator which fails due to a defect in materials or workmanship. During this limited one-year warranty , Café Appliances will provide, free of charge , all labor and related service costs to replace the defective part.
Five years From the date of the original purchase	Any part of the sealed refrigerating system (the compressor, condenser, evaporator and all connecting tubing) which fails due to a defect in materials or workmanship. During this limited five-year sealed refrigerating system warranty , Café Appliances will also provide, free of charge , all labor and related service costs to replace the defective part.

Icemakers

FOR REFRIGERATORS	
For the period of	Café Appliances will replace
One year From the date of the original purchase	Any part in the icemaker which fails due to a defect in materials or workmanship. During this limited one-year warranty , Café Appliances will provide, free of charge , all labor and related service costs to replace the defective part.

Ranges, Cooktops, Wall Ovens, Warming Drawers and Hoods

ALL CAFÉ MODELS	
For the period of	Café Appliances will replace
One year From the date of the original purchase	Any part in the cooking product which fails due to a defect in materials or workmanship. During this limited one-year warranty Café Appliances will provide, free of charge , all labor and related service costs to replace the defective part.

Kitchen Hub

ALL CAFÉ MODELS	
For the period of	Café Appliances will replace
One year From the date of the original purchase	Any part in the cooking product which fails due to a defect in materials or workmanship. During this limited one-year warranty Café Appliances will provide, free of charge , all labor and related service costs to replace the defective part.

Speedcook Ovens with Advantium® Technology

ALL CAFÉ MODELS	
For the period of	Café Appliances will choose to replace or service
One year From the date of the original purchase	Any part of the oven which fails due to a defect in materials or workmanship. During this limited one-year warranty , Café Appliances will provide, free of charge , all labor and related services costs to replace the defective part.
Five years (CSA1201 ONLY) From the date of the original purchase	The magnetron tube, if the magnetron tube fails due to a defect in the materials or workmanship. During this five-year limited warranty , you will be responsible for any labor or in-home service costs.

Over-The-Range and Countertop Microwave Ovens

ALL CAFÉ MODELS	
For the period of	Café Appliances will choose to replace or service
One year From the date of the original purchase	Any part in the microwave which fails due to a defect in materials or workmanship. During this limited one-year warranty, Café Appliances will also provide, free of charge, all labor and in-home service costs to replace the defective part.
Five years (CVM1750, CVM1790 & CEB1599 ONLY) From the date of the original purchase	The magnetron tube, if the magnetron tube fails due to a defect in the materials or workmanship. During this five-year limited warranty, you will be responsible for any labor or in-home service.

Dishwashers and Compactors

CAFÉ	
For the period of	Café Appliances will replace
One year From the date of the original purchase	Any part in the dishwasher or compactor which fails due to a defect in materials or workmanship. During this limited one-year warranty , Café Appliances will provide, free of charge , all labor and related service costs to replace the defective part.

Parts and Accessories

For the period of	Café Appliances will replace
One year From the date of the original purchase	Any part or accessory which fails due to a defect in materials or workmanship. During this limited one-year warranty , Café Appliances will provide, free of charge , all labor and related service costs to replace the defective part.

For each product listed

What Café Appliances will not cover:
<ul style="list-style-type: none">■ Service trips to your home to teach you how to use the product■ Improper installation■ Replacement of house fuses or resetting of circuit breakers■ Failure of the product if it is abused, misused or used for anything other than the intended purpose or used commercially■ Damage to product caused by accident, fire, floods or acts of God■ Incidental or consequential damage caused by possible defects with this appliance

EXCLUSION OF IMPLIED WARRANTIES - Your sole and exclusive remedy is product repair as provided in this Limited Warranty. Any implied warranties, including the implied warranties of merchantability or fitness for a particular purpose, are limited to one year or the shortest period allowed by law.
--

This warranty is extended to the original purchaser and any succeeding owner for products purchased for home use within the USA. In Alaska, the One-Year Warranty excludes the cost of shipping, or service calls to your home. Some states do not allow the exclusion or limitation of incidental or consequential damages. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. To know what your legal rights are, consult your local or state consumer affairs office or your state's Attorney General.

Accessibility Requirements

Refrigerators/Freezers

Uniform Federal Accessibility Standards (UFAS)
TOP-FREEZERS AND SIDE-BY-SIDES
Regulation #/ Description: 4.2.6* Side Reach —If the clear floor space allows parallel approach by a person in a wheelchair, the maximum high side reach allowed shall be 54" (1370mm) and the low side reach shall be no less than 9" (230mm) above the floor. 4.27.4 Operation —Controls and operating mechanisms shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no greater than 5lbf (222N). 4.34.6.8* Refrigerators/Freezers —Refrigerators/freezers shall comply with 4.34.6.3. Provision shall be made for refrigerators which are: (1) Of the vertical side-by-side refrigerator/freezer type; OR (2) Of the over-and-under type and meet the following requirements: (a) Have at least 50 percent of the freezer space below 54" (1370mm) above the floor. (b) Have 100 percent of the refrigerator space and controls below 54" (1370mm).
Americans with Disabilities Act (ADA)/ANSI Standard Requirements

TOP-FREEZERS AND FRENCH-DOOR BOTTOM-FREEZERS WITH EXTERNAL DISPENSER CONTROLS
Regulation #/ Description: 804.6.2 & 804.6.6 —Operable parts shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate operable parts shall be 5lbf max. 309.4 EXCEPTION: Appliance door and door latching devices do not need to comply with requirement. 804.6.2. Refrigerators/freezers shall have at least 50 percent of the freezer space 54" (1370 mm) max. above the floor. The clear floor or ground space shall be positioned for a parallel approach to the space dedicated to a refrigerator/freezer with the centerline of the clear floor or ground space offset 24" (610 mm) maximum from the centerline of the dedicated space. Preference for side-by-side and top-mount eliminated; bottom-mount now acceptable 804.6.6.
The following appliance categories meet criteria for both the Uniform Federal Accessibility Standards (UFAS) and the Americans with Disabilities Act (ADA) requirements.

Wall Ovens

SINGLE SELF-CLEAN OVENS
Regulation #/ Description: 4.2.5 —maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15". 4.27.4 —controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf. 4.34.6.7 —ovens shall have controls on front panels; they may be located on either side of the door.

Slide-in/Drop-in Ranges

ELECTRIC AND GAS
Regulation #/ Description: 4.2.5 —maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15". 4.27.4 —controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf. 4.34.6.6 —if ovens or cooktops have knee spaces underneath then they shall be insulated or otherwise protected on the exposed surfaces to prevent burns, abrasions, or electrical shock. The location of controls for ranges and cooktops shall not require reaching across burners

Electric Cooktops

FRONT CONTROL
Regulation #/ Description: 4.2.5 —maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15". 4.27.4 —controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf. 4.34.6.6 —if ovens or cooktops have knee spaces underneath then they shall be insulated or otherwise protected on the exposed surfaces to prevent burns, abrasions, or electrical shock. The location of controls for ranges and cooktops shall not require reaching across burners.

Gas Cooktops

Regulation #/ Description: 4.2.5 —maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15". 4.27.4 —controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf. 4.34.6.6 —if ovens or cooktops have knee spaces underneath then they shall be insulated or otherwise protected on the exposed surfaces to prevent burns, abrasions, or electrical shock. The location of controls for ranges and cooktops shall not require reaching across burners.
--

Free-standing Ranges

ELECTRIC AND GAS
Regulation #/ Description: 4.2.5 —maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15". 4.27.4 —controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf. 4.34.6.6 —if ovens or cooktops have knee spaces underneath then they shall be insulated or otherwise protected on the exposed surfaces to prevent burns, abrasions, or electrical shock. The location of controls for ranges and cooktops shall not require reaching across burners.

Microwave Ovens

BUILT-IN CONFIGURATION
Regulation #/ Description: 4.2.5 —maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15". 4.27.4 —controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf.

Dishwashers

Regulation #/ Description: 4.2.5 —maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15". 4.27.4 —controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf. 4.34.6.9 —all rack space shall be accessible from the front of the machine for loading and unloading dishes.
--

CafeAppliances.com

@cafeappliances

