

TACOMA 4X2/PRERUNNER FEATURES 2002

TACOMA 4X2 / PRERUNNER	XTRACAB	PRERUNNER XTRACAB	PRERUNNER XTRACAB V6	PRERUNNER DOUBLE CAB V6
INTERIOR				
• Tachometer	•	•	•	•
• Front Passenger Vanity Mirror	•	•	•	•
• Map Lamps			•	•
• Illuminated Entry System	•	•	•	•
• Front Bucket Seats	•	•	•	•
• 60/40 Split Fold-Down Rear Seat				•
• 50/50 Split Rear Jump Seats with Fold-Down Cushions	•	•	•	
• Full Fabric Seats, Fabric Door Trim	•	•	•	•
• Carpet Mats	•	•	•	•
• Tilt, 4-Spoke Steering Wheel	•	•	•	•
• AM/FM Cassette CD, 6-Speakers	•	•	•	•
• Power Door Locks & Windows			•	•
• Air Conditioning			•	•
CONVENIENCE				
• Door Map Pockets	•	•	•	•
• Cruise Control	•		•	•
• Front & Rear Cup Holders	•	•	•	•
• Accessory Power Outlets	•	•	•	•
• Storage Under Rear Seat	•	•	•	
• Digital Clock	•	•	•	•
SAFETY				
• Driver & Front Passenger Airbag Supplemental Restraint System (SRS)*	•	•	•	•
• Front Seatbelt Pretensioners & Force Limiters	•	•	•	•
• Adjustable "B" Pillar Shoulder Belt Anchors, Outboard 3-Point Lap & Shoulder Belts	•	•	•	•
• Anchor Points for Child Restraint Seats	•	•	•	•
• Low Fuel Warning, Door Ajar, Low Washer Fluid Warnings	•	•	•	•
• Front Tow Hook	•	•	•	•
EXTERIOR				
• Dual Foldable Mirrors		•	•	•
• Dual Remote Control Mirrors	•	•		
• Dual Power Remote Control Mirrors			•	•
• Intermittent Wipers	•	•	•	•
• Tilt-Out Rear Quarter Windows	•	•	•	
• Sliding Rear Window	•	•	•	•
• Privacy Glass	•		•	•
• Fender Flares			•	•
• Front & Rear Splash Guards	•	•	•	•
• Aero Style Multi-Reflector Halogen Headlamps	•	•	•	•
• Styled Steel Wheels	•	•		
• Aluminum Alloy Wheels, Wheel Locks			•	•
• Chrome Bumpers & Trim	•		•	•
• Rear Step Bumper	•	•	•	•
• Roof Rack				•
• 6 Foot Cargo Bed	•	•	•	
• 5 Foot Cargo Bed				•
Additional Accessories :				
• Bed Liner, Bed Mat, Bed Extender, Cargo Net, All Weather Floor Mats	○	○	○	○
• 6-Disc Remote CD Changer, Security System, Spare Tire Lock	○	○	○	○
• Front End Mask, Hood Deflector, Tonneau Cover	○	○	○	○
• Towing Hitch, Block Heater	○	○	○	○
• Air Conditioning	○	○		

• - Standard ○ - Optional *See Airbag Notice Information correct at time of printing. Subject to change without notice.

TACOMA 4X2/PRERUNNER SPECIFICATIONS 2002

TACOMA 4X2 / PRERUNNER			XTRACAB	PRERUNNER XTRACAB	PRERUNNER XTRACAB V6	PRERUNNER DOUBLE CAB V6
MECHANICAL						
Engine	2RZ-FE 3RZ-FE 5VZ-FE	• 2.4 Litre (2438cc), 4-Cylinder, DOHC, 16-Valve, Sequential Multiport Electronic Fuel Injection, LEV* • 2.7 Litre (2694cc), 4-Cylinder, DOHC, 16-Valve, Sequential Multiport Electronic Fuel Injection, LEV* • 3.4 Litre (3378cc), V6, DOHC, 24-Valve, Sequential Multiport Electronic Fuel Injection, LEV*	•	•	•	•
Compression Ratio		• 9.5:1 • 9.6:1	•	•	•	•
Horsepower (kW)		• 142 (106) @ 5000 rpm • 150 (112) @ 4800 rpm • 190 (142) @ 4800 rpm	•	•	•	•
Torque (N.m)		• 160 lb. ft. (217) @ 4000 rpm • 177 lb. ft. (240) @ 4000 rpm • 220 lb. ft. (298) @ 3600 rpm	•	•	•	•
Suspension		• Front: Independent, Double-Wishbone, Coil Springs, Stabilizer Bar, Gas-Filled Shock Absorbers • Rear: Multi-Leaf Springs & Bias Mounted Gas-Filled Shock Absorbers • Bilstein [†] Shock Absorbers with Locking Rear Differential • Tokico [†] Shock Absorbers with Locking Rear Differential	•	•	•	•
Drivetrain		• Front Engine/Rear-Wheel Drive	•	•	•	•
Transmission		• 5-Speed Overdrive Manual • 4-Speed Electronically Controlled Overdrive Automatic with Overdrive Cancel Switch	•	•	•	•
Brakes		• Power-Assisted Ventilated Front Discs/Rear Drums	•	•	•	•
Steering		• Rack & Pinion with Variable Power Assist	•	•	•	•
Tires		• All-Season Radials P205/75R15, Full-Size Spare • All-Season Radials P225/75R15, Full-Size Spare • Off-Road Radials P265/70R16, Full-Size Spare	•	•	•	•
DIMENSIONS						
	<i>mm (in.)</i>					
Length	Xtracab 5010 (197.2)	PreRunner Xtracab/PreRunner Xtracab V6/PreRunner Double Cab V6	5135 (202.1)			
Width	1690 (66.5)					
Height (Unloaded)	Xtracab 1615 (63.6)	PreRunner Xtracab/PreRunner Xtracab V6/PreRunner Double Cab V6	1715 (67.5)			
Bed Length	Xtracab/PreRunner Xtracab/PreRunner Xtracab V6	1892 (74.5)	PreRunner Double Cab V6	1562 (61.5)		
Bed Width	(Between Wheel Wells)	Xtracab 1038 (40.9)	PreRunner Double Cab V6	1047 (41.2)		
Wheelbase	3095 (121.8)					
Tread	Xtracab Front: 1450 (57.1) Rear: 1455 (57.3)	PreRunner Xtracab/PreRunner Xtracab V6/PreRunner Double Cab V6	Front: 1500 (59.1) Rear: 1495 (58.9)			
Ground Clearance	Xtracab 215 (8.5)	PreRunner Xtracab 275 (10.8)	PreRunner Xtracab V6 275 (10.8)	PreRunner Double Cab V6 255 (10.0)		
Seating Capacity	Xtracab/PreRunner Xtracab/PreRunner Xtracab V6	4	PreRunner Double Cab V6	5		
Headroom	Xtracab/PreRunner Xtracab/PreRunner Xtracab V6	Front: 983 (38.7) Rear: 884 (34.8)	PreRunner V6 Double Cab	Front: 988 (38.9) Rear: 961 (37.8)		
Legroom	Xtracab/PreRunner Xtracab/PreRunner Xtracab V6	Front: 1088 (42.8) Rear: 690 (27.2)	PreRunner V6 Double Cab	Front: 1088 (42.8) Rear: 858 (33.8)		
Shoulder Room	Xtracab/PreRunner Xtracab/PreRunner Xtracab V6	Front: 1371 (54.0) Rear: 1329 (52.3)	PreRunner V6 Double Cab	Front: 1371 (54.0) Rear: 1360 (53.5)		
GROSS VEHICLE WEIGHT	<i>kg (lbs.)</i>					
	2315 (5103)		•	•	•	•
CURB WEIGHT	<i>kg (lbs.)</i>					
	1365 (3010)		•			
	1483 (3270)			•		
	1521 (3355)				•	
	1576 (3475)					•
TOWING CAPACITY	<i>kg (lbs.)</i>					
	1587 (3500)		•	•		
	2268 (5000)				•	•
PAYLOAD^{††}	<i>kg (lbs.)</i>					
	410 (904)		•			
	500 (1102)			•	•	
	455 (1003)					•
FUEL CAPACITY	<i>litres (gal.)</i>					
	60 (13.2)		•			
	70 (15.4)			•	•	•
FUEL CONSUMPTION RATING^{**}		<i>L / 100 km</i>	<i>mpg</i>			
City/Highway		11.1/8.9	25/32	•		
		12.5/10.3	23/27		•	
		14.1/11.4	20/25			•

• - Standard [†]Off-Road suspension does not increase payload ^{††}Payload = Passengers, Equipment, Luggage & Cargo *Meets U.S. Environmental Protection Agency (EPA) and California Air Resources Board (CARB) Low Emission Vehicle (LEV) standards.
 **These estimates are based on 2001 model year data and the Government of Canada's approved criteria and testing methods. The actual fuel consumption of this vehicle may vary. Refer to the Government of Canada publication –
 EnerGuide Fuel Consumption Guide. Information correct at time of printing. Subject to change without notice.

TACOMA 4X4 FEATURES 2002

TACOMA 4X4	XTRACAB	XTRACAB V6	XTRACAB V6 - PKG 2	XTRACAB V6 OFFROAD	DOUBLE CAB V6	DOUBLE CAB V6 - PKG 2	DOUBLE CAB V6 OFFROAD
INTERIOR							
• Tachometer/4WD Indicator	•	•	•	•	•	•	•
• Front Passenger Vanity Mirror	•	•	•	•	•	•	•
• Map Lamps			•	•	•	•	•
• Illuminated Entry System	•	•	•	•	•	•	•
• Front Bucket Seats	•	•	•		•	•	
• Front Sport Seats with Power Lumbar				•			•
• 60/40 Split Fold-Down Rear Seat					•	•	•
• 50/50 Split Rear Jump Seats with Fold-Down Cushions	•	•	•	•			
• Full Fabric Seats, Fabric Door Trim	•	•	•	•	•	•	•
• Passenger Seat Rear Walk-In Assist	•	•	•	•			
• Carpet Mats	•	•	•	•	•	•	•
• Tilt, 4-Spoke Steering Wheel	•	•	•	•	•	•	•
• AM/FM Cassette CD, 6-Speakers	•	•	•	•	•	•	•
• Power Door Locks & Windows			•	•		•	•
• Air Conditioning		•	•	•	•	•	•
CONVENIENCE							
• Door Map Pockets, Front & Rear Cup Holders, Digital Clock	•	•	•	•	•	•	•
• Cruise Control				•			•
• Accessory Power Outlets	•	•	•	•	•	•	•
• Storage Under Rear Seat	•	•	•	•			
SAFETY							
• Driver & Front Passenger Airbag Supplemental Restraint System (SRS)*	•	•	•	•	•	•	•
• Front Seatbelt Pretensioners & Force Limiters	•	•	•	•	•	•	•
• Adjustable "B" Pillar Shoulder Belt Anchors, Outboard 3-Point Lap & Shoulder Belts	•	•	•	•	•	•	•
• Anchor Points for Child Restraint Seats	•	•	•	•	•	•	•
• Low Fuel Warning, Door Ajar, Low Washer Fluid Warnings	•	•	•	•	•	•	•
• Front Tow Hook	•	•	•	•	•	•	•
EXTERIOR							
• Dual Foldable Mirrors	•	•	•	•	•	•	•
• Power Remote Control Mirrors			•	•		•	•
• Intermittent Wipers	•	•	•	•	•	•	•
• Sliding Rear Window	•	•	•	•	•	•	•
• Tilt-Out Rear Quarter Windows	•	•	•	•			
• Privacy Glass			•	•		•	•
• Fender Flares		•	•		•	•	
• Front & Rear Splash Guards	•	•	•	•	•	•	•
• Aero Style Multi-Reflector Halogen Headlamps	•	•	•	•	•	•	•
• Styled Steel Wheels	•						
• Chrome Bumpers & Trim, Chrome Styled Steel Wheels, Wheel Locks		•	•		•	•	
• Aluminum Alloy Wheels, Wheel Locks				•			•
• Roof Rack						•	
• Colour Keyed Fender Flares, Front & Rear Bumper, Door Handles, Front Grille Surround				•			
• Colour Keyed Fender Flares, Front Bumper, Door Handles, Front Grille Surround							•
• Moonroof				•			•
Additional Accessories :							
• Bed Liner, Bed Mat, Bed Extender, Cargo Net, All Weather Floor Mats	○	○	○	○	○	○	○
• 6-Disc Remote CD Changer, Security System, Spare Tire Lock	○	○	○	○	○	○	○
• Front End Mask, Hood Deflector, Tonneau Cover, Licence Plate Cover	○	○	○	○	○	○	○
• Towing Hitch, Block Heater	○	○	○	○	○	○	○
• Air Conditioning	○						

• Standard ○ - Optional *See Airbag Notice Information correct at time of printing. Subject to change without notice.

TACOMA 4X4 SPECIFICATIONS 2002

TACOMA 4X4			XTRACAB	XTRACAB V6	XTRACAB V6 - PKG 2	XTRACAB V6 OFFROAD	DOUBLE CAB V6	DOUBLE CAB V6 - PKG 2	DOUBLE CAB V6 OFFROAD
MECHANICAL									
Engine	3RZ-FE 5VZ-FE	• 2.7 Litre (2694cc), 4-Cylinder, DOHC, 16-Valve, Sequential Multiport Electronic Fuel Injection, LEV* • 3.4 Litre (3378cc), V6, DOHC, 24-Valve, Sequential Multiport Electronic Fuel Injection, LEV*	•	•	•	•	•	•	•
Compression Ratio		• 9.5:1 • 9.6:1	•	•	•	•	•	•	•
Horsepower (kW)		• 150 (112) @ 4800 rpm • 190 (142) @ 4800 rpm	•	•	•	•	•	•	•
Torque (N.m)		• 177 lb. ft. (240) @ 4000 rpm • 220 lb. ft. (298) @ 3600 rpm	•	•	•	•	•	•	•
Suspension		• Front: Independent, Double-Wishbone, Coil Springs, Stabilizer Bar, Gas-Filled Shock Absorbers • Rear: Multi-Leaf Springs & Bias Mounted Gas-Filled Shock Absorbers • Bilstein [†] Shock Absorbers with Locking Rear Differential • Tokico [†] Shock Absorbers with Locking Rear Differential	•	•	•	•	•	•	•
Drivetrain		• Front Engine/Part-Time 4WD with A.D.D. (Automatic Disconnecting Differential)	•	•	•	•	•	•	•
Transmission		• 5-Speed Overdrive Manual • 4-Speed Electronically Controlled Overdrive Automatic with Overdrive Cancel Switch	•	•	•	•	•	•	•
Brakes		• Power-Assisted Ventilated Front Discs/Rear Drums • 4-Wheel ABS (Antilock Braking System)	•	•	•	•	•	•	•
Steering		• Rack & Pinion with Variable Power Assist	•	•	•	•	•	•	•
Tires		• All-Season Radials P225/75R15, Full-Size Spare • All-Season Radials P265/70R16, Full-Size Spare	•	•	•	•	•	•	•
DIMENSIONS									
		<i>mm (in.)</i>							
Length		5135 (202.1)							
Width		1690 (66.5)							
Height (Unloaded)		1720 (67.7)							
Bed Length		Xtracab/Xtracab V6 1892 (74.5)					Double Cab V6 1562 (61.5)		
Bed Width		(Between Wheel Wells) Xtracab/Xtracab V6 1038 (40.9)					Double Cab V6 1047 (41.2)		
Wheelbase		3095 (121.8)							
Tread		Front: 1500 (59.1) Rear: 1495 (58.9)							
Ground Clearance		Xtracab models 275 (10.8)					Double Cab models 255 (10.0)		
Seating Capacity		Xtracab/Xtracab V6 4 Double Cab V6 5							
Headroom		Xtracab/Xtracab V6 Front: 983 (38.7) Rear: 884 (34.8)				Double Cab V6 Front: 988 (38.9) Rear: 961 (37.8)			
Legroom		Xtracab/Xtracab V6 Front: 1088 (42.8) Rear: 690 (27.2)				Double Cab V6 Front: 1088 (42.8) Rear: 858 (33.8)			
Shoulder Room		Xtracab/Xtracab V6 Front: 1371 (54.0) Rear: 1329 (52.3)				Double Cab V6 Front: 1371 (54.0) Rear: 1360 (53.5)			
GROSS VEHICLE WEIGHT									
		<i>kg (lbs.)</i>							
		2315 (5104)	•	•	•	•	•	•	•
CURB WEIGHT									
		<i>kg (lbs.)</i>							
		Manual 1574 (3470)	•						
		Manual/Automatic 1594 (3515)/1606 (3540)		•/o	•/o	•/o			
		Automatic 1681 (3705)					•	•	•
TOWING CAPACITY									
		<i>kg (lbs.)</i>							
		1587 (3500)	•						
		2268 (5000)		•	•	•	•	•	•
PAYLOAD^{††}									
		<i>kg (lbs.)</i>							
		Manual 500 (1102)	•						
		Manual/Automatic 500 (1102)		•/o	•/o	•/o			
		Automatic 440 (970)					•	•	•
FUEL CAPACITY									
		<i>litres (gal.)</i>							
		70 (15.4)	•	•	•	•	•	•	•
FUEL CONSUMPTION RATING^{**}									
				<i>L / 100 km</i>	<i>mpg</i>				
City/Highway		4-Cylinder 5-Speed Manual	•	12.9/10.0	22/28				
		V6 5-Speed Manual		14.0/11.0	20/26				
		V6 4-Speed Automatic		14.4/11.5	20/25		•	•	•

• - Standard [†]Off-Road suspension does not increase payload ^{††}Payload = Passengers, Equipment, Luggage & Cargo *Meets U.S. Environmental Protection Agency (EPA) and California Air Resources Board (CARB) Low Emission Vehicle (LEV) standards.
^{**}These estimates are based on 2001 model year data and the Government of Canada's approved criteria and testing methods. The actual fuel consumption of this vehicle may vary. Refer to the Government of Canada publication – EnerGuide Fuel Consumption Guide. Information correct at time of printing. Subject to change without notice.