INTERIOR FINISHES

	KEY	MATERIAL	CLASSIFICATION	DESCRIPTION
FLOORING	V-30	VINYL WOOD PLANK FLOORING -	CLASS I	SHAW LVT - DECOWOOD 00287- 02795
	V-40	VCT THROUGHOUT	CLASS I	MATCH EXISTING: ARMSTRONG - STANDARD EXCELON IMPERIAL TEXTURE - 51904 - STERLING
	VF-27	LVT - FOOTWEAR	CLASS I	SHAW CONTRACT INLET LV1B600140, SPINDLE 26140 (2.5mm thk) (6"x48" PLANK)
	CS	CONCRETE SLAB - EXISTING		EXISTING CONCRETE SLAB TO BE CLEANED. A MINIMUM OF 2 COATS CLEAR SEMI-GLOSS ACRYLIC WATER BASED SEALER TO BE APPLIED.
	CS	CONCRETE SLAB - NEW		NEW CONCRETE FLOOR. A MINIMUM OF 2 COATS CLEAR SEMI-GLOSS ACRYLIC WATER BASED SEALER TO BE APPLIED.
PAINT	P-12	PAINT - TEAM SPORTS/CAMPING/LODGE	CLASS A	DSG CUSTOM LOUISBURG GREEN
	P-30	PAINT - THROUGHOUT STORE/CLING/COLUMNS	CLASS A	SHERWIN WILLIAMS - SW6196 FROSTY WHITE
	P-34	PAINT - FOOTWEAR	CLASS A	SHERWIN WILLIAMS - CUSTOM INTERIOR HARTFORD GREEN
	P-65	PAINT - BIKES/FITNESS/FOOTWEAR	CLASS A	SHERWIN WILLIAMS- CUSTOM TO MATCH PPG 352-3 LRV 57 VERNAL FALLS
	P-69	PAINT - BIKES/FITNESS/FOOTWEAR	CLASS A	SHERWIN WILLIAMS- SW 7074 SOFTWARE
	P-78	PAINT - LODGE STRIPE	CLASS A	SHERWIN WILLIAMS - SW7069 - IRON ORE
	P-169	PAINT - FOOTWEAR (FSFW) & OUTDOORS	CLASS A	SHERWIN WILLIAMS - SW6258 - TRI-CORN BLACK-SATIN
BASE	B-30	RESILIENT BASE - 6" VINYL COVED	CLASS B	JOHNSONITE #40 BLACK
MISC.	TS-4	VINYL	CLASS I	JOHNSONITE - # CTA-80-A TRANSITION MOULDING BETWEEN RESILIENT FLOORING AND CARPET (SEE A2.0) - COLOR #80 FAWN
	TS-5	VINYL	CLASS I	JOHNSONITE - # RRS-80-C TILE REDUCER BETWEEN RESILIENT FLOORING AND CONCRETE (SEE A2.0) - COLOR TO MATCH EXISTING



INTERIOR DOOR FACES TO BE MIN. 16 GA. STL.

B H.M. DOOR & FRAME

NOTES
1. SEE HEAD DETAIL FOR FRAME SIZE.
2. DOORS THAT REQUIRE DOOR SPYS: MOUNT (1) AT 43" AFF MAX (TO BOTTOM OF GLASS) AND (1) AT 60" AFF; LOWER EXIT DEVICE TO CLEAR SPY; REFER TO DOOR HARDWARE SCHEDULE.

DOOR AND FRAME SCHEDULE

oVERIFY EXISTING WALL THICKNESS
ooVERIFY EXISTING DOOR OPENING SIZE

DOOR NO.	LOCATION	TYPE	MATERIAL	SIZE	JAMB MAT'L	JAMB TYPE	HEAD MAT'L	HEAD TYPE	HARDWARE SET NO.	RATING	REMARKS	INTERIOR SIGNAGE (REFER TO ADAG FOR MOUNTING REQUIREMENTS)	NO.
FIRST FLOOR													
117	FOOTWEAR/ STOCKROOM	B	H. MTL.	**3'-0" x 7'-0"	K.D.	J-1	K.D.	H1	04.4	60 MIN	--		117
117A	FOOTWEAR/ STOCKROOM	B	H. MTL.	3'-0" x 7'-0"	H. MTL.	J-2	H. MTL.	H-2	04.3	60 MIN	--		117A
117B	FOOTWEAR/STOCKROOM	B	H. MTL.	3'-0" x 7'-0"	H. MTL.	J-2	H. MTL.	H-2	04.3	60 MIN	--		117B
117C	FOOTWEAR/STOCKROOM	B	H. MTL.	*3'-0" x 7'-0"	K.D.	J-1	K.D.	H1	04.4	60 MIN	--		117C

DOOR NOTES: ALL DOOR & HARDWARE BY VENDOR #4 UNLESS NOTED

1. DOOR TO BE PROVIDED WITH 180° SWING HARDWARE AND "TEARDROP" IMPACT BUMPERS (TYP. BOTH SIDES OF DOORS).
2. ALL DOOR HARDWARE BY DOOR MFGR.
8. UNDERCUT DOOR BY 1"
12. G.C. TO ADJUST CLOSERS ON ALL INTERIOR DOORS TO A MAXIMUM OPENING FORCE OF 5 LBS. ADJUST CLOSING SPEED SO THAT THE TIME FOR THE DOOR TO MOVE FROM 90° TO 12° FROM THE LATCH IS NOT LESS THAN 5 SECONDS.
13. FINAL KEYING BY DICK'S SPORTING GOODS.
ALL HARDWARE SHALL BE ADA ACCESSIBLE
33. PUNCH 4 DIMPLE FRAME - USE STOCK 8 1/4" JAMB SIZE



H-1 HEAD DETAIL (UL V497)

1 1/2" = 1'-0"



H-2 HEAD DETAIL

1 1/2" = 1'-0"



J-1 JAMB DETAIL (UL V497)

1 1/2" = 1'-0"



J-2 JAMB DETAIL

1 1/2" = 1'-0"

THE GENERAL CONTRACTOR IS TO SELECT MATERIAL THICKNESSES BASED ON THE "SFIA PRODUCT TECHNICAL INFORMATION" MANUAL FOR LIMITING WALL HEIGHT TABLES FOR ALL INTERIOR PARTITIONS USING 5 PSF LATERAL LOAD AND MAX DEFLECTION OF L/240.



PARTITION TYPES



FIRE RATED PERPENDICULAR TO DECK



FIRE RATED PARALLEL TO DECK



PERPENDICULAR TO DECK



PARALLEL TO DECK

D1 WALL TYPE HEAD DETAILS DETAIL

SCALE 3" = 1'-0"



D2 RUNNER TRACK DETAIL

SCALE 3" = 1'-0"

MICHAEL CRISLIP ARCHITECT
25001 Emery Road, Suite 400
Cleveland, Ohio 44128
216.223.3200 onyxcreative.com

Design and construction documents as instruments of service are given in confidence and remain the property of Michael Crislip, Architect. The use of this design and these construction documents for purposes other than the specific project named herein is strictly prohibited without expressed written consent of Michael Crislip, A r c h i t e c t .

SELF DEVELOPED STORES
All work shown on these drawings and specifications is the property of the General Contractor and is to be used only for the project noted herein. The Tenant (Dick's Sporting Goods) has no scope of work and/or responsibility to work on these drawings and specifications.

DICK'S SPORTING GOODS
3500 GALLERIA DRIVE
GREENVILLE, NC 27834
STORE #1066

Project No:	24.022
Drawn By:	LCEB
Date	Issue
04-19-24	BID / PERMIT

A5.0

SCHEDULES, NOTES & DETAILS