

















CRAFTSMAN





GUIDE BARS						SAW CHAINS			
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
172452470									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
35256									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34094									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34101									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34102									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34104									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34106									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34108									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52




GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
358.34108									
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34109									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34110									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34111									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34114									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34115									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34116									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34117									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34118									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.3412									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56




GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
358.34124									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34150									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34180									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34181									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34190									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.34195									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.3425									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.3476									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35006									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35008									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45





GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
358.35008									
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35018									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35024									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35026									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35027									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35028									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35036									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35037									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35038									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35044									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52





GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
358.35044									
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35046									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35048									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35056									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35058									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35060									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35066									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35067									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35080									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35081									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56




GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
358.35082									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35083									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35087									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35088									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35093									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35099									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35104									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35106									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35108									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35114									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45




GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
358.35114									
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35115									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35116									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35117									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35118									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35134									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35136									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35138									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35144									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35145									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52




GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
358.35145									
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35146									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35148									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35156									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35158									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35160									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35161									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35170									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35171									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35180									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56




GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
358.35181									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35182									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35190									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35198									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35202									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35203									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35205									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35206									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35207									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35211									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45




GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
358.35211									
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35215									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35216									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35218									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35231									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35232									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35235									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35236									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35238									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35263									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52




GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
358.35263									
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35266									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35267									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35268									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35269									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35270									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35273									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35280									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35281									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35283									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56




GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
358.35363									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35366									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35367									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35504									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35505									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35506									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35508									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35512									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35514									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35515									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45




GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
358.35515									
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35516									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35624									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35718									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35723									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35736									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.35802									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36010									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36012									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36013									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52

GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
358.36013									
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36015									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36017									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36018									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36028									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36036									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36038									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36068									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36069									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36080									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56

GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
358.36082									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36083									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36085									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36087									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36088									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.36218									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.38160									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358.38170									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
38170									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
41136									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45

GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
41136									
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
41137									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
41437									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
41526									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
41616									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
41716									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
41736									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
41746									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
41845 ELECTRIC									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
41846									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52

GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
41846									
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
41926									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
41946									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
41950									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
59406									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
59522									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
59525									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
59526									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
59816									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
59826									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56

GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
59880									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
59883									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
59886									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
59887									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
94441801									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
CMECS600									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
CMXGSAMNN4216									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
S160									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56






CUB CADET




GUIDE BARS						SAW CHAINS			
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
CS3916									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56









DOLMAR




GUIDE BARS						SAW CHAINS							
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
100													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
101													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
102													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
103													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
104													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
105													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
106													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
108													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
285													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
295													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-140													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-151A													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-152A													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-160													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-1600													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-161													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—





GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
ES-161													
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-161A													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-162A													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-171													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-171A													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-172A													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-173													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-173A													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-3													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ES-30													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
ES-35													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-32													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-33													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-330													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-3300TH													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-34													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-340													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-3400TH													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-341													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-3410TH													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—





GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
PS-3410TH													
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-3410TH TLC													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-344													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-35													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-350													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-351													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-400													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-401													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-420													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
PS-421													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS-45													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
109													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-460													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-510													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-5100S													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
PS-5105H													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-540													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-6100H													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS5105													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
PS6100													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
110													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
111													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
112													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
113													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
114													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
115													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
115I													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
116													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
ES-1800													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
PS-4600													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
PS-4605													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
PS-4605-45													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–





GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
PS-4605-45													
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-500													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-5000													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-5000H													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-500C													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-500C45													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-5105C													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-5105C4													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-5105C45													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-5105CKIT45													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—





GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
PS-5105CKIT45													
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-5105CX													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-51505													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-6100													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-6100-45													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-6100-53													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-6100C													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-6100S													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS-6100TLC													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
PS4605H													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—









ECHO




GUIDE BARS						SAW CHAINS							
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
CS-2000													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-2800													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-280E													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-280EP													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-285EVL													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-290													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-2900													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-300													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
CS-300													
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-3000													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-300EVL													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-301													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-302													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-302S													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-303T													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-305													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-3050													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-310													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
CS-315													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-320EVL													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-328													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-330													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-330EVL													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-330MX4													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-330T													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-340													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-3400													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-341													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
CS-341													
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-345													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-3450													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-346													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-3500													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-350TES													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-351													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-3510													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-352													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-355T													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
CS-355T													
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-360													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-360EVL													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-360T													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-361P													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-370													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-370F													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-370T													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-400													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-400F													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
CS-4400													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
E155													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ECS-2000													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ECS-3000													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS-4510													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78



GREENWORKS

GUIDE BARS						SAW CHAINS			
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
12A ELECTRIC 20022									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
12A ELECTRIC 20232									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2014002AZ									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
CS60L212									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
CS80LO1									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56






HITACHI/HIKOKI




GUIDE BARS						SAW CHAINS			
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
CS33EB									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
SC33EB/16									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56










HOMELITE





GUIDE BARS						SAW CHAINS							
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
20													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
20AV													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
23													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
23AV													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
27													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
3300													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
3314													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
3316													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
3316													
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
3318													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
3350													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
3550													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
3800													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
3850													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
4500													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
4550													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
I3350B													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PS33													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—





GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
RANGER													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
TIMBERMAN													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10530													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10530A													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10540													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10542													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10544													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10546													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10548													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10549													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
UT10549													
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10560													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10562													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10564													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10566													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10568													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10569													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10580													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10582													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10584													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
UT10584													
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10586													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10588													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10589													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10640													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10660													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
UT10680													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
130													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
150													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
250													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	—	25 RS 66	25 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	 PICCO™ Micro™ 3	 PICCO™ Super™ 3	 PICCO™ Micro™	 PICCO™ Super™	 RAPID™ Micro™ 3	 RAPID™ Super™ 3	 RAPID™ Super™	 RAPID™ Micro™
250													
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	—	25 RS 72	25 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	—	25 RS 78	25 RM 78
252													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	—	25 RS 66	25 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	—	25 RS 72	25 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	—	25 RS 78	25 RM 78
290													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	—	25 RS 66	25 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	—	25 RS 72	25 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	—	25 RS 78	25 RM 78
290C													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	—	25 RS 66	25 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	—	25 RS 72	25 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	—	25 RS 78	25 RM 78
30													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
300													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	—	25 RS 66	25 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	—	25 RS 72	25 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	—	25 RS 78	25 RM 78

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
340													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	—	25 RS 66	25 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	—	25 RS 72	25 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	—	25 RS 78	25 RM 78
340C													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	—	25 RS 66	25 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	—	25 RS 72	25 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	—	25 RS 78	25 RM 78
3850B													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	—	25 RS 66	25 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	—	25 RS 72	25 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	—	25 RS 78	25 RM 78
415B													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	—	25 RS 66	25 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	—	25 RS 72	25 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	—	25 RS 78	25 RM 78
4545													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	—	25 RS 66	25 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	—	25 RS 72	25 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	—	25 RS 78	25 RM 78
4550B													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66





GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	 PICCO™ Micro™ 3	 PICCO™ Super™ 3	 PICCO™ Micro™	 PICCO™ Super™	 RAPID™ Micro™ 3	 RAPID™ Super™ 3	 RAPID™ Super™	 RAPID™ Micro™
4550B													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	—	25 RS 66	25 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	—	25 RS 72	25 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	—	25 RS 78	25 RM 78
EZ250													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
EZAUTO													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
HSC4040													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
SUPERXLMINI													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
VI-123													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
VI-125													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
XL-76													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
XL100SERIES													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78





GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	 PICCO™ Micro™ 3	 PICCO™ Super™ 3	 PICCO™ Micro™	 PICCO™ Super™	 RAPID™ Micro™ 3	 RAPID™ Super™ 3	 RAPID™ Super™	 RAPID™ Micro™
HSC 4040													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	—	25 RS 66	25 RM 66
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	—	25 RS 72	25 RM 72
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	—	25 RS 78	25 RM 78






HUSQVARNA




GUIDE BARS						SAW CHAINS							
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
120													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
136													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
137													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
140													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
140S													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
141													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	 PICCO™ Micro™ 3	 PICCO™ Super™ 3	 PICCO™ Micro™	 PICCO™ Super™	 RAPID™ Micro™ 3	 RAPID™ Super™	 RAPID™ Micro™	 RAPID™ Super™ 3
141													
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
142													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
23													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
235													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
235E													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
240													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
240E													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—





GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
240E													
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
243													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
249													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
33													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
36													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
38													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
41													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
439													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—





GUIDE BARS						SAW CHAINS							
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
439													
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
ELECTRIC 16													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
254													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
257													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
261													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
262													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
262 XP													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66





GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
262 XP													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
262 XPG													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
336													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
353 G E-TECH TRIOBRAKE													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
353 G TRIOBRAKE													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
353 TRIOBRAKE													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
353G													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
353G E-TECH													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78





GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number								
357													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
359													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
360													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
362 XP													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
460													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
51													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66





GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
51													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
55													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
55 RANCHER													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
555													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
57													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
124													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—





GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
124													
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
133													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
134													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
154													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
234													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
238													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
242													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
242 XP													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
246													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
246 XP													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–





GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
254 XPG													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
254XP													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
339 XP													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
340													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
345													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
346													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
346 XP													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
346 XP E-TECH													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
350													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
351													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
351													
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
353													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
353 G E-TECH													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
357 XP													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
357 XPG													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
359 E-TECH													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
40													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
42													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
435													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
435E													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	 PICCO™ Micro™ 3	 PICCO™ Super™ 3	 PICCO™ Micro™	 PICCO™ Super™	 RAPID™ Micro™ 3	 RAPID™ Super™	 RAPID™ Micro™	 RAPID™ Super™ 3
435E													
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
44													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
440													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
440E													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
444													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
445													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
445 II													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
445E													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
445E II													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
445E II TRIBRAKE													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
45													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
450													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
450E													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
455													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
455 RANCHER													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
455E RANCHER													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
455E RANCHER II													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
455E-SERIES													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
455E-SERIES RANCHER TRIBRAKE													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
460 RANCHER													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
460 RANCHER													
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
49													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
50													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
535FBX													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
543 XP													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
543 XPG													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
545													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
545 MARK II													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
545 TRIOBRAKE													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
545G MARK II													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
545G MARK II													
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
550													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
550 XP													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
550 XP MARK II													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
550 XP TRIOBRAKE													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
550XPG													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
550XPG MARK II													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
550XPG TRIOBRAKE													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
560 XP													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
560 XPG													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—

GUIDE BARS						SAW CHAINS							
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
EL 1200													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
EL 1400													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
EL 1500													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
EL 16													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
EL 1600													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—



JOHN DEERE




GUIDE BARS						SAW CHAINS			
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
200CS									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
230CS									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
25EV									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
28									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
28V									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
30									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
30V									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
35									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52





GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
35									
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
35EV									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
40V									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
CS36									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
CS36LE									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
CS40									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
CS40LE									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
CS40V									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
J3816									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56











JONSERED





GUIDE BARS						SAW CHAINS							
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
2014													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
2016													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
2035													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
2036													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
2036 TURBO													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
2040													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
2040													
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
2040 TURBO													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
2137													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
2138													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS 2135													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS 2137													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS 2138													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS 2234													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
CS 2238S													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
2050													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
2050													
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
370													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
410													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
420													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
425													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
435													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	 PICCO™ Micro™ 3	 PICCO™ Super™ 3	 PICCO™ Micro™	 PICCO™ Super™	 RAPID™ Micro™ 3	 RAPID™ Super™	 RAPID™ Micro™	 RAPID™ Super™ 3
435													
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
45													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
450													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
451													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
455													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
50													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
50													
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
51													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
510													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
52													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2145													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2149													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
CS 2149													
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2150													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2152													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2152W													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2153													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2240													
16	.325"	.050	66	K095	3051 008 0513	–	–	–	–	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.050	72	K095	3051 008 0517	–	–	–	–	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.050	78	K095	3051 008 0521	–	–	–	–	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
CS 2240S													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2245													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2250													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2250S													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2252													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2253													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
CS 2253													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2253WH													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
2012													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
2015													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
2041													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
2045													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
2051													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
2054													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
2055													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
2063													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
380													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
452													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
490													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
49SP													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
520													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
525													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
535													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
590													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
590													
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2141													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2145S													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2147C													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2147W													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2147WH													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2150S													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2152 WH													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2152C													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–
20	.325"	.058	78	K095	3051 008 0621	–	–	–	–	25 RM3 78	25 RS 78	25 RM 78	–
CS 2153C													
16	.325"	.058	66	K095	3051 008 0613	–	–	–	–	25 RM3 66	25 RS 66	25 RM 66	–
18	.325"	.058	72	K095	3051 008 0617	–	–	–	–	25 RM3 72	25 RS 72	25 RM 72	–

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
CS 2153C													
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2153CWH													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2153WH													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2156													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2159													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2159C													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2159CWH													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2159WH													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2163													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2255													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
CS 2255S													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2258													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2260													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 2260WH													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 451E													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 451EV													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 451EVS													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 45E													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS 52E													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
CS2147CWH													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
CS2147CWH													
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
EL 1200													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
EL 14													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—







KOBALT




GUIDE BARS						SAW CHAINS			
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
KCS 180B-06									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56







MAKITA




GUIDE BARS						SAW CHAINS							
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
5012B													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
5014NB													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
5016NB													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS330S													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS330TH													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS34													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS340													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS341													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
DCS341													
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS3416													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS3500													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS3501													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS390													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS390S													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS400													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS401													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS4300													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS4300I													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
DCS4300I													
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
DCS4301													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EA3200S													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EA3201													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EA3201S35B													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EA3201S40B													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EA3500S													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EA3500SRDB													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EA3501S													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EA3501S40B													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—

GUIDE BARS						SAW CHAINS							
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
EA3501S40B													
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EA3600F													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EA3601F													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EA3601FRDB													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EA4300F40B													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
DCS430													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
DCS431													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
DCS5121													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
DCS5121													
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
DCS5200I													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
DCS520I													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
DCS6000I													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS 66	23 RM 66	23 RS3 66
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS 72	23 RM 72	23 RS3 72
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS 78	23 RM 78	23 RS3 78
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
45													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
DCS460													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
DCS4600S													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
DCS4600SH													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™	RAPID™ Micro™	RAPID™ Super™ 3
DCS4600SH													
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
DCS461													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
DCS4630													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
DCS500													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
DCS501													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—
DCS520													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	25 RS 66	25 RM 66	—
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	25 RS 72	25 RM 72	—
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	25 RS 78	25 RM 78	—






MCCULLOCH

GUIDE BARS						SAW CHAINS							
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
435													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
440													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
4600													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
4700													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
4900													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
5000													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—

GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
5000													
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
EB 356													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EB356A													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EB358													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EB358A													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
EBC1840DK													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
MC3516													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
MC4218AV													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
MCC1435A													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
MCC1635A													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
MCC1840B													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
MS 354													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
MS354A													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
MS4016P													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
MXC1840D													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
MXC1840DK													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
MAC CAT 438													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
""10-42"													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
335													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66




GUIDE BARS						SAW CHAINS							
													
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
335													
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
CS400T													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
CS410 ELITE													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
CS450 ELITE													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
CS50S													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
MAC 20X POWER													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78









POULAN




GUIDE BARS						SAW CHAINS			
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
1900 LE									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
1950									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
1950 LE									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
1975									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
1975 LE									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
200									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2000									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2025									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52




GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
2025									
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
205									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2050									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2055									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2055 LE									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2075									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2075C									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
210									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2100									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2150									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56




GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
2155									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2160									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2175									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
220									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
221									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
222									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
225									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2550									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2550 LE									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2555									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45

GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
2555									
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
25A									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
260									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
2600									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
262									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
3314									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
3316 LE									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
3416									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
3516									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
3516AVX									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52

GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
3516AVX									
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
3816									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
3816 AV									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
3818									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
400E									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
4018									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
4218									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
4218A									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
4218AV									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
4218AVX									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56

GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
967607201									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
E14E									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
E16E									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
ELECTRIC PRO 400E									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
ES350									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
ES400									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
ELECTRIC MODELS									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
MICRO25									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
P3314									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
P3816									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45

GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
P3816									
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
P600									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
PATRIOT 1900									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
PPB1634									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
PPB1838									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
PPR4218A									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
PR4218									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
S23									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
S25									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
S25AV									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52

GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
S25AV									
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
S25CVA									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
S25D									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
S25DA									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
S35									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
WILD THING									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
WOODSHARK									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56






RYOBI



GUIDE BARS						SAW CHAINS							
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
RY3716													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
RY43006													
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45	—	—	—	—
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52	—	—	—	—
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56	—	—	—	—
PCN 4545													
16	.325"	.050	66	K095	3051 008 0513	—	—	—	—	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	—	—	—	—	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	—	—	—	—	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78
CSE5145													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	—	25 RS 66	25 RM 66
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	—	25 RS 72	25 RM 72
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	—	25 RS 78	25 RM 78
CSE5650													
16	.325"	.058	66	K095	3051 008 0613	—	—	—	—	25 RM3 66	—	25 RS 66	25 RM 66
18	.325"	.058	72	K095	3051 008 0617	—	—	—	—	25 RM3 72	—	25 RS 72	25 RM 72
20	.325"	.058	78	K095	3051 008 0621	—	—	—	—	25 RM3 78	—	25 RS 78	25 RM 78



SHINDAIWA

GUIDE BARS						SAW CHAINS			
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
100									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
104P									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
110									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
120									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
140									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
150 ELECTRICS									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
160									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
160 ELECTRICS									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52

GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
160 ELECTRICS									
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
180									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
285S									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
300									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
300S									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
305S									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
326T									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
340S									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
345									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
350									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56

GUIDE BARS						SAW CHAINS			
									
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
352									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
352S									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
357									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
358TS									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
360									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
377									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
E305AV									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56



TORO

GUIDE BARS						SAW CHAINS			
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
51100									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
51140									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56



TROY BILT

GUIDE BARS						SAW CHAINS			
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
TB3516CC GAS									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
TB3518CC GAS									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
TB4018									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56



WORX

GUIDE BARS						SAW CHAINS			
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	PICCO™ Micro™ 3	PICCO™ Super™ 3	PICCO™ Micro™	PICCO™ Super™
WG300									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
WG303									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
WG303.1									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56
WG304									
12	3/8" P	.050	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PM 45	63 PS 45
14	3/8" P	.050	52	A041	3050 008 0309	63 PM3 52	63 PS3 52	63 PM 52	63 PS 52
16	3/8" P	.050	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PM 56	63 PS 56



BOSCH

GUIDE BARS						SAW CHAINS			
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	RAPID™ Micro™ 3	RAPID™ Super™ 3	RAPID™ Super™	RAPID™ Micro™
KS450									
16	.325"	.050	66	K095	3051 008 0513	23 RM3 66	23 RS3 66	23 RS 66	23 RM 66
18	.325"	.050	72	K095	3051 008 0517	23 RM3 72	23 RS3 72	23 RS 72	23 RM 72
20	.325"	.050	78	K095	3051 008 0521	23 RM3 78	23 RS3 78	23 RS 78	23 RM 78