

Release Notes for Unified ThyssenKrupp Elevator Integration v2.40.1101.0

Document Revision A0
October 2016

This document provides important information about the unified integration software for ThyssenKrupp Elevator Integration. Read this document before you install the product.

Product: Unified Integration Software for ThyssenKrupp Elevator Integration

- Integration Software Version: 2.40.1101.0
- Release Version: 4.9

Note: This version is also compatible with victor unified client versions 4.6, 4.7, 4.7.1, 4.8, 4.8SP1 and 4.8.1.

1. Overview

The ThyssenKrupp Elevator System Integration with the Unified Application Server (with C•CURE 9000 and victor) provides security to particular floors in a multi-level building. It ensures that only those authorized may go to a particular landing, or exit from that landing.

Access to a particular landing is determined through a swipe of a card to a card reader outside of the elevator. The card reader accesses the personnel privilege assigned to a specific ThyssenKrupp Elevator access configuration.

2. Features

The Unified ThyssenKrupp Elevator Integration offers the following features:

- Schedule-based floor access for all personnel.
- Communication status of elevator systems.
- Journaling and reporting of floor selection by personnel.
- Remote Monitoring is supported using Activity Viewer.
- Schedule actions to secure or unsecure floors.
- Exemption group can access secured floors.

3. Hardware Requirements

ThyssenKrupp Elevator Integration has the same hardware and disk space requirements as the Unified Application Server. If the target computer meets the Unified Server requirements, then it meets the ThyssenKrupp Elevator Integration requirements.

4. Software Requirements

The Unified ThyssenKrupp Elevator Integration requires the following software versions:

- C•CURE 9000 Clients: v2.51
- victor unified client: v4.9

5. Contents of the Installation Package

The following table lists the contents of the ThyssenKrupp Elevator Integration installation package:

File	Description
ThyssenKrupp_Integration.exe	ThyssenKrupp Integration software setup file
8200-1161-03_ThyssenKrupp_UM.pdf	ThyssenKrupp Elevator victor Integration User Manual
8200-1147-1003-A0_4.9_ThyssenKrupp_ElevatorIntegration_RN.pdf	ThyssenKrupp Elevator victor Integration Release Notes

6. Supported Installation Types

The victor ThyssenKrupp Elevator Integration supports the following installation types:

- Unified Standalone
- Unified Enterprise

7. Pre-Installation

Before you install the ThyssenKrupp Elevator Integration, ensure the following:

On the victor Application Server:

- You must have appropriate Windows permissions.
- You must be a member in the local Administrators group, or have equivalent privileges.
- You must be on a reliable network.
- Unified Application Server v4.8.1 must be installed with the following options:
 - Unified Application Server (C•CURE 9000 - victor)
 - ThyssenKrupp

On the clients:

- You must have appropriate Windows permissions.
- You must be a member in the local Administrators group, or have equivalent privileges.
- Monitoring station, Administration workstation and the victor client must be installed.

8. Installation

Note:

- You must install the ThyssenKrupp Elevator Integration in the same folder as victor and C•CURE 9000.
- Close all applications to avoid problems during installation.

Follow the steps to install the ThyssenKrupp Elevator Integration Software on the server and remote clients:

1. Double-click the **ThyssenKrupp_Integration.exe** file. The Install Wizard begins. The KONE Elevator Integration **Welcome** screen appears.
2. Click **Next** and follow the Install Wizard prompts.
3. On the **License Agreement**, select the **I accept the terms in the license agreement** check box and then click **Next**.
4. Click **Finish** to complete the installation.

Note: You cannot install the ThyssenKrupp Elevator Integration server components on a victor Application Server MAS.

9. Post-Installation

Follow the steps after installation:

1. Launch the **Server Configuration Application**:
 - a. On the taskbar, click the **Start** button and then click **All Programs**.
 - b. Click **Tyco**, right-click the **Server Configuration** and then click **Run as Administrator**. **Server Configuration Application** page opens.
2. Start the **ThyssenKrupp Services**:
 - a. On the **Server Configuration Application** page, click to open the **Services** tab.
 - b. Ensure that both Crossfire Framework Service and Crossfire Server Component Framework Service are **running**.

- c. In the **Extension Services** pane, locate the **ThyssenKrupp Driver Service**. Select the **Enabled** check box and then click the **Start** button. The status of the ThyssenKrupp Driver Service changes to **Running**.
3. Launch the victor client:
 - a. On the taskbar, click the **Start** button and then click **All Programs**.
 - b. Click **Tyco** and then click **victor**.
4. Launch the C•CURE clients:
 - a. On the taskbar, click the **Start** button and then click **All Programs**.
 - b. Click **Tyco** and then click **CCURE 9000**.

10. Upgrading the ThyssenKrupp Elevator Integration

Caution:

If you have made any changes in the configuration file - `ThyssenKruppElevatorDriverService.exe`, ensure that you back up the file before upgrading. The configuration file is located at `Tyco\CrossFire\ServerComponents`.

Follow the steps to upgrade the ThyssenKrupp Elevator Integration:

- Upgrade victor v4.8SP1 to v4.9, and then install the ThyssenKrupp Elevator System Integration.
- Upgrade victor v4.8.1 to v4.9, and then install the ThyssenKrupp Elevator System Integration.

11. Known Issues and Limitations

This section lists all the known issues and limitations in this release:

- To upgrade the driver to the current version, you must use the user account that was used to install the previous version of the ThyssenKrupp Elevator Integration driver.
- If there are multiple clearances assigned to a personnel record, the landing matrix displays all clearances, including expired clearances that are associated with that personnel record.
- ThyssenKrupp Elevator Integration does not consider the following access control functions:
 - Antipassback
 - Area Lockout
 - Area Configuration
 - Occupancy Counting
 - Intrusion Zones
- Occasionally, Kiosk status message is displayed multiple times on Monitoring Station.
- When Elevator System is enabled, it takes a few minutes for the associated Kiosks to display an online status.
- ThyssenKrupp Elevator Integration is not supported on a remote client of MAS (C•CURE 9000 and victor)
- If you change the time zone from non-DST to DST, or from DST to non-DST, exception messages are logged in the Microsoft Windows 2008 R2 Server.
- Marathon Redundancy solution is not supported.

12. End of Release Notes

The trademarks, logos, and service marks displayed on this document are registered in the United States [or other countries]. Any misuse of the trademarks is strictly prohibited and Tyco Security Products will aggressively enforce its intellectual property rights to the fullest extent of the law, including pursuit of criminal prosecution wherever necessary. All trademarks not owned by Tyco Security Products are the property of their respective owners, and are used with permission or allowed under applicable laws.

Product offerings and specifications are subject to change without notice. Actual products may vary from photos. Not all products include all features. Availability varies by region; contact your sales representative.

© 2016 Tyco Security Products.
All rights reserved.