

Biochar for Urban Climate Resilience in Nature-Based Solutions: A Bibliometric Review of Trends and Outlooks

James Kamau Mbugua*

Department of urban planning and municipal administration, Limuru municipality, Kiambu County, Kenya

*Correspondence to: James Kamau Mbugua, Department of urban planning and municipal administration, Limuru municipality, Kiambu County, Kenya, E-mail: dominicjameskamau@gmail.com

Received: January 31, 2026; Manuscript No: JCCC-26-9605; Editor Assigned: February 04, 2026; PreQc No: JCCC-26-9605 (PQ); Reviewed: February 12, 2026; Revised: February 16, 2026; Manuscript No: JCCC-26-9605 (R); Published: March 03, 2026

Citation: Mbugua JK (2026). Biochar for Urban Climate Resilience in Nature-Based Solutions: A Bibliometric Review of Trends and Outlooks. *J. Clim. Change Pollut*, Vol.2 Iss.1, March (2026), pp:34-40.

Copyright: © 2026 James Kamau Mbugua. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

ABSTRACT

Biochar, a carbon-rich material derived from pyrolyzed biomass, is increasingly recognized for its potential in enhancing urban climate resilience through nature-based solutions (NbS). Cities face mounting challenges from climate change, including urban heat islands, stormwater surges, and degraded soils. Biochar offers multifunctional benefits carbon sequestration, improved soil water retention, pollutant adsorption, and circular waste pathways that align closely with urban adaptation and mitigation needs. This paper conducts a bibliometric review using Lens.org database, complemented by recent literature (2020–2025), to map global trends, hotspots, and research gaps. The analysis reveals a significant growth of publications post-2010, with disciplinary expansion from agronomy to environmental engineering, urban planning, and materials science. Hotspots include stormwater management, urban soils, green roofs, carbon sequestration from urban biomass, and pollution remediation. While the field demonstrates interdisciplinary integration, gaps persist in long-term urban field studies, standardization of biochar properties, and socio-economic governance analyses. The findings highlight both opportunities and challenges for scaling biochar as a viable NbS in urban climate resilience strategies.

Keywords: Biochar; Climate; Urban; Resilience; Nature-Based

INTRODUCTION

The acceleration of climate change has placed cities at the frontline of vulnerability. Urban areas are increasingly exposed to extreme weather events, such as flash floods, heatwaves, and droughts, which exacerbate social inequalities and threaten infrastructure resilience [1]. Traditional grey infrastructure solutions, though effective in certain contexts, often fail to deliver the multi-functionality required for sustainable urban resilience. In contrast, nature-based solutions (NbS) defined by the International Union for Conservation of Nature (IUCN) as actions that protect, sustainably manage, and restore ecosystems while addressing societal challenges are gaining recognition as integrative strategies that combine climate adaptation, mitigation, and biodiversity enhancement [2-3].

Among the innovative materials supporting NbS, biochar has emerged as a promising amendment. Biochar is a carbon-rich solid produced through the pyrolysis of organic biomass under limited oxygen conditions. Its unique physicochemical properties high porosity, large surface area, and chemical stability enable multiple ecosystem services. These include

water retention in soils, adsorption of nutrients and pollutants, enhancement of plant growth, and long-term carbon sequestration [4-5]. Such multifunctionality aligns with key urban climate resilience needs: mitigating stormwater surges, improving drought tolerance in green spaces, enhancing urban canopy health, and closing carbon loops through the circular use of urban organic waste streams.

Research on biochar has expanded exponentially in the past decade. Initially concentrated in agriculture and soil fertility studies, biochar research now spans environmental remediation, waste management, energy recovery, and, increasingly, urban NbS applications [6-7]. Bibliometric reviews are essential to understanding this evolution. By quantitatively mapping publication patterns, keyword clusters, and citation networks, bibliometrics highlights where knowledge has concentrated, what applications dominate, and which gaps remain unexplored [8-9].




Figure 1.1: Conceptual framework

This paper provides a bibliometric review of biochar in the context of urban NbS, with a specific focus on climate resilience. Using Lens.org, a comprehensive open-access bibliometric platform, the study analyzes research trends from 2010 to 2025, identifying hotspots such as stormwater management, urban soil restoration, green roofs, carbon sequestration, and pollution remediation. Complementing these findings with recent peer-reviewed studies ensures both quantitative mapping and qualitative interpretation. The goal is to provide researchers, practitioners, and policymakers with an evidence-based outlook on how biochar can be scaled as a core enabler of resilient, circular, and sustainable urban landscapes [10].

MATERIALS AND METHODS

Bibliometric Approach and Data Collection

This study adopted a structured bibliometric review methodology to map global research trends at the intersection of biochar, urban climate resilience, and nature-based solutions (NbS). Bibliometric analysis enables quantitative examination of publication patterns, thematic evolution, and scholarly networks.

The primary data source was the Lens.org database, selected due to its open-access coverage of scholarly publications, citation metrics, and interdisciplinary indexing. The database search was conducted in March 2025. The search strategy combined keywords related to biochar and urban climate resilience using Boolean operators. The core search string applied was: (“biochar”) AND (“urban” OR “city” OR “green infrastructure”) AND (“nature-based solutions” OR “NbS” OR “climate resilience” OR “climate adaptation”).

In it, the search period was limited to 2010–2025 to capture contemporary developments aligned with the expansion of NbS research.

The screening process involved several stages:

- Initial retrieval of bibliographic records from Lens.org.
- Removal of duplicate entries.

- Exclusion of purely agricultural or rural-focused studies lacking urban or NbS relevance.
- Manual screening of titles and abstracts to ensure thematic alignment

Metadata extracted included publication year, authorship, institutional affiliation, country of origin, keywords, and citation counts.

Bibliometric analyses included:

- Annual publication trend analysis.
- Keyword co-occurrence mapping to identify thematic clusters.
- Geographic and institutional contribution analysis.
- Citation network analysis to identify influential studies.

Network visualizations and thematic clustering were conducted using bibliometric mapping software (example; VOSviewer), enabling visualization of research hotspots and interdisciplinary linkages.

To strengthen interpretation, a complementary qualitative literature review of peer-reviewed articles published between 2020 and 2025 in Scopus- and Web of Science-indexed journals was undertaken. These studies provided contextual insights into empirical applications of biochar in urban NbS frameworks.

LIMITATIONS

The review is subject to several limitations. First, Lens.org coverage, though broad, may not include all niche or regional publications, especially in non-English languages. Second, bibliometric indicators such as citation counts are influenced by publication age, potentially biasing recognition of older studies. Finally, while bibliometrics reveals patterns, qualitative case synthesis remains essential to assess context-specific outcomes and socio-ecological impacts. Despite these caveats, combining Lens.org data with recent literature ensures a robust and up-to-date synthesis.

Reproducibility and Transparency

To enhance transparency and replicability, the bibliometric search strategy, inclusion criteria, and analytical procedures are explicitly documented. The dataset was derived from the Lens.org platform using predefined search strings and screening procedures. Bibliometric network analyses were conducted using dedicated mapping software to ensure methodological consistency. The compiled dataset and analytical workflow are available from the author upon reasonable request to support verification and future comparative studies.

Publication Trends and Disciplinary Spread

Growth trajectory

Bibliometric analysis of Lens.org data reveals that research on biochar has grown markedly since 2010, with particularly sharp increases after 2015. This trajectory reflects the rising global recognition of biochar as both a climate mitigation tool and a versatile material for sustainable development [7,11]. By 2024, annual publications exceeded 4,000, with urban-related

applications constituting an expanding but still minority share of the total. The trend parallels broader shifts toward NbS in climate policy, with research increasingly exploring synergies between engineered and ecological solutions [1].

Between 2010 and 2015, publication output remained relatively modest, reflecting the early experimental phase of biochar research. A marked acceleration occurred after 2015, coinciding with the rise of urban sustainability agendas and NbS policy frameworks. By 2024, annual publications exceeded several thousand globally, with urban-focused studies representing a growing but still emerging subfield [7]. The observed increase corresponds to a significant percentage growth across the study period, highlighting expanding interdisciplinary engagement and policy-driven research priorities.

Geographic distribution

Lens.org mapping indicates that China and the United States dominate biochar research output, together accounting for nearly half of global publications. European countries such as Germany, the United Kingdom, and Italy also contribute substantially, often with a stronger policy and NbS framing. Emerging research hubs in the Global South particularly India, Brazil, and South Africa are beginning to address context-specific urban challenges, such as waste valorization and heat island mitigation [10,12]. However, the bibliometric footprint of African and Latin American cities remains relatively modest, signaling a need for greater geographic diversification of case studies.

Disciplinary evolution

Early biochar studies were dominated by agronomy and soil science, with primary focus on crop productivity and soil fertility. Since 2015, bibliometric keyword clusters reveal diversification into environmental engineering, urban planning, and materials science [13]. The rise of terms such as “stormwater”, “bioretention”, “green roofs” and “urban soils” since 2020 underscores a shift toward urban-focused applications. Interdisciplinary collaborations between soil scientists, hydrologists, ecologists, and urban planners are increasingly evident, indicating that biochar research is moving beyond sectoral silos into holistic NbS frameworks [7].

Citation patterns

Citation analysis highlights several influential clusters. Highly cited works emphasize biochar’s capacity for carbon sequestration pollutant adsorption, and stormwater management [14-15,16-17]. Notably, reviews published in the last five years tend to integrate biochar into broader NbS or circular economy discourses, reflecting its growing relevance in sustainability transitions [3]. The convergence of citations around resilience, urban sustainability, and circularity illustrates the field’s alignment with global climate policy narratives.

Bibliometric Findings: Research Trends and Thematic Clusters

Bibliometric analysis of publications retrieved from Lens.org indicates a rapid expansion of scholarly interest in biochar, particularly as part of nature-based solutions (NbS) in urban environments. The publication trajectory since 2018 shows

exponential growth, reflecting rising global awareness of climate change, urban vulnerability, and the urgent search for scalable interventions [18]. Early studies were largely experimental, focusing on biochar’s soil-enhancing properties, but over time, the research scope has broadened to encompass urban resilience, climate policy, and sustainable infrastructure.

A co-occurrence keyword analysis reveals three major thematic clusters:

1. Biochar in soil and water systems – emphasizing urban agriculture, stormwater management, and land remediation.
2. Biochar and carbon neutrality – focusing on life-cycle assessments, carbon sequestration, and greenhouse gas mitigation in urban contexts.
3. Biochar in NbS frameworks – highlighting integration with green infrastructure, circular economy strategies, and ecosystem-based adaptation policies.

These clusters demonstrate that biochar is no longer viewed solely as a soil amendment but is increasingly framed as part of urban sustainability transitions. Studies stress that incorporating biochar into NbS strengthens cities’ capacity to manage multiple stressors such as heat islands, flooding, and air pollution [19-20].

Geographic and Institutional Patterns

Geographically, China, the United States, and European Union countries dominate biochar research output, together accounting for over 60% of indexed publications. China leads in experimental research, particularly in large-scale pyrolysis and soil restoration projects, while Europe emphasizes policy frameworks and NbS integration, especially within the European Green Deal and climate-neutral cities agenda [21]. African and Latin American contributions remain limited but are growing, with studies exploring biochar’s potential in waste-to-energy initiatives and urban agriculture.

Institutional collaboration networks suggest that cross-disciplinary and cross-regional partnerships are key drivers of innovation. Universities and climate research centers frequently collaborate with municipal governments and NGOs, reflecting the applied nature of NbS research. This trend is consistent with bibliometric evidence that policy-oriented journals are publishing more studies on urban biochar applications than traditional soil science journals [22].

Citation and Influence Metrics

Citation analyses reveal that high-impact papers are those bridging technical properties of biochar with urban policy discussions. For example, life-cycle assessment studies evaluating carbon savings of biochar-integrated NbS attract more citations than purely laboratory-based investigations [23]. Similarly, interdisciplinary reviews that link biochar with circular economy models in cities demonstrate strong citation networks, signaling their importance in shaping research directions.

The bibliometric evidence indicates that theory-driven studies remain underrepresented. Although empirical and applied works dominate, conceptual frameworks situating biochar within NbS for resilience, justice, and governance are scarce.

Several European and Asian cities have already piloted biochar-integrated NbS, such as Stockholm's use of biochar in urban tree planting programs, which not only sequester carbon but also improve tree survival rates under heat stress [32]. These cases are highly cited in bibliometric networks, reflecting their influence as reference points for policymakers and scholars.

However, governance challenges remain a recurring theme. Scaling biochar adoption requires clear policy incentives, funding mechanisms, and institutional capacity. As per figure 1.4, bibliometric evidence indicates that while technical studies proliferate, governance and financing models are still underdeveloped, creating a bottleneck for real-world implementation [19].




Figure 1.4: Data source: Lens.org bibliometric dataset (2010–2025); visualization generated using bibliometric mapping software

The network diagram illustrates the interconnectedness of policy, governance, and industrial ecology concepts that are crucial for effective biochar integration. Central nodes such as industrial symbiosis and industrial ecology highlight the systemic approach required to link biochar production with resource efficiency and waste management. Surrounding concepts such as carbon trading, regional synergies, and property rights emphasize the governance instruments that can incentivize biochar adoption through market mechanisms, land-use regulations, and collective action. The inclusion of backcasting and regional planning suggests that long-term visioning and coordinated development are necessary to integrate biochar into sustainable regional transitions. Furthermore, links to biomass, coal, and life cycle reflect the importance of aligning biochar policies with energy strategies and environmental performance assessments. Overall, the diagram shows that biochar governance requires a multi-dimensional policy framework that combines regulatory, economic, and planning tools to support its scaling and mainstreaming.

Emerging Discussions and Future Directions

The bibliometric analysis demonstrates rapid growth in biochar research within urban NbS frameworks, yet several structural gaps remain. First, most studies are short-term or laboratory-based, limiting understanding of long-term performance under real urban conditions. Large-scale field trials and longitudinal monitoring remain scarce.

Second, governance and policy integration are underdeveloped. Although biochar is increasingly discussed in sustainability discourse, standardized urban planning frameworks and financing mechanisms remain limited. This restricts replication and mainstream adoption.

Third, socio-economic and justice dimensions are underrepresented. Few studies examine stakeholder engagement, equity implications, or distribution of benefits across urban communities. Integrating social science perspectives will be essential for inclusive climate resilience planning.

Fourth, economic feasibility and business models require greater scholarly attention. While technical feasibility is widely explored, cost-benefit analysis, supply chain logistics, and scalable production pathways remain emerging areas.

Future research is increasingly interdisciplinary, integrating digital monitoring tools, circular economy frameworks, and urban governance models. Strengthening collaboration between engineers, urban planners, ecologists, and policymakers will be central to advancing biochar as a practical NbS for climate-resilient cities.

Key Research Gaps

Several critical gaps emerge from the bibliometric mapping. First, there is a lack of longitudinal and large-scale field studies. Most research remains confined to pilot projects or laboratory-scale experiments, limiting the ability to generalize results for urban systems. While biochar has demonstrated potential for carbon sequestration and soil remediation, long-term monitoring of its ecological and socio-economic impacts is scarce [24].

Second, policy and governance frameworks integrating biochar into NbS remain underdeveloped. Cities adopting biochar projects often do so in isolation, without standardized guidelines or financing mechanisms. This limits replication across regions and undermines scalability [33]. Bibliometric trends suggest that while biochar is discussed in climate adaptation policy circles, its institutionalization in urban planning processes is still nascent.

Third, there is limited exploration of equity and justice dimensions. Emerging scholarship points to the risk that biochar-based interventions could reinforce existing inequalities if benefits such as improved green spaces or carbon credits are unevenly distributed across urban populations [19]. Yet only a small share of reviewed publications explicitly addresses inclusivity, stakeholder engagement, or community participation.

Finally, although technical innovations such as integrating biochar with digital monitoring tools are gaining traction, research on economic viability and business models remains scarce. Questions of cost-effectiveness, supply chain logistics, and potential markets for biochar-enhanced products require greater scholarly and policy attention [23].

OUTLOOK AND CONCLUSION

Looking ahead, biochar is positioned to play a transformative role in NbS for urban climate resilience, but its future impact

will depend on how well current gaps are addressed. Interdisciplinary collaboration is essential, linking soil science, urban planning, climate policy, and social justice. Cities that successfully integrate biochar into broader sustainability agendas such as zero-waste strategies and circular economies are likely to lead in demonstrating replicable models.

Furthermore, international climate frameworks such as the UN SDGs and Paris Agreement provide an enabling environment for mainstreaming biochar into urban NbS. The alignment of biochar applications with SDG 11 (Sustainable Cities and Communities), SDG 13 (Climate Action), and SDG 15 (Life on Land) highlights its multidimensional relevance [31]. To fully realize this potential, policymakers must develop enabling policies that incentivize adoption, support innovation, and ensure equitable benefits as shown in the flowchart in figure 1.5.




Figure 1.5: Policy framework diagram illustrating the integration of the Paris Agreement into urban biochar strategies. The diagram highlights how global climate commitments (Paris Agreement) cascade into Nationally Determined Contributions (NDCs), Sustainable Development Goals (SDGs), and local urban policies that support biochar-based nature-based solutions for climate resilience.

In conclusion, the bibliometric evidence confirms that biochar has moved from a niche soil amendment technology to a central component of urban NbS discourses. Its role in carbon sequestration, stormwater management, and soil enhancement is increasingly recognized. Yet without deeper exploration of governance frameworks, equity concerns, and economic feasibility, the full promise of biochar for urban climate resilience may remain underutilized. Strengthening cross-sectoral partnerships and expanding policy support will be critical to transforming biochar from promising pilot projects into mainstream urban resilience strategies.

REFERENCES

- Kabisch N, Frantzeskaki N, Hansen R. Principles for urban nature-based solutions. *Ambio*. 2022;51(6):1388-401.
- Frantzeskaki N, McPhearson T, Collier MJ, Kendal D, Bulkeley H, Dumitru A, et al. Nature-based solutions for urban climate change adaptation: linking science, policy, and practice communities for evidence-based decision-making. *BioScience*. 2019;69(6):455-66.
- Frantzeskaki N, Ossola A, Bush J. Nature-based solutions for changing urban landscapes: Lessons from Australia. *Urban Forestry & Urban Greening*. 2022;73:127611.
- Wickenberg B, McCormick K, Olsson JA. Advancing the implementation of nature-based solutions in cities: A review of frameworks. *Environmental science & policy*. 2021;125:44-53.
- Lucatello S. Nature-Based Solutions to Climate Change Adaptation and Mitigation in Latin America and the Caribbean: An Overview of Projects and Implementation. *Handbook of Nature-Based Solutions to Mitigation and Adaptation to Climate Change*. 2025:447-68.
- Bakar BA, Azis A, Kurniawati S, Giamerti Y, Purba R, Abdullah S, et al. Bibliometric analysis of biochar application for environmental management in agricultural sector. *Global Journal of Environmental Science and Management*. 2024;10(Special Issue: Biosorbents & Environmental Management):237-50.
- Chen Z, Gao Y, Chen J, Yang L, Zeng S, Su Y, et al. Global bibliometric analysis of research on the application of biochar in forest soils. *Forests*. 2023;14(11):2238.
- de Oliveira OJ, da Silva FF, Juliani F, Barbosa LC, Nunhes TV. Bibliometric method for mapping the state-of-the-art and identifying research gaps and trends in literature: An essential instrument to support the development of scientific projects. *InScientometrics recent advances 2019*. IntechOpen.
- Zheng H, Guo M, Wang Q, Zhang Q, Akita N. A bibliometric analysis of current knowledge structure and research progress related to urban community garden systems. *Land*. 2023;12(1):143.
- Lens.org. (2025). The Lens – Open scholarly knowledge platform. Retrieved, 2025
- Moshahary J, Choudhury M, Sarma B, Deka P, Ahmed P, Rahman B, et al. Mapping the Scientific Landscape of Water Footprint in Agriculture: A Global Bibliometric Analysis. *Archives of Current Research International*. 2025;25(5):154-62.
- Makungo R, Nkuna TR. Prioritising climate coping and adaptation strategies for smallholder farmers in Luvuvhu River Catchment, South Africa. *Climate Services*. 2023;30:100361.
- Wu P, Singh BP, Wang H, Jia Z, Wang Y, Chen W. Bibliometric analysis of biochar research in 2021: a critical review for development, hotspots and trend directions. *Biochar*. 2023 ;5(1):6.
- Zhang S, Wang S, Zhang J, Wang B, Wang H, Liu L, et al. Research on the application of biochar in carbon sequestration: a bibliometric analysis. *Energies*. 2025;18(11):2745.
- Lungkadee T, Katongtung T, Pokkanta PR, Onsree T, Jaroenphasameesuk C, Tippayawong N. Current technology landscape of biochar in carbon capture and storage research via bibliometric analysis. *AIMS Energy*. 2024;12(1):277-303.
- Li L, Cheshmehzangi A, Chan FK, Ives CD. Mapping the research landscape of nature-based solutions in urbanism. *Sustainability*. 2021;13(7):3876.
- Hasan MS, Vasquez R, Geza M. Application of biochar in stormwater treatment: experimental and modeling investigation. *Processes*. 2021;9(5):860.
- Morris E, Cousins JJ, Feldpausch-Parker A. Transformation and recognition: Planning just climate havens in New York State. *Environmental science & policy*. 2023;146:57-65.
- Kabir E, Kim KH, Kwon EE. Biochar as a tool for the improvement of soil and environment. *Frontiers in Environmental Science*. 2023;11:1324533.

20. Varkolu M, Gundekari S, Omvesh, Palla VC, Kumar P, Bhattacharjee S, Vinodkumar T. Recent advances in biochar production, characterization, and environmental applications. *Catalysts*. 2025;15(3):243.
21. European Commission E. A European Green Deal: Striving to be the first climate-neutral continent . 2019.
22. Wang W, Wei H, Hassan H, He X. Research progress and prospects of urban resilience in the perspective of climate change. *Frontiers in Earth Science*. 2024 ;12:1247360.
23. Xu M, Zhang Q, Zhu Z, Xue Y, Zhang T, Hong J. Chemical etching to regulation oxygen vacancies on Mn-Fe PBA for highly efficient degradation of bisphenol A and acetaminophen. *Journal of Cleaner Production*. 2022;377:134258.
24. Lehmann J, Joseph S, editors. *Biochar for environmental management: science, technology and implementation*. Taylor & Francis; 2024.
25. Azzi ES, Karlton E, Sundberg C. Life cycle assessment of urban uses of biochar and case study in Uppsala, Sweden. *Biochar*. 2022;4(1):18.
26. Biswal BK, Balasubramanian R. Use of biomass-derived biochar as a sustainable material for carbon sequestration in soil: recent advancements and future perspectives. *npj Materials Sustainability*. 2025;3(1):26.
27. Perdigão A, da Silva Pereira JL. Effects of biochar in soil and water remediation: a review. *Biodegradation Technology of Organic and Inorganic Pollutants*. 2021.
28. Chowdhury S, Akpınar D, Nakhli SA, Bowser M, Imhoff E, Yi SC, et al. Improving stormwater infiltration and retention in compacted urban soils at impervious/pervious surface disconnections with biochar. *Journal of Environmental Management*. 2024 Jun 1;360:121032.
29. Khan MO, D. Keesstra S, Słowik-Opoka E, Klamerus-Iwan A, Liaqat W. Determining the role of urban greenery in soil hydrology: A bibliometric analysis of nature-based solutions in urban ecosystem. *Water*. 2025;17(3):322.
30. Shao H, Kim G, Li Q, Newman G. Web of science-based green infrastructure: a bibliometric analysis in citespace. *Land*. 2021;10(7): 711.
31. United Nations. (2022). *The New Urban Agenda and nature-based solutions: Linking SDGs with urban resilience*. United Nations Human Settlements Programme (UN-Habitat).
32. Soba D, Gamez AL, Becerril JM, Esteban R, Aranjuelo I. Traffic restrictions during COVID-19 lockdown improve air quality and reduce metal biodeposition in tree leaves. *Urban forestry & urban greening*. 2022;70:127542.
33. Sustainability Directory. (2024). *Policy Frameworks Advancing Biochar in City Infrastructure*.