



CLEARPOINT®

Laser Ablation:

Ho, A. et al. (2018). **Improved Operative Efficiency Using a Real-Time MRI-Guided Stereotactic Platform for Laser Amygdalohippocampotomy.** *Journal of Neurosurgery*, 128(4), pp. 961-1272. DOI: 10.3171/2017.1.JNS162046.

Larson, P., Vadivelu, S., Azmi-Ghadimi, H., Nichols, A., Fauerbach, L., & Boehm-Johnson, H. (2017). **Neurosurgical Laser Ablation and MR Thermometry: Risks of Multisite Workflow Pattern.** *Journal of Healthcare Risk Management*, 36(4), pp. 7-18. DOI: 10.1002/jhrm.21258.

Rennert, R., Carroll, K., Ali, M., Hamelin, T., Chang, L., Lemkuil, B., & Chen, C. (2016). **Safety of Stereotactic Laser Ablations Performed as Treatment of Glioblastomas in a Conventional Magnetic Resonance Imaging Suite.** *Neurosurgical Focus FOC*, 41(4): E7. DOI: 10.3171/2016.8FOCUS16217.

Ali, M., Carroll, K.T., Rennert R.C., Hamelin, T., Chang, L., Lemkuil, B.P., Sharma, M., Barnholtz-Sloan, J.S., Myers, C., Barnett, G.H., Smith, K., Mohammadi, A.M., Sloan, A.E., & Chen, C.C. (2016). **Stereotactic Laser Ablation as Treatment for Brain Metastases That Recur After Stereotactic Radiosurgery: A Multi-Institutional Experience.** *Neurosurgery Focus FOC*, 41(4): E11. DOI: 10.3171/2016.7.FOCUS16227

Torcuator, R.G., Hulou, M.M., Chavakula, V., Jolesz, F.A., & Golby, A.J. (2016). **Intraoperative Real-Time MRI Guided Stereotactic Biopsy Followed by Laser Thermal Ablation for Progressive Brain Metastases after Radiosurgery.** *Journal of Clinical Neurosciences*, 24, pp. 68–73. DOI:10.1016/j.jocn.2015.09.008.

Gross, R.E., Willie, J.T., & Drane, D.L. (2015). **The Role of Stereotactic Laser Amygdalohippocampotomy in Mesial Temporal Lobe Epilepsy.** *Neurosurgery Clinical North America*, 27(1), pp. 37-50. DOI: 10.1016/j.nec.2015.08.004.

McCracken, D.J., Willie, J.T., Fernald, B.A., Saindane, A.M., Drane, D.L., Barrow, D.L., & Gross, R.E. (2016). **Magnetic Resonance Thermometry-Guided Stereotactic Laser Ablation of Cavernous Malformations in Drug-Resistant Epilepsy: Imaging and Clinical Results.** *Operative Neurosurgery*, 12(1), pp. 39-48. DOI: 10.1227/NEU.0000000000001033.

Gross, R.E. & Willie, J.T. (2015). **Response to Journal Club: Real-time Magnetic Resonance-Guided Stereotactic Laser Amygdalohippocampotomy for Mesial Temporal Lobe Epilepsy.** *Neurosurgery*, 77(3):E502-4. DOI: 10.1227/NEU.0000000000000876.

Drane, D.L., Loring, D.W., & et al. (2015). **Better Object Recognition and Naming Outcome with MRI-Guided Stereotactic Laser Amygdalohippocampotomy for Temporal Lobe Epilepsy.** *Epilepsia*, 56(1), pp. 101-13. DOI: 10.1111/epi.12860.

Willie, J.T., Tung, J.K., & Gross, R.E. (2015). **Chapter 16, MRI-Guided Stereotactic Laser Ablation.** In *Image-Guided Neurosurgery* (pp. 375-403). Ed: A. Golby. DOI: 10.1016/C2013-0-01422-3.

Willie, J.T., Gross, R.E., & et al. (2014). **Real-Time Magnetic Resonance-Guided Stereotactic Laser Amygdalohippocampotomy for Mesial Temporal Lobe Epilepsy.** *Neurosurgery*, 74(6), pp. 569-84. DOI: 10.1227/NEU.0000000000000343.



CLEARPOINT®

Ahluwalia, M., Barnett, G.H., Deng, D., Tatter, S., Laxton, A., Mohammadi, A., Leuthardt, E., Chamoun, R., Judy, K., Asher, A., Essig, M., Dietrich, J., & Chiang, V.L. (2018). **Laser Ablation After Stereotactic Radiosurgery: A Multicenter Prospective Study in Patients with Metastatic Brain Tumors and Radiation Necrosis.** *Journal of Neurosurgery JNS*, 130(3), pp. 804-811. DOI: 10.3171/2017.11.JNS171273.

Harris, M., Steele, J., Williams, R., Pinkston, J., Zweig, R., & Wilden, J.A. (2018). **MRI-Guided Laser Interstitial Thermal Thalamotomy for Medically Intractable Tremor Disorders.** *Journal of the International Parkinson and Movement Disorder Society*, 1(34), pp. 124-129. DOI: 10.1002/mds.27545.

Zervos, T.M., Scarpace, L., Robin, A.M., Schwalb, J.M., & Air, E.L. (2019). **Adapting to Space Limitations During Prone Real-Time Magnetic Resonance Imaging-Guided Stereotaxic Laser Ablation: Technical Pearls.** *Operative Neurosurgery*, opz 173, published online. DOI: 10.1093/ons/opz173.

DBS Lead Placement:

LaHue, S., Ostrem, J., Galifianakis, N., Luciano, M., Ziman, N., Wang, S., Racine, C., Starr, P., Larson, P., & Katz, M. (2017). **Parkinson's Disease Patient Preference and Experience with Various Methods of DBS Lead Placement.** *Parkinsonism and Related Disorders*, 41, August, pp. 25-30. DOI: 10.1016/j.parkreldis.2017.04.010.

Chansakul, T., Chen, P.N. Jr, Lee, T.C., & Tierney, T. (2016). **Interventional MR Imaging for Deep-Brain Stimulation Electrode Placement.** *Radiology*, 281(3), pp. 940-946. DOI: 10.1148/radiol.2015151136.

Rolston, J.D., Englot, D.J., Starr, P.A., & Larson, P.S. (2016). **An Unexpectedly High Rate of Revisions and Removals in Deep Brain Stimulation Surgery: Analysis of Multiple Databases.** *Parkinsonism Related Disorders*, 33; December, pp. 72-77. DOI: 10.1016/j.parkreldis.2016.09.014.

Azmi, H., Gupta, F., Vukic, M., Kreitner, J., Kera, E., Nicola, G., Pierce, S., Panush, D., & Cohen, R. (2016) **Interventional Magnetic Resonance Imaging-Guided Subthalamic Nucleus Deep Brain Stimulation for Parkinson's Disease: Patient Selection.** *Surgical Neurology International*, 7; 2 August. DOI: 10.4103/2152-7806.187537.

Sidiropoulos, C., Rammo, R., Merker, B., Mahajan, A., LeWitt, P., Kaminski, P., Womble, M., Zec, A., Taylor, D., Wall, J., & Schwalb, J.M. (2016). **Intraoperative MRI for Deep Brain Stimulation Lead Placement in Parkinson's Disease: 1 Year Motor and Neuropsychological Outcomes.** *Journal of Neurology*, 263(6):1226-1231. DOI: 10.1007/s00415-016-8125-0.

Southwell, D.G., Narvid, J.A., Martin, A.J., Qasim, S.E., Starr, P.A., & Larson, P.S. (2016). **Comparison of Deep Brain Stimulation Lead Targeting Accuracy and Procedure Duration between 1.5- and 3-Tesla Interventional Magnetic Resonance Imaging Systems: An Initial 12-Month Experience.** *Stereotactic Functional Neurosurgery*, 94(2), pp. 102-7. DOI: 10.1159/000443407.

Sidiropoulos, C., & et al. (2017). **Intraoperative MRI for Deep Brain Stimulation Lead Placement in Parkinson's Disease: 1 Year Motor and Neuropsychological Outcomes.** *Journal of Neurology*, 263(3), pp. 1226-1231. DOI: 10.1007/s00415-016-8125-0.

Martin, A.J., Larson, P.S., & et al. (2017). **Deep Brain Stimulator Implantation in a Diagnostic MRI Suite: Infection History Over a 10-Year Period.** *Journal of Neurosurgery*, 126(1), pp. 108-113. DOI: 10.3171/2015.7.JNS15750.



Ostrem, J.L., Ziman, N., Galifianakis, N., Starr, P.A., & et al. (2016). **Clinical Outcomes Using ClearPoint Interventional MRI for Deep Brain Stimulation Lead Placement in Parkinson's Disease.** *Journal of Neurosurgery JNS*, 124(4), pp. 908-916. DOI: 10.3171/2015.4.JNS15173.

Sidiropoulos, C., Mubita, L., Krstevska, S., & Schwalb, J.M. (2015). **Successful Vim Targeting for Mixed Essential and Parkinsonian Tremor Using Intraoperative MRI.** *Journal of Neurologic Sciences*, 358(1-2), pp. 488-489. DOI: 10.1016/j.jns.2015.08.1553.

Chabardes, S., Isnard, S., Castrioto, A., Larson, P.A., & et al. (2015). **Surgical Implantation of STN-DBS Leads Using Intraoperative MRI Guidance: Technique, Accuracy, and Clinical Benefit at 1-Year Follow-Up.** *Acta Neurochirurgica*, 157(4), pp. 729-737. DOI: 10.1007/s00701-015-2361-4.

Ivan, M.E., Martin, A.J., Starr, P.A., Larson, P.S., & et al. (2014). **Brain Shift During Burr Hole-Based Procedures Using Interventional MRI.** *Journal of Neurosurgery JNS*, 121(1), pp. 149-160. DOI: 10.3171/2014.3.JNS121312.

Starr, P.A., Markun, L.C., Larson, P.S., Volz, M.M., Martin, A.J., & Ostrem, J.L. (2014). **Interventional MRI-Guided Deep Brain Stimulation in Pediatric Dystonia: First Experience with the ClearPoint System.** *Journal of Neurosurgery: Pediatrics PED*, 14(4), pp. 400-408. DOI: 10.3171/2014.6.PEDS13605.

Larson, P. & et al. (2016). **Interventional MRI-Guided DBS: A Practical Atlas.** This book is available for download with iBooks on your Mac or iOS device: <https://books.apple.com/us/book/interventional-mri-guided-dbs/id554568402>

Vega, R.A., Holloway, K.L., & Larson, P.S. (2014). **Image-Guided Deep Brain Stimulation.** *Neurosurgery Clinics North America*, 25(1), pp. 159-172. DOI: 10.1016/j.nec.2013.08.008.

Sillay, K.A., Rusy, D., Buyan-Dent, L., Ninman, N., & Vigen, K.K. (2014). **Wide-bore 1.5T MRI-Guided Deep Brain Stimulation Surgery: Initial Experience and Technique Comparison.** *Clinical Neurology and Neurosurgery*, 127; December, pp. 79-85. DOI: 10.1016/j.clineuro.2014.09.017.

Larson, P.S. & et al. (2013). **Application Accuracy of a Second-Generation Interventional MRI Stereotactic Platform: Initial Experience in 101 DBS Electrode Implantations.** *Neurosurgery*, 60; August, Suppl 1:187. DOI: 10.1227/01.neu.0000432793.68257.ab.

Ostrem, J., Galifianakis, N., Markun, L., Grace, J., Martin, A., Starr, P., & Larson, P. (2013). **Clinical Outcomes of PD Patients Having Bilateral STN DBS Using High-Field Interventional MR-Imaging for Lead Placement.** *Clinical Neurologic Neurosurgery*, 115(6), pp. 708-712. DOI:10.1016/j.clineuro.2012.08.019.

Larson, P.S., Starr, P.A., Bates, G., Tansey, L., Richardson, R.M., & Martin, A.J. (2012). **An Optimized System for Interventional Magnetic Resonance Imaging-Guided Stereotactic Surgery: Preliminary Evaluation of Targeting Accuracy.** *Operative Neurosurgery*, 70; March, (1 Suppl Operative), pp. 95-103; discussion 103. DOI: 10.1227/NEU.0b013e31822f4a91.

Kochanski, R.B. & Sani, S. (2018). **Awake Versus Asleep Deep Brain Stimulation Surgery: Technical Considerations and Critical Review of Literature.** *Brain Sciences*, 8(1) pii. E17. DOI: 10.3390/brainsci8010017.

Matias, C.M., Frizon, L.A., Nagel, S.J., Lobel, D.A., & Machado, A.G. (2016). **Deep Brain Stimulation Outcomes in Patients Implanted Under General Anesthesia with Frame-Based Stereotaxy and Intraoperative MRI.** *Journal of Neurosurgery JNS*, 129(6), pp. 1572-1578. DOI: 10.3171/2017.7.JNS171166.



CLEARPOINT®

Lee, P.S. & Richardson, R.M. (2017). **Interventional MRI-Guided Deep Brain Stimulation Lead Implantation.** *Neurosurgery Clinics of North America*, 4(28), pp. 535-544. DOI: 10.1016/j.nec.2017.05.007.

Lee, P.S., Weiner, G.M., Corson, D., Kappel, J., Yue-Fang, C., Suski, V.R., Berman, S.B., Homayoun, H., Van Laar, A.D., Crammond, D.J., & Richardson, R.M. (2018). **Outcomes of Interventional-MRI Versus Microelectrode Recording-Guided Subthalamic Deep Brain Stimulation.** *Frontiers in Neurology*, 9; April, pp. 241-246. DOI: 10.3389/fneur.2018.00241.

Robinson, E. (2017). **OHSU Study Shows Better Clinical Outcomes for Deep Brain Stimulation While Patients are Asleep.** *OSHU News*, 01 November. Retrieved from: <https://www.news-medical.net/news/20171103/OHSU-study-shows-better-clinical-outcomes-for-deep-brain-stimulation-while-patients-are-asleep.aspx>.

Biopsy:

Carroll, K.T., Lochte, B.C., Chen, J.Y., Snyder, V.S., Carter, B.S., & Chen, C.C. (2018). **Intraoperative MRI-Guided Biopsy in the Diagnosis of Suprasellar Langerhans Cell Histiocytosis.** *World Neurosurgery*, 112; April, pp. 6-13. DOI: 10.1016/j.wneu.2017.12.184.

Torcuator, R., Hulou, M., Chavakula, V., Jolesz, F., & Golby, A. (2016). **Intraoperative Real-Time MRI Guided Stereotactic Biopsy Followed by Laser Thermal Ablation for Progressive Brain Metastases after Radiosurgery.** *Journal of Clinical Neurosciences*, 24; February, pp. 68-73. DOI: 10.1016/j.jocn.2015.09.008.

Mohyeldin, A., Lonser, R.R., & Elder, J.B. (2015). **Real-Time Magnetic Resonance Imaging-Guided Frameless Stereotactic Brain Biopsy: Technical Note.** *Journal of Neurosurgery*, 124(4), pp. 1039-1046. DOI: 10.3171/2015.5.JNS1589.

Bartek, J., Alattar, A., Jensdottir, M., & Chen, C. (2019). **Biopsy and Ablation of H3K27 Glioma Using Skull-Mounted Smartframe Device: Technical Case Report.** *World Neurosurgery*, 127; July, pp. 436-441. DOI: 10.1016/j.wneu.2019.04.029.

Drug Delivery:

Jahangiri, A., Chin, A.T., Flanigan, P.M., Chen, R., Bankiewicz, K., & Aghi, M.K. (2017). **Convection-Enhanced Delivery in Glioblastoma: A Review of Preclinical and Clinical Studies.** *Journal Neurosurgery*, 126(1), pp. 191-200. DOI: 10.3171/2016.1.JNS151591.

Han, S.J., Bankiewicz, K., Butowski, N.A., Larson, P.S., & Aghi, M.K. (2016). **Interventional MRI-Guided Catheter Placement and Real-Time Drug Delivery to the Central Nervous System.** *Expert Review of Neurotherapeutics*, 16(6):635-639. DOI: 10.1080/14737175.2016.1175939.

Rowland, N.C., Kalia, S.K., Kalia, L.V., Larson, P.S., Lim, D.A., & Bankiewicz, K.S. (2016). **Merging DBS with Viral Vector or Stem Cell Implantation: "Hybrid" Stereotactic Surgery as an Evolution in the Surgical Treatment of Parkinson's Disease.** *Molecular Therapy Methods Clinical Devices*, 13(3):15051. DOI: 10.1038/mtm.2015.51.

Chittiboina, P., Heiss, J.D., & Lonser, R.R. (2015). **Accuracy of Direct Magnetic Resonance Imaging-Guided Placement of Drug Infusion Cannulae.** *Journal of Neurosurgery*, 122(5), pp. 989-1251. DOI: 10.3171/2014.11.JNS131888.



CLEARPOINT[®]

Silvestrini, M.T., Yin, D., Martin, A.J., Coppes, V.G., Mann, P., Larson, P.S., Starr, P.A., & et al. (2015). **Interventional Magnetic Resonance Imaging Guided Cell Transplantation into the Brain with Radially Branched Deployment.** *Molecular Therapy*, 23(1), pp. 119-129. DOI: 10.1038/mt.2014.155.

Richardson, M., Kells, A., Martin, A., Larson, P., Starr, P., & et al. (2011). **Novel Platform for MRI-Guided Convection-Enhanced Delivery of Therapeutics: Preclinical Validation in Nonhuman Primate Brain.** *Stereotactic Functional Neurosurgery*, 89(3), pp. 141–151. DOI: 10.1159/000323544.

Richardson, R.M., Kells, A.P., Rosenbluth, K.H., Salegio, E.A., Fiandaca, M.S., Larson, P.S., Starr, P.A., Martin, A.J., Lonser, R.R., Federoff, H.J., Forsayeth, J.R., & Bankiewicz, K.S. (2011). **Interventional MRI-Guided Putaminal Delivery of AAV2-GDNF for a Planned Clinical Trial in Parkinson's Disease.** *Molecular Therapy*, 19(6), pp. 1048-57. DOI: 10.1038/mt.2011.11.

MRI Interventions ClearPoint Indications for Use (K142505): *The ClearPoint® System is intended to provide stereotactic guidance for the placement and operation of instruments or devices during planning and operation of neurological procedures within the MRI environment and in conjunction with MR imaging. The ClearPoint System is intended as an integral part of procedures that have traditionally used stereotactic methodology. These procedures include biopsies, catheter and electrode insertion including deep brain stimulation (DBS) lead placement. The System is intended for use only with 1.5 and 3.0 Tesla MRI scanners and MR Conditional implants and devices. The user should consult the “Navigational Accuracy” section of the User’s Guide to assess if the accuracy of the system is suitable for their needs.*
