

Eco Mold Go Heavy Duty Stain Remover Product Information

An industrial strength ready to use Spray-On No-Scrub Rinse-Off Stain Remover Formulated to
Effectively Remove Rust and Mineral Deposit Stains
On Concrete Surfaces, Brick, Block, Masonry and Stone

The RIGHT CHEMICALS you use can greatly affect how well the finished surface looks. Choosing the right chemicals is the first step to giving your clients the quality service they deserve. It requires choosing cleaning solutions that are specifically designed for the job at hand, not to mention ones that won't harm either your equipment or the environment

<u>Precautionary Measures:</u> Do not get in eyes, on skin, or clothing and avoid splash to bare skin and eyes. If material comes in contact with clothing, wash before reuse.

<u>Personal Protection:</u> Wear safety goggles or full face shield to avoid contact with eyes. Wear appropriate chemical resistant clothing boots, gloves, face shields and/or goggles and respirator. Applicators should wear rain suit (plastic, rubber or PVC boots, gloves, face shields and/or goggles and respirator. When handling wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using toilet.

Avoid breathing fumes for prolong periods of time.

Applicators should wear rain suit (plastic, rubber, or PVC), boots, gloves, face shields and/or goggles and respirator.

Avoid drifting of material and rinse water onto autos and pedestrians by protecting or diverting such traffic.

<u>Do not remove label:</u> Read Material Safety Data Sheet for additional safety and health hazard information prior to use.

<u>Pre-Testing:</u> Always test prior to beginning full-scale cleaning operations. Testing should confirm cleaning effectiveness on each type of surface and stain designated to be removed. Testing also determines the desired dwell time and any potential for adverse reactions with adjacent materials. Allow test panels to dry thoroughly before evaluating final appearance and results.

Dilute shortly before application. Add 1 gallon to 4 gallons of clean tap water for Heavy Staining.

Add 1 gallon to 8-10 gallons of clean tap water for Moderate Staining.

Add 1 gallon to 10-15 gallons of clean tap water for Regular Use.

Note: Follow the pre-testing process to determine the proper dilution ratio for the application.



<u>Mixing Directions:</u> Step: 1- Add Clean Tap Water Step: 2- Then add Eco Mold Go Heavy Duty Surface Stain Remover and Mix well.

Note: Hard well water is not recommended for dilution.

Note: For best results do not store a prepared solution more than 6-8 hours after preparation to insure proper results.

Coverage Rate: Coverage rates vary depending on surface porosity, texture and severity of staining.

Note: Eco Mold Go Heavy Duty Stain Remover become less efficient and predictable with the risk of incomplete results if applied when Air and Surface Temperatures will fall below 50 Degrees. Best cleaning results are obtained when air and surface temperatures are 50° Fahrenheit or above. Do not clean when temperatures are below freezing or will be overnight. If freezing conditions exist, allow adequate time for surface to thaw.

<u>Note:</u> Excessively high or low temperatures will produce poor results and possible harm. If air temperatures exceed 90° Fahrenheit, flash cool the surface with water before applying product.

DO NOT ALLOW PRODUCT TO FREEZE

<u>Preparation:</u> Protect Landscaping from exposure to the cleaning solution. Cover landscape with polyethylene or other proven protective material. Spray foliage with water before, during and after the cleaning process. Overspray can be neutralized with large volumes of water.

Note: Avoid applying on very windy days.

Note: Eco Mold Go heavy Duty Stain Remover should not be allowed to spill into waterways.

Recommended Application: Apply to damp surface using low pressure sprayer, brushing is not necessary. One single application will remove most stains. **For Deep Stain Removal** on porous surface pre-wet (do not soak) surface with water. **Use a double application** if needed, spaced three to five minutes apart without rinsing between applications for desired results.

<u>Do not allow product to dry on surface:</u> A THOROUGH RINSE IS ALWAYS NEEDED and Craftsmanship will determine proper pressures for rinsing. Pressures that mark or damage the surface should be avoided and use lower lower rinse pressures when cleaning sensitive materials.

<u>Instructions in Case of Contact or Exposure:</u>

Eyes: Flood with water for fifteen minutes and seek medical attention. Remove contact lenses immediately.

<u>Skin:</u> Wash off with soap and water. Use good skin emollient. If irritation develops, seek medical attention. <u>Ingestion:</u> Seek immediate medical attention. Do not induce vomiting.

Inhalation: Remove to fresh air. Call physician and seek medical attention if irritation develops.



Spill or Leak Procedures:

Check with the state, local, or federal regulations for waste disposal methods in the area. Wear proper protective equipment while doing cleanup. For large spills, dike and contain for intended use. For small spills, use a chemical absorbent product and place in approved container for disposal.

Container Handling/Storage:

Storage: 1-year under normal storage conditions in original container in a cool well ventilated place. Do not allow this product to freeze. Vent bung cap before opening. Keep container tightly closed when

not in use. Wash thoroughly after handling. Empty containers retain residue and vapors and must be handled as if full. Completely rinse drum prior to disposal.

Dispose of any empty containers according to federal, state, and local requirements

Disclaimer:

The information herein is given in good faith, but no warranty, either expressed or implied, is made. Final determination of the suitability of any material is the sole responsibility of the user.

Customer Service:

Factory personnel are available for assistance at (941)-240-2546 Monday through Friday, 7:00am to 5:00pm EST.

Questions may also be sent via e-mail to info@ecomoldgo.com

DO NOT MIX THIS PRODUCT WITH ANY OTHER CHEMICALS- FOR EXTERIOR USE ONLY KEEP OUT OF REACH OF CHILDREN



Eco Mold Go www.ecomoldgo.com (941)-240-2546