




# Geomagic Design X

## Release Note

Version: 2024.3.0

Release Date: September, 2024



**OQTON**

Note: This topic includes features exclusive to the Geomagic Design X Plus or Pro licenses, marked with "Plus **DX-Plus**" or "Pro **DX-Pro**" labels for each identification.


# TABLE OF CONTENTS

1. INTRODUCTION.....	1
2. INSTALLATION.....	2
System Requirements.....	2
Download and Install software.....	2
Activate License.....	2
3. NEW FEATURES AND ENHANCEMENTS.....	3
Geomagic Design X Editions.....	3
Auto Sketch Improvements <b>DX-Pro</b> .....	3
New "Equal Constraints" Option for Enhanced Sketch Control.....	3
New "Major Radius" and "Minor Radius" Options for Ellipses.....	4
Improved Precision in Extracting Specific Entities.....	4
Fill Holes Improvements.....	5
New Bridging Method.....	5
Enhanced Fill Holes Command with Fill Gulf Method.....	5
Display of Filled Holes.....	6
Display of Hole Count.....	6
Improved Results and Robustness.....	6
Fitting Deviation and Tolerance Color Display when Previewing Reference Geometry.....	7
Improvements to Solid and Surface Primitives.....	7
Display of Selected Entity Count.....	7
Retaining Properties After Cut and Merge Operations.....	8
Performance Improvements.....	8
Performance Enhancements for Average Meshes <b>DX-Pro</b> .....	8
Improved Execution Performance.....	8
File I/O.....	9
Micrometer Import Unit Support.....	9
LiDAR File Import.....	9
LiveTransfer To Latest CAD Software Versions.....	9
4. BUG FIXES.....	10

# 1 INTRODUCTION

## INTRODUCING GEOMAGIC® DESIGN X™

Version: 2024.3.0



### From Scan to CAD in no time

Bring physical parts into digital parametric CAD models with a reverse-engineering software that combines history-based CAD with 3D scan data processing. Geomagic® Design X™ is the industry's most comprehensive reverse engineering software, combines history-based CAD with 3D scan data processing so you can create feature-based, editable solid models compatible with your existing CAD software.

### What Can You Do with Geomagic Design X?

Geomagic Design X converts 3D scan data into high-quality, feature-based CAD models. The software combines automatic and guided solid model extraction in a unique way while being incredibly accurate.

Scan virtually anything and create producible designs.

- Rebuild CAD data for broken tools and molds.
- Recreate lost CAD data for parts and molds.
- Design custom products.
- Convert physical parts into CAD for new product designs.
- Make existing parts fit with new parts.

## 2 INSTALLATION

### System Requirements

For the latest system requirements information and to learn about specific qualified system configurations, go to the [System Requirements](#) page in the Geomagic Support Center. Some users have had success running system configurations that deviate from the supported listed on our website. In such cases, these configurations are not officially supported by Oqton. Additionally, we test a variety of hardware platforms in combination with the graphics subsystems. While we make every attempt to be as thorough as possible, hardware manufacturers change their products frequently and may be shipping newer products or have discontinued active support for others. Check the support section of the website for the latest system requirement information and specific qualified systems.

### Download and Install software

You can download and install the software from <https://softwaresupport.oqton.com/s/article/GeomagicDesignX>. In addition, automatic software updates are available if you set the **Update Product Automatically** option to **True** in Preferences and a valid maintenance code is activated, and your computer is connected to the Internet. The application will check if a newer version is available and will download it automatically for installation. You can also manually check if a newer version is available by going to **Help > Check For Update**.

### Activate License

Geomagic Design X requires license activation to run the application on your PC. You can choose to use a trial license for a 15-day period or activate a permanent license. After you start your application, the License Manager window opens. The License Manager allows you to activate and use the Geomagic Design X software. **NOTE: When the License Manager is launched, you can click the **Help ?** button found at the top right corner of the window to read the [CimLM Licensing Guide](#).**

# 3 NEW FEATURES AND ENHANCEMENTS

## Important Notice

Instructions for using legacy scanner plug-ins are available on the **Oqton Software Support Community** at the following link: <https://softwaresupport.oqton.com/s/article/Enabling-Legacy-Scanner-Plugins-for-Design-X-Control-X-2024-1>

Additionally, instructions for **PMT Probe** Plug-Ins can be found on the Oqton Software Support Community at the following link: <https://softwaresupport.oqton.com/s/article/PMT-Scanner-Plugin>

**Note:** This topic includes features exclusive to the Geomagic Design X Plus or Pro licenses, marked with "Plus **DX-Plus**" or "Pro **DX-Pro**" labels for each identification.

## Geomagic Design X Editions

Geomagic Design X now offers several editions, each designed to meet specific design needs. Each edition builds on the previous one by adding unique features and enhanced workflow capabilities.

- **Geomagic Design X Go **DX-Go**** - A comprehensive solution for starting your reverse engineering projects.
- **Geomagic Design X Plus **DX-Plus**** - Enhanced tools for optimizing your scan-to-CAD workflows.
- **Geomagic Design X Pro **DX-Pro**** - Our most advanced reverse engineering solution, offering everything needed to convert any scan data into parametric CAD.


For more information on the features available in each edition, see *Working with Geomagic Design X Editions* in the Geomagic Design X Help, or visit the Geomagic Design X webpage at <https://oqton.com/geomagic-designx>. For assistance, contact our technical support team at <https://softwaresupport.oqton.com/s/article/Contact-Us>, email [techsupport@oqton.com](mailto:techsupport@oqton.com), or reach out to your regional sales manager.

## Auto Sketch Improvements **DX-Pro**

Improvements to **Auto Sketch** enhance sketching accuracy and better align with user expectations.


### New "Equal Constraints" Option for Enhanced Sketch Control

A new **"Equal Constraints"** option has been introduced in **Auto Sketch**. This option enables you to quickly apply equal length and equal radius constraints to circle, slots, rectangles, and arcs based on your specified search criteria. It streamlines the process of enforcing consistent constraints on sketches with similar geometry.




# New "Major Radius" and "Minor Radius" Options for Ellipses

The "Major Radius" and "Minor Radius" options have been added for the ellipse sketch entity type. These options provide more precise search control for ellipses by allowing searches based on their major and minor radii within section polylines.




## Improved Precision in Extracting Specific Entities


The algorithm for extracting user-specific sketch entities (such as circles, slots, rectangles, ellipses, lines, and arcs) from selected section polylines has been enhanced. The fitting criteria in Auto Sketch have been refined to produce accurate, non-overlapping sketches, eliminating unnecessary ones. The updated algorithm now intelligently determines whether segments of the selected polyline can be merged into a single desired sketch entity.




Extracting Circles in Geomagic Design X 2024.3.0



Extracting Circles in Geomagic Design X 2024.2.0



Extracting Slots in Geomagic Design X 2024.3.0



Extracting Slots in Geomagic Design X 2024.2.0


**Note:** These algorithm enhancements apply to the **Extraction Wizard** and the **Revolution Wizard**, both of which utilize the Auto Sketching process.

# Fill Holes Improvements

Improvements to **Fill Holes** make the process more intuitive and user-friendly. Additionally, the results for non-manifold hole filling have been significantly enhanced.


## New Bridging Method

The **Fill Holes** command now supports multi-edge bridging with an enhanced **Bridge** method. This allows you to connect multiple edges to multiple other edges. This method enhances hole filling by bridging edges that are relatively distant from each other while preserving the curvature of adjacent poly-faces. Additionally, you no longer need to hold down the left mouse button to draw the bridge.




## Enhanced Fill Holes Command with Fill Gulf Method

The **Fill Holes** command now allows you to choose a specific portion of a hole to fill from either side using the **Fill Gulf** method. This enhancement saves time by reducing the need for repetitive operations when working with complex holes.




## Display of Filled Holes

When previewing fill results after filling holes in a mesh, only the boundaries of the filled areas are highlighted for intuitive identification. This enables easy comparison of how smoothly the holes have been filled in connection with the neighboring poly-faces.




Hole Filling in Geomagic Design X 2024.3.0



Hole Filling in Geomagic Design X 2024.2.0

## Display of Hole Count

The **Fill Holes** command now displays the number of holes in the target mesh, allowing for intuitive identification. The count updates in real-time as holes are filled.




## Improved Results and Robustness

Numerous issues with the **Fill Holes** have been resolved to enhance hole filling results and overall robustness. For more details on the resolved issues, please see the [Fixed Bugs](#) list.


# Fitting Deviation and Tolerance Color Display when Previewing Reference Geometry

New "Show Fitting Deviation on Preview" and "Show Tolerance Color on Preview" options have been added to the **Reference Plane** and **Reference Vector** commands, allowing you to check fitting deviation and tolerance colors using a color map while reviewing geometry fitting results.




# Improvements to Solid and Surface Primitives

The **Solid** and **Surface Primitives** commands have been improved to support poly-vertices and poly-faces as target entities when extracting specific shapes.





# Display of Selected Entity Count

All commands now display the number of selected entities in the target or tool, allowing for easier identification. The count updates in real-time as selections are made.



# Retaining Properties After Cut and Merge Operations

Improvements have been made to retain the properties of resulting bodies when performing **Cut** or **Merge** operations on existing bodies to create solid or surface bodies. The resulting body now retains properties such as custom name, material color, and visibility settings of the target body. If the target body belongs to a body group, the resulting body will remain within that group.



## Performance Improvements

Performance has been enhanced to provide a smoother and more efficient working experience.

### Performance Enhancements for Average Meshes DX-Pro

The **Average Mesh** command has been optimized to address performance issues. With improvements to the computational algorithm and the implementation of parallel processing, performance has been increased by over 90% compared to the previous version.


### Improved Execution Performance

Execution performance has been significantly enhanced by optimizing and reducing unnecessary pre-processing tasks when running applications.


# File I/O

## Micrometer Import Unit Support

The micrometer unit (" $\mu\text{m}$ ") is now supported for handling small models accurately. You can select micrometers as the default measurement unit in Preferences or when importing scan data with mismatched units.



Unit Selection in Preferences



Confirming Input (Scanner) Unit

## LiDAR File Import

Added support for importing **LAS** and **LAZ** files from **LiDAR 3D scanners**.

## LiveTransfer To Latest CAD Software Versions

**Geomagic Design X** now supports **Creo 10**, **Creo 11**, and **Inventor 2025**. As a result, the following versions of CAD software are currently available in **LiveTransfer**:

- SOLIDWORKS 2006~2024
- NX 8~1953 series
- Creo up to 11.0
- AutoCAD 2010~2011
- Inventor 2010~2025

**Note:** LiveTransfer also supports older versions of CAD software, but please be aware that CAD software versions prior to the previous three releases have not been tested and we cannot guarantee LiveTransfer functionality for these versions.

## 4 BUG FIXES

Note: This topic includes features exclusive to the Geomagic Design X Plus or Pro licenses, marked with "Plus **DX-Plus**" or "Pro **DX-Pro**" labels for each identification.

### Common

- **GDX-22989:**  
**DX-Plus**  
**DX-Pro** After using the Sew command in the Insert > Surface or the Mirror command in the Insert > Modeling Feature, undoing and redoing copied the body to the model tree.
- **GDX-22861:** The default name for a new tab in the Ribbon was not displayed as 'New Tab.'
- **GDX-22784:**  
**DX-Plus**  
**DX-Pro** After using the Sew command in the Insert > Surface or the Mirror command in the Insert > Modeling Feature, the custom body name and material were changed.
- **GDX-22754,**  
**GDX-22716:** An invalid template path appeared in Preferences for some users.

### Auto-Sketch

- **GDX-22690:**  
**DX-Pro** The application crashed intermittently during Auto Sketch operations.
- **GDX-21127:**  
**DX-Pro** When extracting specific sketch entities from selected segments of section polylines, the desired entity type was not created if the selection included multiple geometry types.

### Mesh Tools

- **GDX-22692:** Mesh information was not updated in the tree after data editing.
- **GDX-21799:** A strange texture appeared after filling a hole.
- **GDX-20549:** An unnecessary or unclear message was displayed after filling holes.
- **GDX-18300:** Selection or parameters were invalid in "Fill Gulf" with "Tangent Curvature."
- **GDX-17067:** Poor mesh results were produced when using "Fill Gulf" with "Flat Curvature."
- **GDX-16044:** Fill Holes results were inconsistent in some cases.
- **GDX-14974:** The Fill Holes tool did not apply to textures.
- **GDX-9981:** "Fill Gulf" with "Tangent Curvature" failed to fill holes in some cases.
- **GDX-9716:** Boundary regions changed unexpectedly when filling holes.
- **GDX-9628:** Selection disappeared when deleting a poly-face.
- **GDX-9340:** The application crashed when running Mesh tools on a textured file.
- **GDX-7426:** The Fill Holes operation did not function normally.
- **GDX-6772:** An adjacent hole was also filled when attempting to fill a small hole.

### Extrusion Wizard

- **GDX-22948:**  
**DX-Pro** When performing "Solid Cut" on an existing solid body using a sketch profile with multiple loops in the Extrusion Wizard, the bottom of the extrusion was not created as expected.

### Hardware Interface

- **GDX-21692:** There were connection issues with Scanviewer 6.3.4.9.

## File I/O

- **GDX-21558:** ASCII Converter failed to read RGB information depending on the file's columns.
- **GDX-21549:** The CSV option was missing in the Import dialog.
- **GDX-21223:** Incorrect color was displayed in Geomagic Design X when importing CSV formatted point cloud data with the "Use Convert ASCII" option.

## Localization

- **GDX-22633,**  
**GDX-22302,**  
**GDX-22301,** There were translation and layout issues in the multilingual user interface.  
**GDX-22835,**  
**GDX-22268:**
- **GDX-21343:** Untranslated words were found in the multilingual versions.

## Documentation

- **GDX-22723:** The Help file lacked descriptions of how the "Geometry Capture Accuracy" option affects the addition of constraints in the Auto Sketch command.  
**DX-Pro**



Oqton, Inc.  
345 California St, Suite 600 San Francisco, CA 94104  
[www.oqton.com](http://www.oqton.com)

Copyright © 2024 Oqton, Inc. All rights reserved.