

USB-C to Fiber Optic Converter - Open SFP

Product ID: US1GC30SFP



This USB-C™ to fiber-optic converter lets you utilize the USB 3.0 (Type-C™) port on your laptop or tablet to provide a secure fiber network connection. Windows® and Mac compatible, the network adapter provides a Gigabit Ethernet (1000 Mbps) optical network connection for portable laptops or tablets, or systems without expansion slots.

A flexible solution with an open SFP slot

The open SFP slot enables you to use your preferred SFP transceiver module to meet your networking needs - use an SFP with your desired wavelength, distance, connection type to achieve an efficient network solution. (SFP sold separately.)

Secure fiber-to-the-desk connectivity

This USB to fiber-optic converter provides reliable fiber connectivity while protecting your network from problems with electronic interference - a common issue with copper Ethernet networks. Fiber-to-the-desk connectivity (FTTD) maximizes network security, reducing the risk of data leaks for sensitive information, without compromising network speed and reliability.

Easy portability

Compact and portable, this USB-C to fiber-optic converter is powered directly from the USB port.

Plug and play

Get up and running quickly. The USB to fiber-optic converter supports certified drivers for Windows, Mac and Linux®. Once the adapter is plugged into a USB-C port, you simply install the drivers and the adapter is ready to transmit over a fiber network.

The US1GC30SFP is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Provides a portable network connectivity solution for mobile professionals, to access a fiber network through the USB port on their laptop or tablet
- Ideal for secure network connectivity - a direct fiber connection means no electronic interference, which can be a problem with RJ45 network cards

Features

- Provides a fiber network connection to portable laptops or tablets
- Fiber-to-the-desk connectivity (FTTD) enhances security, reducing the risk of data leaks
- Add a Gigabit Ethernet (1000Mbps) connection through a USB 3.0 Type-C interface
- Highly portable design, with no need for an external power adapter (bus powered)
- Open SFP slot, compatible with MSA compliant SFP modules
- Certified drivers for Windows, macOS and Linux
- Plug-and-play installation
- Wake-on-LAN support

Hardware	Warranty	2 Years
	Bus Type	USB-C
	Chipset ID	Realtek - RTL8153-VB-CG Microsemi - VSC8211XVW
	Industry Standards	IEEE802.3z 1000BASE-SX/LX IEEE 802.1Q VLAN tagging
	Interface	Fiber Ethernet
	Ports	1
Performance	Compatible Networks	1000 Mbps (1 Gbps)
	Full Duplex Support	Yes
	Jumbo Frame Support	9K max.
	Maximum Data Transfer Rate	1000 Mbps
	Promiscuous Mode	Yes
Connector(s)	Connector Type(s)	1 - USB Type-C (24 pin) USB 3.0 (5Gbps) Female
	External Ports	1 - SFP Slot Female
Software	OS Compatibility	Windows® 7, 8, 8.1, 10 Windows® Server 2008, 2012, 2016, 2019 macOS 10.9 - 10.14 Linux® kernel 3.5 to 4.11.x, LTS versions only
Indicators	LED Indicators	1 - Power 1 - Link/Activity
Power	Power Source	USB-Powered
Environmental	Humidity	5% ~ 90% RH
	Operating Temperature	0°C ~ 60°C (32° ~ 140°F)
	Storage Temperature	-10° ~ 70°C (14° ~ 158°F)
Physical Characteristics	Cable Length	7.7 in [195 mm]
	Color	Black
	Enclosure Type	Plastic
	Product Height	0.8 in [2 cm]
	Product Length	10.2 in [26 cm]
	Product Width	2.2 in [55 mm]
	Weight of Product	1.7 oz [48 g]

Packaging Information

Package Height	1.2 in [30 mm]
Package Length	5.6 in [14.2 cm]
Package Width	6.7 in [17 cm]
Shipping (Package) Weight	3.7 oz [104 g]

What's in the Box

Included in Package	1 - network adapter
	1 - quick-start guide

Product appearance and specifications are subject to change without notice.