

8-Port 4K 60Hz HDMI Splitter

Product ID: ST128HD20



This 4K HDMI splitter lets you connect your HDMI video source to eight HDMI displays, with support for Ultra HD resolutions and HDR (High Dynamic Range) as well as 7.1 surround sound audio.

This 8-port 4K 60Hz HDMI splitter offers full support for your HDMI 2.0 equipment, including true 4K resolution at 60Hz. For smoother video and color transitions, the splitter offers 4:4:4 chroma subsampling, meaning every pixel gets its own unique color. Support for HDMI 2.0 devices means this splitter can transmit bandwidth up to 18Gbps, making it the ideal solution for high-resolution tasks requiring the highest color detail.

Note: In order to support 4K 60Hz coming through the splitter, each device in the chain must support HDCP 2.2.

The splitter supports HDCP 2.2 and is backward compatible with 4K 30Hz and 1080p displays. This ensures that it will work with lower resolution displays such as TVs or projectors around your site or in your digital signage application.

The 4K HDMI splitter offers easy plug-and-play installation with no additional software or drivers required. The splitter passes EDID between your video source and the display attached to port 1, ensuring native settings such as resolution and refresh rate are configured automatically.

The ST128HD20 is backed by a 2-year StarTech.com warranty.

Certifications, Reports and Compatibility

Applications

- Output and split your 4K 60Hz HDMI signal to eight different HDMI displays
- Distribute 4K 60Hz video to computer monitors that require the highest quality of image detail, such as in control centers or video production studios



- Share corporate information or advertising on multiple displays with digital signage
- Display the same information on multiple displays in the waiting rooms of healthcare or educational institutions

Features

- Offers HDMI 2.0 technology which can support 4K 60Hz HDR
- 7.1 surround sound audio
- Supports 4:4:4 chroma subsampling even at 4K 60Hz with bandwidth up to 18Gbps
- Backwards compatible with 4K 30Hz and 1080p displays
- Tidy, professional installation with mounting hardware included

н	9	rd	\AA	2	re
п	a	ιu	w	a	ıe

Warranty 2 Years

AV Input HDMI

Ports 9

AV Output HDMI

Cabling HDMI

Audio Yes

Industry Standards HDMI 2.0

HDCP 2.2

Performance

Maximum Digital Resolutions

3840x2160 (4K) @ 60Hz

Supported Resolutions 2560x1600

1920x1200

1920x1080 (1080p)

1280x720 (720p)

Wide Screen Supported Yes

Audio Specifications 7.1 surround sound



Connector(s)

Connector A HDMI (19 pin)

Connector B HDMI (19 pin)

Special Notes / Requirements

Note This video splitter is not compatible with the AMD Radeon RX460

graphics card

Connect the HDMI display with the lowest resolution and refresh rate capability to output #1, If HDCP 1.4 display is connected to port #1 the

whole system defaults to HDCP 1.4.

Indicators

LED Indicators power LED

input LED

output LEDs

Power

Input Voltage 100 - 240 AC

Input Current 0.6A

Output Voltage 5 DC

Output Current 3 A

Center Tip Polarity Positive

Plug Type M

Power Consumption (In

Watts)

Environmental

Operating Temperature 0 to +45

Storage Temperature -10 to 70

Humidity 10% to 85 % RH (no condensation)

15 W

Physical Characteristics

Material Steel



Product Length 10.2 in [25.8 cm]

Product Width 4.3 in [11 cm]

Product Height 1.0 in [26 mm]

Weight of Product 26.9 oz [762 g]

Packaging Information

Package Length 12.8 in [32.5 cm]

Package Width 10.2 in [26 cm]

Package Height 2.8 in [70 mm]

Shipping (Package)

Weight

2.7 lb [1.2 kg]

What's in the Box

Included in Package HDMI splitter

universal power adapter (NA/JP, UK, EU, ANZ)

set of mounting brackets

^{*}Product appearance and specifications are subject to change without notice.