

Dr. Ritamarie: Iodine Controversy - Should You Be Taking Iodine ...Or Not?

Iodine Controversy: Should You Be Taking Iodine ...Or Not?

with Dr. Ritamarie Loscalzo



Medical Disclaimer: The information in this presentation is not intended to replace a one-on-one relationship with a qualified health care professional and is not intended as medical advice. It is intended as a sharing of knowledge and information from the research and experience of Dr. Ritamarie Loscalzo, drritamarie.com, and the experts who have contributed. We encourage you to make your own health care decisions based upon your research and in partnership with a qualified health care professional. This presentation is provided for informational purposes only and no guarantees, promises, representations or warranties of any kind regarding specific or general benefits, have been or will be made by Dr. Ritamarie Loscalzo, her affiliates or their officers, principals, representatives, agents or employees. Dr. Ritamarie Loscalzo is not responsible for, and shall have no liability for any success or failure, acts and/or omissions, the appropriateness of the participant's decisions, or the use of or reliance on this information.

What is Iodine?

- A mineral essential to life
- It must be included in your diet – your body can't make it!
- Part of the Halogen group on the periodic table of the elements
- Related to Bromine, Fluorine and Chlorine (Iodine antagonists)



Periodic Table of Elements
Including Names, Atomic Numbers, Weights, Symbols

Halides

Dr. Ritamarie: Iodine Controversy - Should You Be Taking Iodine ...Or Not?


Why We Become Iodine Deficient

- Toxins compete with iodine receptors
- Iodine-depleted soil
- Radioactivity exposure
- Chlorinated and fluoridated water
- Baked goods use bromine as a dough conditioner
- Lack of iodine-rich foods in diet
- Iodized salt loses 100% of iodine content after exposure to air for 4 weeks



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Halides



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN


Radio Active Iodine

Iodine-131	
Full table	
General	
Name, symbol	Radioiodine, ^{131}I
Neutrons	78
Protons	53
Nuclide data	
Half-life	8.0197 days
Isotope mass	130.9061246(12) u
Excess energy	971 keV



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Radio Active Iodine Map



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Dr. Ritamarie: Iodine Controversy - Should You Be Taking Iodine ...Or Not?

Consequences of Iodine Deficiency


- Hypothyroidism
- Goiter
- Fibrocystic breasts
- Uterine fibroids
- Mental retardation
- Breast cancer



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Symptoms of Iodine Deficiency

- ☐ Goiter
- ☐ Fatigue
- ☐ Blood levels of TSH increased
- ☐ Intolerance of cold
- ☐ Cold hands and feet
- ☐ Foggy thinking
- ☐ Increased need for sleep
- ☐ Dry skin
- ☐ Thinning hair
- ☐ Constipation



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Symptoms of Iodine-Deficiency Lymphatic Congestion

- | | |
|--|---|
| <input type="checkbox"/> Skin irritation | <input type="checkbox"/> Chronic colds |
| <input type="checkbox"/> Sore joints | <input type="checkbox"/> Cyst formation |
| <input type="checkbox"/> Aching hands and feet | <input type="checkbox"/> Accumulated fibrous or scar tissue |
| <input type="checkbox"/> Cold hands and feet | |
| <input type="checkbox"/> Swollen or sore breasts | |
| <input type="checkbox"/> Swollen belly | |
| <input type="checkbox"/> Cellulite | |
| <input type="checkbox"/> Sore throat | |
| <input type="checkbox"/> Allergies | |
| <input type="checkbox"/> Headaches | |



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN



Benefits of Iodine

- Supports immunity
- Supports natural detoxification
- Supports thyroid function
- Supports cellular metabolism
- Supports memory, energy, mood, and weight
- Supports optimal hormonal function
- Supports breast tissue



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Dr. Ritamarie: Iodine Controversy - Should You Be Taking Iodine ...Or Not?



Iodine Assessment

- ☐ Symptoms
- ☐ Sign: First morning temperature, daytime temperature
- ☐ Thyroid labs
- ☐ 24-Hour urinary iodine load test
- ☐ Iodine spot test

www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

How To Do an Iodine Load Test

- Stop ingesting iodine and iodine-containing foods 24 to 48 hours before the test.
- Discard first morning urine.
- Take 4 tablets of Iodoral®.
- Start collection of urine, following instructions from the lab.
- The first void on the following morning should be included in the urine collection.
- If total urine volume is above 3 liters, follow instructions supplied with the kit.

www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Dr. Ritamarie: Iodine Controversy - Should You Be Taking Iodine ...Or Not?

Iodine Load Test Labs

Doctor's Data, Inc.

3755 Illinois Avenue
St. Charles, IL 60174-2420
Phone: 1 (630) 377-8139
Toll Free: 1 (800) 323-2784
Fax: 1 (630) 587-7860
<http://www.doctorsdata.com>

Hakala Research

885 Parfet Street Unit E
Lakewood, CO 80215
Phone: 1 (303) 763-6242
Toll Free: 1 (877) 238-1779
Fax: 1 (303) 763-5247
Email: HakalaResearch@aol.com

FFP Laboratories

576 Upward Rd. Suite 8
Flat Rock, NC 28731
Toll Free: 1 (877) 900-5556
Fax: 1 (828) 697-9020
Email: ffp_lab@yahoo.com

Labrix Clinical Services, Inc.

16255 SE 130th. Avenue
Clackamas, OR 97015
Phone: 1 (503) 656-9596
Toll Free: 1 (877) 656-9596
Fax: 1 (877) 656-9756
Email: info@labrix.com



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Iodine Supplementation Protocol

from the 2007 Iodine Conference

- **Iodoral or Lugol's (Liquid):** 50 mg minimum for breast cancer
- **Vitamin C:** 3,000 mg per day (more may be necessary to detox bromide)
- **Magnesium oxide, glycinate, or citrate:** 300 - 600 mg
- **Selenium (Selenomethionine):** 200 mcg
- **Niacin (B3):** [NOT niacinamide] 500 mg twice a day
- **Vitamin B2:** 100 mg three times a day
- A comprehensive vitamin and nutrition program
- Salt load for bromine detox



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Bromide Exposure


- **PBDE fire retardants:** mattresses, carpeting, electronics, furniture, car interiors
- Dough conditioners
- Hot tubs, swimming pools
- Pesticides
- Plastics like those used to make computers
- Bakery goods and some flours often contain a "dough conditioner" called potassium bromate
- Soft drinks
- Medications



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Iodine Related Bromide Symptoms

- | | | |
|--|---|---|
| <input type="checkbox"/> Eyelid and foot twitching | <input type="checkbox"/> Body odor | <input type="checkbox"/> Vision changes |
| <input type="checkbox"/> Tingling in hands or feet | <input type="checkbox"/> Unusual urine odor | <input type="checkbox"/> Irritability |
| <input type="checkbox"/> Dark thoughts, depression | <input type="checkbox"/> Dry mouth | <input type="checkbox"/> Increased salivation |
| <input type="checkbox"/> Anxiety | <input type="checkbox"/> Frequent urination | <input type="checkbox"/> Dream changes |
| <input type="checkbox"/> Mouth and tongue sores | <input type="checkbox"/> Diarrhea or constipation | <input type="checkbox"/> Hormone changes |
| <input type="checkbox"/> Acne | | <input type="checkbox"/> Kidney pain |
| <input type="checkbox"/> Hair loss | | <input type="checkbox"/> Breast tenderness |
| <input type="checkbox"/> Brain fog | | |
| <input type="checkbox"/> Leg and hip ache | | |
| <input type="checkbox"/> Rash | | |
| <input type="checkbox"/> Metallic taste | | |
| <input type="checkbox"/> Sinus ache | | |
| <input type="checkbox"/> Cherry angiomas | | |
| <input type="checkbox"/> Runny nose | | |
| <input type="checkbox"/> Headache | | |
| <input type="checkbox"/> Lethargy | | |
| <input type="checkbox"/> Difficulty swallowing | | |



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Dr. Ritamarie: Iodine Controversy - Should You Be Taking Iodine ...Or Not?

Bromide Detox Strategies

1. Salt loading.
2. Stop iodine for 48 hours to rest the kidneys.
3. Reduce the iodine dose temporarily, then work back up.
4. Take several grams vitamin C spread throughout the day with the iodine companion nutrients.
5. Drink more water.
6. Add 25 mg zinc.



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Salt Loading Protocol for Possible Bromide Side Effects

- Take 1/4 teaspoon salt dissolved in 1/2 cup warm water. Follow immediately with 12-16 oz. pure water.
- Repeat in 30-45 minutes if needed. May repeat again until copious urination begins.
- Observe response (usually within several hours).

Iodine Investigation Project participants have found 1/2 teaspoon salt dissolved in the recommended amount of water works faster than the 1/4 teaspoon dosage.



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Food Sources of Iodine

- Sea vegetables
- Seafood: cod, sea bass, haddock, perch, shrimp, tuna
- Potato with peel, baked
- Milk (cow's)
- Turkey and chicken
- Beans
- Egg



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Iodine RDA

Life stage	Iodine required per day (mcg)*
Adults	150
Pregnant women	250
Breastfeeding women	250



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Dr. Ritamarie: Iodine Controversy - Should You Be Taking Iodine ...Or Not?

Iodine Content of Land Foods

World's Healthiest Foods ranked as quality sources of iodine

Food	Serving Size	Cals	Amount (mcg)	DV (%)
Yogurt	1 cup	154.3	87.22	58.15
Cow's milk, grass-fed	4 ounces	74.4	28.06	18.71
Eggs, pasture-raised	1 each	77.5	27.00	18.00
Strawberries	1 cup	46.1	12.96	8.64



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Iodine Content of Sea Vegetables

(per 7 g, approximately 1 teaspoon)


Nori	Dulse	Kelp	Wakame	Arame	Hijiki
.098 mg	1.169 mg	3.170 mg	.910 mg	6.860 – 39.480 mg	2.8 mg



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Iodine Supplementation

Lugol's content per drop	Iodine	Iodide	Total
2%	1.0 mg	1.50 mg	2.50 mg
3%	1.5 mg	2.25 mg	3.75 mg
5%	2.5 mg	3.75 mg	6.25 mg
7%	3.5 mg	5.25 mg	8.75 mg
10%	5.0 mg	7.50 mg	12.50 mg
15%	7.5 mg	11.25 mg	18.75 mg




www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Iodine Tidbits

"Women with goiters have been found to have a three times greater incidence of breast cancer. A high intake of iodine is associated with a low incidence breast cancer, and a low intake with a high incidence of breast cancer. Animal studies show that iodine prevents breast cancer, arguing for a causal association in these epidemiological findings."

- Dr. Donald Miller, Jr.



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Dr. Ritamarie: Iodine Controversy - Should You Be Taking Iodine ...Or Not?

Iodine Need

"Iodine is needed in microgram amounts for the thyroid, milligram amounts for breast and other tissues, and can be used therapeutically in gram amounts."

– Dr. David Miller

"After testing over 500 patients, I found that 94.7% of my patients are deficient in inorganic iodine."

– Dr. David Brownstein



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN



Iodine Consumption

- "People in the U.S. consume an average of 240 micrograms (μg) of iodine a day. In contrast, people in Japan consume more than 12 milligrams (mg) of iodine a day (12,000 μg), a 50-fold greater amount..."
- "Health comparisons between the two countries are disturbing. The incidence of breast cancer in the U.S. is the highest in the world, and in Japan, until recently, the lowest." - excerpt from *Iodine for Health*, by Donald W. Miller, Jr., MD



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Books



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN

Resources/References

- <http://www.drRitamarie.com/go/IodineDeficiencyJohnDouillard>
- A Review of the Scientific Literature as It Pertains to Gulf War Illnesses: Pyridostigmine Bromide Vol. 2 by Beatrice Golumb, MD, PhD, <http://www.drRitamarie.com/go/PyridostigmineBromide>
- Abraham G et al., Evidence that the Administration of Vitamin C Improves a Defective Cellular Transport Mechanism for Iodine: A Case Report, The Original Internist 2005
- Abraham G., The Safe and Effective Implementation of Orthoiodosupplementation in Medical Practice, The Original Internist 2004
- Cann S et al., Hypothesis, Iodine, Selenium and the Development of Breast Cancer, Cancer Causes Control 2000.
- Breast Cancer Choices, Iodine Investigation Project Database.



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN