

Medical Disclaimer: The information in this presentation is not intended to replace a one-on-one relationship with a qualified health care professional and is not intended as medical advice. It is intended as a sharing of knowledge and information from the research and experience of Dr. Ritamarie Loscalzo, drritamarie.com, and the experts who have contributed. We encourage you to make your own health care decisions based upon your research and in partnership with a qualified health care professional.

- **Blood Urea Nitrogen (BUN):** By-product of protein metabolism eliminated through the kidneys.
- **Creatinine:** A muscle breakdown product used as an indicator of kidney function.
- **Uric Acid:** Another by-product of protein metabolism eliminated through the kidneys.
- **BUN/Creatinine:** Ratio calculated by dividing the BUN by the Creatinine.
- **Glomerular Filtration (eGFR):** Provides an assessment of the filtering capacity of the kidney.



www.DrBlaauw.com | Dr. Blaauw Urologist, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

Blood Urea Nitrogen (BUN)

High

- Low stomach acid
- Electrolyte depletion
- Dehydration
- Kidney disease
- Heart attack



Low

- Malabsorption
 - i.e. Celiac and gluten intolerance
- Low stomach acid
- Steroid use
- Malnutrition
- Liver or kidney disease

Creatinine

High

- Dehydration
- Enlarged prostate
- Kidney disease
- Muscle



now

- Low stomach acid or inadequate protein
- Pregnancy
- Severe liver disease
- Muscle wasting

Uric Acid

High

- Gout
Deficiency of B6 & Magnesium
- Insulin resistance
- Diabetes
- Starvation



Low

- B12 deficiency
- Folate deficiency
- Molybdenum deficiency

Kidney Panel Case

Uric Acid, serum (Female)	mg/dL	18	7.0	3.2	5.5	5.9	5.1
Uric Acid, serum (Male)	mg/dL	18	7.0	3.7	6.0		
BUN	mg/dL	8.0	28.0	13.0	18.0	7	11
Creatinine, serum	mg/dL	0.5	12	0.7	11	0.7	0.78
eGFR	ml/min/1.73	58.0	-	69.0	-	>59	>59
eGFR (African American)	ml/min/1.73	58.0	-	69.0	-	>59	>59
BUN/Creatinine Ratio	-	8.0	27.0	8.0	27.0	10	14

- ❖ Values below functional range in BUN, slightly lower creatinine and uric acid may be fine in vegans and vegetarians but can be indicative of malabsorption and/or low stomach acid.
- ❖ Look for other evidence in metabolic assessment and abnormal in blood minerals.
- ❖ High values indicate impaired kidney function or increased tissue breakdown.



www.DrRitamarie.com © Dr. Ritamarie Localio, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

Kidney Dysfunction Case

CATEGORIES	Units	LAB RANGE	IDEAL RANGE	DATE
Lab Markers				Results
Uric acid, serum (female)	mg/dL	1.8	7.0	3.2
Uric acid, serum (male)	mg/dL	1.8	7.0	3.7
Blood urea nitrogen (BUN), serum	mg/dL	8.0	28.0	13.0
Creatinine, serum	mg/dL	0.5	1.2	0.7
Estimated glomerular filtration rate (eGFR), serum	ml/min/1.73 m ²	59.0	-	59.0
Estimated glomerular filtration rate (eGFR) (African American), serum	ml/min/1.73 m ²	59.0	-	59.0
BUN/Creatinine Ratio	-	8.0	27.0	8.0
Phosphorus, serum	mg/dL	2.3	4.8	3.5
Protein, total, serum	g/dL	6.2	8.3	6.9
Albumin, serum	g/dL	3.8	5.0	4.0
Globulin, total, serum	g/dL	2.0	3.8	2.4
Lactate dehydrogenase (LDH), serum	U/L	89.0	215.0	140.0
Aspartate aminotransferase (AST) (SGOT), serum	U/L	1.0	45.0	10.0
Alanine aminotransferase (ALT) (SGPT), serum	U/L	2.0	40.0	28.0
Cholesterol, serum	mg/dL	150.0	200.0	180.0
HDL cholesterol, serum	mg/dL	45.0	60.0	50.0
LDL cholesterol, serum	mg/dL	90.0	130.0	100.0
Total triglycerides, serum	mg/dL	150.0	200.0	180.0



www.DrRicardo.com © Dr. Ricardo Linsolino, MS, DC, CCN, DACRM, Institute of Nutritional Endocrinology (INE)

Kidney Marker Patterns: Renal Dysfunction

- ✓ BUN: +
- ✓ Creatinine: -
- ✓ BUN/Creatinine Ratio: +
- ✓ Phosphorus: +
- ✓ LDH: +
- ✓ SGOT: +
- ✓ Uric Acid: +



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

Kidney Marker Patterns: Muscle Wasting

- ✓ Creatinine: +
- ✓ SGOT: + or normal
- ✓ SGPT: + or normal
- ✓ LDH: + or normal
- ✓ CPK: + or normal
- ✓ LDH: Isoenzyme #4 and #5 +
 - LDH-4: Kidney
 - LDH-5: Skeletal muscle and liver
- ✓ CPK: Isoenzyme CK:MM +



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

Kidney Marker Patterns: Edema

- ✓ BUN: +
- ✓ Sodium: -
- ✓ Albumin: -



www.DrBitamarie.com © Dr. Bitamarie | oscalo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)