

# INE: Digestion - Hormones of the GI Tract



**INE** INSTITUTE OF  
NUTRITIONAL  
ENDOCRINOLOGY


## Digestion: Hormones of the GI Tract

Dr. Ritamarie Loscalzo

www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

**Medical Disclaimer:** The information in this presentation is not intended to replace a one-on-one relationship with a qualified health care professional and is not intended as medical advice. It is intended as a sharing of knowledge and information from the research and experience of Dr. Ritamarie Loscalzo, drritamarie.com, and the experts who have contributed. We encourage you to make your own health care decisions based upon your research and in partnership with a qualified health care professional. This presentation is provided for informational purposes only and no guarantees, promises, representations or warranties of any kind regarding specific or general benefits, have been or will be made by Dr. Ritamarie Loscalzo, her affiliates or their officers, principals, representatives, agents or employees. Dr. Ritamarie Loscalzo is not responsible for, and shall have no liability for any success or failure, acts and/or omissions, the appropriateness of the participant's decisions, or the use of or reliance on this information.

www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)



## INE: Digestion - Hormones of the GI Tract

# Major Gut Hormones

- ✓ **Gastrin:** stomach
- ✓ **Secretin:** duodenum
- ✓ **Cholecystokinin (CCK):** duodenum
- ✓ **Gastric inhibitory peptide (GIP):** duodenum
- ✓ **Glucagon-Like Peptide (GLP):** small intestine
- ✓ **Somatostatin:** stomach, duodenum, and pancreas
- ✓ **Motilin:** duodenum
- ✓ **Vasoactive Intestinal Peptide (VIP):** neurons in intestine, CNS, and urogenital tract




www.DrBlamarie.com © Dr. Blamarie Localzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

Major Digestive Hormones		
Hormone	Produced by	Action
Gastrin	Stomach	Production of stomach acid and stomach motility
Cholecystokinin (CCK): trigger by fat	Small intestine	Production of pancreatic juices and emptying of gall bladder
Secretin	Duodenum	Stimulates bicarbonate production by pancreas, bile production by liver, and pepsin by stomach
Incretins: GIP; Gastric Inhibitory Peptide and GLP: Glucagon Like Peptide	Small intestine – affect insulin response	Increases insulin, inhibits glucagon release, slows rate of absorption of nutrients by reducing gastric emptying
Somatostatin	Stomach, intestine, pancreas	Inhibits gastrin, CCK, secretin, GIP, and also growth hormone, TSH, glucagon, and insulin
Dopamine	Brain and GI mucosa	Reduces motility and protects mucosa
Serotonin	Brain and GI mucosa	Inhibits gastric acid and stimulates mucus
Peptide YY (PYY)	Mainly ileum and colon, but a little in other parts of GI tract	Inhibits gastric motility, increases water and electrolyte absorption in colon, may suppress pancreatic secretion, increases efficiency of digestion



- ✓ Secreted by the stomach G cells in antrum
- ✓ Stimulated by arrival of food in stomach, particularly proteins, gastric distension, and vagus nerve
- ✓ Stimulates parietal cells to secrete hydrochloric acid (the only hormone to do this)
- ✓ Increases histamine release
- ✓ Increases gastric motility
- ✓ Opens pyloric sphincter
- ✓ Relaxes ileocecal valve
- ✓ Stimulates growth of gastric mucosa
- ✓ Stimulates pepsinogen (inactive form of pepsin)
- ✓ Inhibited by low pH (<3)
- ✓ Inhibited by somatostatin, GIP, VIP, glucagon, and calcitonin

# INE: Digestion - Hormones of the GI Tract



## Cholecystokinin (CCK)

- ✓ Secreted by the duodenum
- ✓ Mainly stimulated by the presence of fat
- ✓ Slight stimulation by amino acids
- ✓ Stimulates the release of digestive enzymes by the pancreas
- ✓ Stimulates gall bladder contraction and relaxation of sphincter (the only hormone to do this)
- ✓ Decreases gastric emptying
- ✓ Induces satiety through hypothalamus




## INE: Digestion - Hormones of the GI Tract

## Secretin

- ✓ Secreted by the duodenum
- ✓ Stimulated by bile aid, fatty food, and acid in duodenum
- ✓ Most potent stimulator of the secretion of sodium bicarbonate by the pancreas
- ✓ Stimulates bile secretion and increases CCK
- ✓ Contracts pyloric sphincter
- ✓ Promotes growth and maintenance of pancreas
- ✓ Decreases gastric acid secretion and motility
- ✓ Inhibited by somatostatin
- ✓ Secretin family also includes GIP (Glucose-dependent Insulinotropic Peptide) and VIP (Vasoactive Intestinal Peptide)



www.DrRitamaria.com | © Dr. Ritamaria L. Lecalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)




## Gastric Inhibitory Peptide (GIP)

- ✓ Member of secretin family
- ✓ Synthesized by neuroendocrine cells in mucosa of duodenum and jejunum
- ✓ Stimulated by glucose and fat in duodenum, acid in stomach
- ✓ Stimulates insulin release and glucose use by muscles (aka Glucose-dependent Insulinotropic Peptide)
- ✓ Stimulates lipogenesis by adipose tissue
- ✓ Inhibits gastric acid secretion and gastrin release
- ✓ Decreases stomach churning and slows the emptying in the stomach
- ✓ Receptors for it on beta cells of pancreas
- ✓ One of the family called incretins
- ✓ Hypersecretion leads to insulin resistance and obesity



www.DrRitamaria.com © Dr. Ritamaria Ianezzen, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology/INE

# INE: Digestion - Hormones of the GI Tract



[www.DrRitamarie.com](http://www.DrRitamarie.com) © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## Somatostatin

- ✓ AKA Growth Hormone Inhibitory Hormone (GHIH): 2 different forms: 14 in hypothalamus, 28 in stomach
- ✓ Stimulated by stomach acid and sympathetic nervous system
- ✓ Inhibited by parasympathetic nervous system
- ✓ Secreted by stomach, duodenum, and islet cells in pancreas - into stomach as well as blood
- ✓ Inhibits all secretions: gastrin, VIP, GIP, secretin, motilin, GH, insulin and glucagon, pancreatic enzymes, and bile flow
- ✓ Increases fluid absorption and decreases intestinal secretions
- ✓ Decreases gastric secretion and motility
- ✓ Decreases absorption of glucose, amino acids, and triglycerides



[www.DrRitamarie.com](http://www.DrRitamarie.com) © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## Motilin

- ✓ Secreted by the duodenum
- ✓ Promotes intestinal motility - increases the migrating motor complex activity
- ✓ Stimulates the production of pepsin
- ✓ Rises after a meal or drinking water
- ✓ Accelerates gastric emptying and colonic transit
- ✓ Erythromycin is a motilin receptor agonist, leading to diarrhea and abdominal cramps





[www.DrRitamarie.com](http://www.DrRitamarie.com) © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## INE: Digestion - Hormones of the GI Tract

## Vasoactive Intestinal Peptide (VIP)

- ✓ Secreted by neuroendocrine cells in intestine (and also CNS and urogenital tract)
- ✓ Stimulated by chyme entering duodenum
- ✓ Increases intestinal motility and secretions
- ✓ Relaxes smooth muscle
- ✓ Inhibits gastric secretion
- ✓ Dilates intestinal capillaries
- ✓ Receptors in small intestine and large intestine
- ✓ Also receptors in lung, heart, brain, kidney, and spleen





www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## Other GI Neuroendocrine Peptides

- ✓ **Nitric Oxide:** Intestine
- ✓ **Histamine:** Stomach
- ✓ **Peptide YY:** Ileum and colon
- ✓ **Serotonin:** Brain and gut mucosa
- ✓ **Dopamine:** Brain and gut mucosa
- ✓ **Bombesin:** Gut and pancreas
- ✓ **Chromogranins:** Neuroendocrine cells
- ✓ **Calcitonin Gene-Related Peptide:** Enteric nerves
- ✓ **Enteroglucagon:** Small intestine, pancreas






© 2014 Pearson Education, Inc. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part. Due to electronic rights, some third party content may be suppressed from the eBook and/or eChapter(s). Editorial review has determined that any suppressed content does not materially affect the overall learning experience. Pearson Education, Inc. reserves the right to remove additional content at any time if subsequent rights restrictions require it.

## Nitric Oxide

- ✓ The ultimate smooth muscle relaxer
- ✓ Reduces motility
- ✓ Relaxes sphincters




www.DrRitamarie.com © Dr. Ritamarie Escalante, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

# INE: Digestion - Hormones of the GI Tract

## Histamine

- ✓ Produced by enterochromaffin-like cells (ECL cells) of the stomach
- ✓ Stimulated by gastrin
- ✓ Increase HCl secretion from parietal cells



[www.DrRitamarie.com](http://www.DrRitamarie.com) © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## Peptide YY


- ✓ Produced by large intestine
- ✓ Inhibits food intake
- ✓ Acts on stomach and intestine to slow down the movement of food through the digestive tract



[www.DrRitamarie.com](http://www.DrRitamarie.com) © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## Serotonin

- ✓ Produced by brain and GI mucosa
- ✓ Inhibits gastric acid
- ✓ Stimulates mucus
- ✓ Promotes the development and maintenance of neurons and interstitial cells
- ✓ Promotes motility




[www.DrRitamarie.com](http://www.DrRitamarie.com) © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## INE: Digestion - Hormones of the GI Tract

## Dopamine

- ✓ Produced by brain and GI mucosa
- ✓ Reduces motility and protects mucosa
- ✓ Thought to control nausea and vomiting



www.DrBitamarie.com © Dr. Bitamarie Loscalzo, MS, DC, CCN, PACBN, Institute of Nutritional Endocrinology (INE)

## Bombesin


- ✓ Produced throughout the gut and in the pancreas
- ✓ Stimulates release of cholecystokinin (CCK) and gastrin
- ✓ Stimulates release of motilin
- ✓ Stimulates pancreatic enzyme secretion
- ✓ Trophic effects on the developing gut
- ✓ Potent chemoattractant of macrophages and lymphocytes and enhances the phagocytic process in macrophages



Digitized by srujanika@gmail.com

## Chromogranins

- ✓ Produced by neuroendocrine cells
- ✓ Potent inhibitor of insulin release
- ✓ Enhances meal-stimulated gastric acid secretion
- ✓ Can be used to determine the presence of a neuroendocrine tumor and as a means to monitor the efficacy of treatment




[NEUROENDOCRINE TUMOR, WELL DIFFERENTIATED (CARCINOID)]. Well-differentiated neuroendocrine tumor, also known as carcinoid tumor, most commonly occurs in ileum and accounts for about 25–30% of NET in this location. Small tumors may be limited to mucosa with or without extension into the submucosa. Larger tumors may invade into the muscularis propria and serosa. This tumor extends from mucosa through muscularis propria.

www.DrRitamarie.com © Dr. Ritamarie Lincecavlo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## INE: Digestion - Hormones of the GI Tract

# Calcitonin Gene-Related Peptide


- ✓ Produced by enteric nerves
- ✓ Inhibits gastric acid
- ✓ Inhibits pancreatic secretion
- ✓ Causes relaxation of vascular smooth muscle




www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## Enteroglucagon


- ✓ Produced by small intestine and pancreas
- ✓ Found in high concentrations in the mucosa of the ileum, colon, and rectum
- ✓ Inhibits insulin secretion
- ✓ Trophic effect on the small intestinal mucosa
- ✓ Released after a mixed meal, particularly of carbohydrate and long-chain fatty acids
- ✓ Amount secreted is proportional to the amount of unabsorbed food entering the colon
- ✓ High concentrations found in conditions associated with loss of the small-intestinal absorptive capacity
- ✓ Sometimes called glicentin





## More GI Neuroendocrine Peptides

- ✓ **Galanin:**  
Enteric nerves
- ✓ **Neuropeptide Y:**  
Enteric nerves
- ✓ **Neurotensin:**  
Ileum




www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## INE: Digestion - Hormones of the GI Tract

## Galanin


- ✓ Produced by enteric nerves, especially in liver and pancreatic islets
- ✓ Inhibits intestinal smooth-muscle contraction
- ✓ Inhibits postprandial insulin release



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## Neuropeptide Y


- ✓ Produced by enteric nerves
- ✓ Regulates intestinal blood flow
- ✓ Often co-localized with noradrenaline
- ✓ Found in both extrinsic adrenergic nerves to the myenteric plexus and in intrinsic nerves in the myenteric and submucosal plexi
- ✓ Highest concentrations in upper intestine and distal colon
- ✓ Potent vasoconstrictor
- ✓ Inhibits intestinal secretion and depresses colonic motility



www.DrRitamaria.com © Dr. Ritamaria I. Neeseth, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## Neurotensin

- ✓ Produced in the ileum
- ✓ Affects gut motility
- ✓ Increases jejunal and ileal fluid secretion
- ✓ Inhibits gastric acid secretion and gastric emptying
- ✓ Stimulates pancreatic exocrine and intestinal secretion
- ✓ Plasma concentrations rise postprandially, particularly after fatty food




www.DrRitamaria.com © Dr. Ritamaria I. Neeseth, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## INE: Digestion - Hormones of the GI Tract

## GI Neuroendocrine Peptides

- ✓ **Ghrelin:** Stomach stimulates appetite, increases gastric emptying
- ✓ **Glucagon-like peptide-2:** Ileum, colon
  - Stimulates motility and absorption and has trophic effects on the intestine
- ✓ **Pancreatic polypeptide:** Pancreas
  - Inhibits pancreatic and biliary secretion
- ✓ **Trefoil peptides:** Stomach, intestine
  - Mucosal protection and repair
- ✓ **Enkephalins:** Stomach, duodenum
  - Opiate-like
- ✓ **Substance P:** Enteric nerves, function unclear
- ✓ **Growth hormone-releasing factor:** Small intestine, function unclear



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## Integration of Neural and Endocrine Gut Functions

- ✓ Thoughts, taste, smell of food, and chewing activate parasympathetic nervous system via acetylcholine (ACh)
- ✓ ACh stimulates parietal cells to increase acid secretion
- ✓ ACh increases gastrin, inhibits somatostatin
- ✓ Sympathetic input (activity, stress): increases somatostatin release → inhibition of gastric secretion and motility



For more information, contact the Office of the Vice President for Research and Economic Development at 319-273-2500 or [research@uiowa.edu](mailto:research@uiowa.edu).


## Local Reflex Integration of Neural and Endocrine Functions

- ✓ **Mechanoreceptors: GI tract walls detect movement of food**
  - Stomach distension causes activation of the parasympathetic system
  - This increases gastrin, leading to acid release, and decreases somatostatin
- ✓ **Chemoreceptors detect nutrients and pH**
  - Amino acids, alcohol, or caffeine in the stomach increases gastrin release
  - Fatty acids in the duodenum cause release of CCK



www.DrRitamarie.com © Dr. Ritamarie Loscalzo, MS, DC, CCN, DACBN, Institute of Nutritional Endocrinology (INE)

## INE: Digestion - Hormones of the GI Tract



## References and Resources

- ✓ “Hormones of the Digestive System.” *Boundless Anatomy and Physiology*. Boundless, 26 May. 2016.
- ✓ *The Belly Fat Effect*, Mike Mutzel
- ✓ <http://www.drritamarie.com/go/EndoDigestionPPT>
- ✓ <http://www.drritamarie.com/go/EndocrineDigestionPPT>
- ✓ <http://www.drritamarie.com/go/GIHormones>

