



INE | INSTITUTE OF
NUTRITIONAL
ENDOCRINOLOGY

The Autism Puzzle



Jan Chamberlain: BA, FNC, CFT, BMP



Medical Disclaimer: The information in this presentation is not intended to replace a one-on-one relationship with a qualified health care professional and is not intended as medical advice. It is intended as a sharing of knowledge and information from the research and experience of Dr. Ritamarie Loscalzo, drritamarie.com, and the experts who have contributed. We encourage you to make your own health care decisions based upon your research and in partnership with a qualified health care professional. This presentation is provided for informational purposes only and no guarantees, promises, representations or warranties of any kind regarding specific or general benefits, have been or will be made by Dr. Ritamarie Loscalzo, her affiliates or their officers, principals, representatives, agents or employees. Dr. Ritamarie Loscalzo is not responsible for, and shall have no liability for any success or failure, acts and/or omissions, the appropriateness of the participant's decisions, or the use of or reliance on this information.





ASD U.S. Stats:

1980's: 1 in 1,000

1990s: 1 in 2500

2000: 1 in 1000

2012: 1 in 88

2016: 1 in 68 children
(1 in 42 boys)



3 Core Symptoms:

- 1) Social Impairments**
- 2) Communication Difficulties**
- 3) Repetitive, Restrictive Behaviors**



Autism Spectrum Disorders

- ✓ Asperger's
- ✓ PDD-NOS
- ✓ Autistic Disorder
- ✓ Rett Syndrome
- ✓ Co-morbid disorders: Tourette's, TICs, PANDAS, Fragile X syndrome, epilepsy
- ✓ Between 30-50% have seizures



Autism: Whole Body Disorder



- ✓ **Neurological**
- ✓ **Digestion/Gut: Microbiome** – (Gut is 2nd Brain) - pathogens, bacterial & yeast overgrowth
- ✓ **Genetic** – SNPs: MTHFR, COMT, CBS
- ✓ **Detox** - pathways impaired – sulfation, etc.
- ✓ **Mitochondrial** – poor muscle tone, oxidative stress

Autism: Considerations




- ✓ 62% w/ASD have autoantibodies to FRA (Folate Receptor Alpha protein) – transports folate to CNS
- ✓ 92% w/ASD unable to sulfate normally & detoxify
- ✓ 2.5 - 3x greater oxalate levels w/ASD
- ✓ Higher markers for oxidative stress w/ASD
- ✓ **Low Sulfate = High Oxalate = Depleted Glutathione = Mito Dysfunction/Microbiome Disruption**
- ✓ Much lower levels of bifidobacterium and much higher levels of lactobacillus w/ASD
- ✓ ASD-associated bacteria: higher Clostridia w/ASD; over 50% w/ASD have Sutterella bacteria.



Begin with Digestion!

- ✓ Avoid a high-carb breakfast: stabilize blood sugar
- ✓ Avoid food allergens: start w/GFCF
- ✓ Eliminate caffeine, alcohol, sugar
- ✓ Avoid refined foods: eat fresh/organic
- ✓ Give the body an “oil change”
- ✓ Identify gut pathogens
- ✓ Rebalance gut microbiome
- ✓ Support detox pathways
- ✓ Identify food sensitivities
- ✓ Exercise, sleep, stress balance
- ✓ Plenty of pure water



Goals



- ✓ Remove offending foods and substances
- ✓ Customize for most significant symptoms
- ✓ Provide systemic support via nutrient rich foods
- ✓ Consist of whole, organic, unprocessed foods
- ✓ Include good fats – coconut oil, flax oil if tolerated
- ✓ Contain probiotic-rich foods
- ✓ Balance biochemistry - so more foods are tolerated
- ✓ Have variety



Ingredients to Avoid

- ✓ Benzoate preservatives: BHT, BHA
- ✓ Natural flavor, MSG
- ✓ High fructose corn syrup, sugar, and all relatives
- ✓ Artificial colors and flavors
- ✓ Artificial sweeteners: Splenda, Aspartame, Sucralose
- ✓ Natural flavors
- ✓ Hydrolyzed vegetable protein
- ✓ Flours



Fats to Avoid

- ✓ Hydrogenated oil
- ✓ Shortening
- ✓ Olestra
- ✓ Brominated vegetable oil
- ✓ Canola oil
- ✓ Vegetable oil
- ✓ Any oil that's not cold processed and stored in dark containers



The Sweet Stuff to Minimize

- ✓ Honey
- ✓ Maple syrup
- ✓ Rice syrup
- ✓ Barley malt
- ✓ Agave
- ✓ Coconut nectar
- ✓ Molasses
- ✓ Fructose
- ✓ Cane sugar




Where to Start?

- ✓ GFCFSF (Gluten-Free, Casein-Free, Sugar-Free)
- ✓ Assess gut microbiome
- ✓ Re-balance gut microbiome
- ✓ Identify most debilitating symptoms
- ✓ Do easiest diet trial first (e.g., low salicylate vs. low oxalate)
- ✓ Consider MTHFR
- ✓ FIR sauna for detox
- ✓ Start low & slow
- ✓ Progress as needed



Symptoms/Suspect Foods

- ✓ **Behavior:** Salicylates, Amines, Glutamates
- ✓ **Cognition/Mood:** All of above + Oxalates
- ✓ **Physical Symptoms** (dark circles, red cheeks, incontinence, hives, eczema, stimming, etc.): All of above + Di- and Polysaccharides (SCD/GAPS)
- ✓ **Digestive Pain or Inflammation (anywhere):** All of above + FODMAPs
- ✓ **Metabolic:** Oxalates



Food Cravings

- ✓ **Salicylates:** Fruit/grapes/tomato/ketchup/apples
- ✓ **Amines:** Bananas, chicken skin, bone broth
- ✓ **Glutamates:** Soy sauce, Brewer's yeast, parmesan
- ✓ **Oxalates:** Spinach, nuts
- ✓ **Glutein/Casein:** (Opiates) – wheat & dairy
- ✓ **Food Sensitivities:** Often will crave foods they don't tolerate



Reactions to Fruit:


- ✓ Berries, melon, oranges, nuts - OK – **FODMAPs**
- ✓ Berries, melon, oranges, nuts NOT - OK – consider **Salicylates**
- ✓ More clues: If onion, garlic, beans, beets, asparagus NOT - OK – consider **FODMAPs**
- ✓ If beans, asparagus, beet - OK – consider **Salicylates**
- ✓ If NO fruits tolerated, consider **Low/No Fructose Diet**



Sulfur vs Salicylates:

If reacting to **onion, broccoli, cauliflower**:

- Red peppers, tomato, almonds, avocado - OK, but NOT cabbage, broccoli, Brussels sprouts, egg – **SULFUR**
- Red peppers, tomato, almonds, avocado NOT OK, but cabbage, broccoli, Brussels sprouts, eggs - ARE ok – **SALICYLATES**



Sulfur vs FODMAPS:

If reacting to - **broccoli, cauliflower, cabbage, asparagus, Brussels sprouts:**

Artichoke, avocado, beets, apple - NOT OK; but eggs, kale, turnip, chard, bok choy, raspberries are OK - **FODMAPs**

Artichoke, avocado, beets, apple - OK; but NOT eggs, kale, turnip, bok choy, raspberries - **SULFUR**



Considerations

- ✓ Food Cravings/Obsessions
- ✓ Picky Eating – texture issues
- ✓ School/Work schedules
- ✓ Time
- ✓ Resources
- ✓ Travel
- ✓ Support/Help Available
- ✓ Immersion Experiences



Ideas

- ✓ Mono Meals – 1 or 2 Ingredients
- ✓ Rotating Schedule
- ✓ Color Coding
- ✓ Meal Charts
- ✓ Grab 'n Go Foods
- ✓ Weekly Meal Prep
- ✓ Intrinsic vs. Extrinsic Rewards
- ✓ Change Texture – dehydrate, etc.



Fun With Nourishing Foods

- ✓ The “Big Bowl”
- ✓ Combination salads
- ✓ Soups
- ✓ Cooked vegetables with raw sauces and dips
- ✓ Non-gluten grains (as tolerated) with raw sauces and vegetables
- ✓ Elixirs



Tracking Symptoms/Foods

- ✓ NEPT Program: Master Health Tracker
- ✓ Daily/Weekly Color-Coded Overviews:

Date		Caregiver Worksheet				
Protocol Day		10/14/16 16	10/15/16 17	10/16/16 18	10/17/16 19	10/18/16 20
Stimming	6					
Fatigue/Lethargy	3					
Insomnia	0					
Overeating/Cravings	0					
Eye Contact/Engaging	7					
Headache/Pain	0					
Constipation/Diarrhea	0					
Bloating/Gas	0					
Week Day	Fri		Sat	Sun	Mon	Tues
Output	8:00 am/ 3:00 pm					
Energy Level	7					
AM/PM Blood Sug	85					
# Hours of Sleep	8					
DAILY SCHEDULE:						
Time		x	x	x	x	x
7:00	Wake Up					
7:15	Biofilm Disruptor	Serrapeptase + MSM	x			
7:30	Candida Buster	Boron	x			
7:30	Probiotics	5-strain Bifidus	x			
8:00	Anti-C Breakfast	DIGize/ 15 gr P/ 400 Cal/ B3	x			
8:00	Liver support	Intesticidin	x			
8:00	Gut Repair	BioCell + Elderberry	x			
12:00	Biofilm Disruptor		x			
12:30	Candida Buster		x			
12:30	Probiotics		x			
1:00	Anti-C Lunch		x			
1:00	Liver support		x			
1:00	Gut Repair		x			
5:00	Biofilm Disruptor					
5:30	Candida Buster		x			
5:30	Probiotics		x			
6:00	Anti-C Dinner		x			
6:00	Liver support					
6:00	Gut Repair					
10:00	Probiotics		x			
	Gen. Supplements	D3, Zinc/B6, etc.	x			
	Movement		x			
	H2O - 48 oz. - 64 oz		x			
	Stress Buster/Sauna		x			
	Notes:					




MTHFR C677T Basics:

- ✓ Avoid folic acid; Avoid folate & B12 blockers – Nitrous Oxide, antacids
- ✓ Eliminate gluten. Eliminate or reduce dairy .
- ✓ Sauna or sweat somehow (Epsom salt baths, sports, yoga) 1-3 x/week.
- ✓ Limit intake of processed foods/Eat fruits and vegetables – daily
- ✓ Castor Oil Packs over abdomen during times of pain, soreness, cramps
- ✓ Vegetable/fruit juice with chia seeds during times of pain, soreness, cramps
- ✓ Limit intake of high methionine containing foods if homocysteine elevated
- ✓ Coffee enemas during times of detoxification or pain
- ✓ Filter chlorine from tap water
- ✓ Drink $\frac{1}{2}$ bodyweight in oz of H2O daily w/ electrolytes and vitamin C.
- ✓ Limit protein intake to 0.7 grams protein/kilogram of body weight.
- ✓ Remove mercury amalgams and root canals with a trained biological dentist.
- ✓ Avoid cooking, drinking, storing and heating in any type of plastic.
- ✓ Use an air purifier in your home and office
- ✓ Eliminate carpeting and install low VOC wood or tile flooring.
- ✓ Cook with electric stove and oven and remove gas stove and oven.




MTHFR Considerations

- ✓ The MTHFR enzyme is working at 70% or so in heterozygous individuals; 30% in homozygous individuals
- ✓ If inflammation is unchecked when supplementing w/methylfolate, symptoms may worsen.
- ✓ FIRST: improve diet/lifestyle - tolerating probiotics, turmeric, etc.
- ✓ Electrolytes
- ✓ Glutathione




Electrolytes

- ✓ Methylation supported = cells divide
- ✓ Cells divide = magnesium & potassium reduced
- ✓ Symptoms:
 - Nausea/dizziness
 - Drink water & need to urinate quickly
 - Frequent thirst/urination
 - Dry skin
 - Muscle aches/cramps



Glutathione

- ✓ Methylation supported = cells divide
- ✓ Cells divide = glutathione in cell reduced
- ✓ Any chronic condition - likely low in glutathione
- ✓ Pulsing recommended
- ✓ Symptoms worsen - open sulfite pathway
- ✓ B1
- ✓ Molybdenum



FIR Sauna Considerations

- ✓ Electrolyte deficient
- ✓ Glutathione deficient
- ✓ Methylation deficient
- ✓ Dehydrated
- ✓ Adrenal fatigue
- ✓ EFA deficient
- ✓ High chemical burden
- ✓ Genetic SNPs
- ✓ Mitochondrial fatigue
- ✓ Possibly hypothyroid



References:

- Matthews, Julie: www.NourishingHope.com; www.bioindividualnutrition.com
- Autism Science Foundation
<http://autismsciencefoundation.org/what-is-autism/how-common-is-autism/>
- Medical Daily <http://www.medicaldaily.com/autism-boys-vs-girls-brain-scans-reveal-underlying-reason-gender-differences-autism-351218>
- Lynch, Ben; MTHFR C677T Mutation: Basic Protocol; Feb 24, 2012; www.MTHFR.net
- Lynch, Ben; Benefits of Sauna and How to Sauna; Jan 13, 2015; www.MTHFR.net

