



DIAMOND CERTIFICATE

REPORT ISSUED BY: E.G.L.

EUROPEAN GEMOLOGICAL LABORATORY.™

Independent Educational organization

NOTE: This document contains security features to prevent unauthorized duplication.

Institute for certification of diamonds and precious stones.

Laboratory Report

Certificate No :

EGL3310421721

Date: November 06, 2013

This examination has been scientifically carried out by a Graduate Gemologist using the current procedures of E.G.L. and may be repeated at any time.

ISO 9001-2008 / -IQNet-

WEIGHT: 0.90 Cts.

Shape and Cut:

Princess

Measurements:

5.18 - 5.02 x 3.78 mm.

CLARITY REPRESENTATION

Internal characteristics shown in red. External characteristics and naturals shown in green. Extra facets shown in black. Symbols indicate nature and location of identified characteristics, not their actual size. Hairline feathers in girdle, minor bearding, and minor details of polish and finish not shown.

PROPORTIONS

Total Depth:

75.3 %

Table Width:

69 %

Crown Height:

15 %

Pavilion Depth:

56 %

Girdle Thickness:

Medium, Polished

Natural Diamond : Type IaAB

FINISH

Polish:

Excellent

Symmetry:

Very Good

Culet:

None

CLARITY GRADE: *

SI3

Graining:

Nil



COLOR GRADE: **

G

Fluorescence:

None

Comments:



E.G.L. European Gemological Laboratory

**ONLINE VERIFICATION
FOR CONFIRMATION ONLY**

- Online verification service at: www.eglinternational.org

- * Clarity grade based on 10 X magnification with corrected loupe.
- ** Color based on master color diamonds comparison.

The laboratory does not and may not appraise stones which are submitted for inspection.

ORIGINAL

This report is supplied upon request of the customer and is issued for his exclusive use. The report expresses an opinion at the time of examination of the stone. It is not a guarantee, a valuation or an appraisal of any kind. E.G.L. has made no representation or warranty regarding this report or the diamond described. Since diamond grading is not an exact science this report represents only the best professional opinion of this company. E.G.L. is in no case responsible for differences which could occur by repeated expertise and/or use of other standards, norms, methods or criteria other than those chosen by E.G.L.