



DIAMOND CERTIFICATE

REPORT ISSUED BY: E.G.L.

EUROPEAN GEMOLOGICAL LABORATORY.™

Independent Educational organization
Institute for certification of diamonds and precious stones.

NOTE: This document contains security features to prevent unauthorized duplication.

Laboratory Report

Certificate No :

EGL3110469024

Date:

December 12, 2011

This examination has been scientifically carried out by a Graduate Gemologist using the current procedures of E.G.L. and may be repeated at any time.

WEIGHT:

0.91 Cts.

ISO 9001-2008 / IQNet-

CLARITY REPRESENTATION

Shape and Cut:

Radiant

Measurements:

5.41 - 5.20 x 3.62 mm.

Internal characteristics shown in red. External characteristics and naturals shown in green. Extra facets shown in black. Symbols indicate nature and location of identified characteristics, not their actual size. Hairline feathers in girdle, minor bearding, and minor details of polish and finish not shown.

Natural Diamond : Type IaB

PROPORTIONS

Total Depth:

69.6 %

Table Width:

70 %

Crown Height:

11 %

Pavilion Depth:

56 %

Girdle Thickness:

Medium, Polished

FINISH

Polish:



Excellent

Symmetry:

Excellent

Culet:

None



CLARITY GRADE: *

VSI

Graining:

Nil

COLOR GRADE: **

I

Fluorescence:

None

Comments:

E.G.L. European Gemological
Laboratory
Sandwich
E.G.L.



- ONLINE VERIFICATION SERVICE AT: www.eglinternational.org

- * Clarity grade based on 10 X magnification with corrected loupe.
- ** Color based on master color diamonds comparison.

The laboratory does not and may not appraise stones which are submitted for inspection.

ORIGINAL This report is supplied upon request of the customer and is issued for his exclusive use. The report expresses an opinion at the time of examination of the stone. It is not a guarantee, a valuation or an appraisal of any kind. E.G.L. has made no representation or warranty regarding this report or the diamond described. Since diamond grading is not an exact science this report represents only the best professional opinion of this company. E.G.L. is in no case responsible for differences which could occur by repeated expertise and/or use of other standards, norms, methods or criteria other than those chosen by E.G.L.