

HOW IOT HELP MULTIPLEXES DRIVE BUSINESS GROWTH







As per ASHRAE guidelines, the temperature inside multiplexes should be maintained between 21.1 to 24.4 degree celsius, with relative humidity not more than 65%. Smart IoT solutions can help multiplex owners in overcoming these challenges.

ENERGY CONSUMPTION OPTIMIZATION

Intelligent monitoring and control for optimizing energy consumption

AUDIENCE COMFORT

Temperature and humidity compliance for comfortable ambience

PREDICTIVE MAINTENANCE

Advanced AI/ML algorithms for predictive maintenance

Advanced Aly ME digoritimis for predictive maintenant

✓ ASSET MANAGEMENTCentralized control for managing distributed assets

DIGITAL TICKETING SYSTEM

Systematic issue closure through automated ticketing workflows

OPERATIONAL COMPLIANCE

Automated switching operation of signages, temperature compliance of perishable items storage, etc.

FNFRGY

Upto 20% reduction in energy expenses



AUDIENCE

Upto 35% improvement in audience comfort



ASSETS

Upto 25% reduction in equipment breakdown



TEMPERATURE

Upto 30% improvement in temperature compliance







www.zenatix.com



info@zenatix.com



+91 11 4084 4800

