

Section 1 Chemical Product and Company Identification

Page E1 of E2

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
For laboratory use only.
Not for drug, food or household use.

| | |
|-----------------|---------------------------------|
| Product | AMMONIUM CHLORIDE |
| Synonyms | Ammonium Muriate ; Sal Ammoniac |

Section 2 Hazards Identification

Signal word: WARNING
Pictograms: GHS07
Target organs: None known



GHS Classification:
Acute toxicity, oral (Category 4)
Eye irritation (Category 2A)

GHS Label information: Hazard statement:
H302: Harmful if swallowed.
H319: Causes serious eye irritation.

Precautionary statement:
P264: Wash hands thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical attention.
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information on Ingredients

| Chemical Name | CAS # | % | EINECS |
|-------------------|------------|------|-----------|
| Ammonium chloride | 12125-02-9 | 100% | 235-186-4 |

Section 4 First Aid Measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Reacts violently with ammonium nitrate and potassium chlorate. This generates fire and explosion hazard. Vaporizes at temperatures of about 335°C (653°F) evolving fumes of nitrogen oxides, chloride ions and ammonia gas.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure Controls / Personal Protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|------------------------|--|------------------|--|
| | Ammonium chloride fume | TWA: 10 mg/m ³ STEL: 20 mg/m ³ | None established | TWA: 10 mg/m ³ STEL: 20 mg/m ³ |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

| | | |
|---|---|---|
| Appearance: Solid, white, crystalline powder | Evaporation rate (= 1): Data not available | Partition coefficient: Data not available |
| Odor: No odor. | Flammability (solid/gas): Data not available. | Auto-ignition temperature: Data not available |
| Odor threshold: Data not available. | Explosion limits: as NH ₃ Lower: 15% Upper: 28% | Decomposition temperature: Data not available. |
| pH: Data not available. | Vapor pressure (mm Hg): Data not available | Viscosity: Data not available. |
| Melting / Freezing point: 520°C (968°F) | Vapor density (Air = 1): Data not available | Molecular formula: NH ₄ Cl |
| Boiling point: Sublimes @ 340°C (644°F) | Relative density (Specific gravity): 1.527 | Molecular weight: 53.49 |
| Flash point: Data not available | Solubility(ies): Soluble in water. | |

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Somewhat hygroscopic. Has an acid reaction in aqueous solution, solid tends to lose ammonia and become more acid on exposure and in storage.

Incompatible materials: Oxidizing agents, acids, bases, lead and silver salts.

Hazardous decomposition products: Ammonia and hydrogen chloride.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 1,650 mg/kg

Skin corrosion/irritation: Skin-rabbit - Slight irritant.

Serious eye damage/irritation: Eyes-rabbit - irritant.

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of dust or fume from heating may cause upper respiratory tract irritation, coughing, and choking sensation.

Ingestion: Ingestion of large doses cause nausea, vomiting, acidosis, irritation of the mouth, esophagus and gastric system. Ingestion may result in low grade toxicity.

Skin: Contact with skin causes irritation and/or dermatitis.

Eyes: Contact with eyes causes irritation and/or visual impairment.

Signs and symptoms of exposure: See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: BP4550000

Section 12 Ecological Information

Toxicity to fish: Salmo clarki (fish, fresh water, marine), LC50 = 123.8 - 166.6 mg/L/96 hours

Toxicity to daphnia and other aquatic invertebrates: Artemia salina (Crustacea), EC50 = 28 mg/L/24 hours

Toxicity to algae: Dunaliella tertiolecta (Algae) EC40 = 21.3 mg/L/90 minutes

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2016 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL |
|-------------------|--------|--------------------|------------|--------|------------|
| Ammonium chloride | Listed | 5000 lbs (2270 kg) | Not listed | Listed | Not listed |

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.